

: ,
 :
 : 2018

(2018-7632-7-9901)

: -12119

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-5-00000300-1-6 (-2) ,30	574,767	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2) ,		1,149,534 / 1,149,534	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-6-00000400-1-6 (-2) KP,400mm*	820,667	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2) ,		4,103,335 / 4,103,335	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
3	12-01-7-00000080-1-6 (-3) ,80	129,797	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,		519,188 / 519,188	0 / 0	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
4	12-01-7-00000100-1-6 (-3) ,10	160,612	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,		642,448 / 642,448	0 / 0	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
5	12-01-7-00000150-1-6 (-3) ,15	242,804	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,		728,412 / 728,412	0 / 0	2 / 2	0 / 0	0 / 0	1 / 1	0 / 0
6	12-01-7-00000200-1-6 (-3) ,20	325,297	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,		975,891 / 975,891	0 / 0	2 / 2	0 / 0	0 / 0	1 / 1	0 / 0
7	12-01-7-00000300-1-6 (-3) ,30	537,265	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,		1,611,795 / 1,611,795	0 / 0	2 / 2	0 / 0	0 / 0	1 / 1	0 / 0
8	22-01-B-00800022-3-0 B ,80mm *22` `(23,431	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		468,620 / 468,620	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-B-00800045-3-0 B ,80mm *45` `	24,521	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		1,471,260 / 1,471,260	0 / 0	50 / 50	0 / 0	0 / 0	10 / 10	0 / 0
10	22-01-B-01000022-3-0 B ,100mm *22	28,726	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	,K.P (BPF)		258,534 / 258,534	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
11	22-01-B-01000045-3-0 B ,100mm *45	31,060	75 / 75	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		2,329,500 / 2,329,500	10 / 10	60 / 60	0 / 0	0 / 0	5 / 5	0 / 0
12	22-01-Y-01500022-3-0 B (L) ,150mm*22(52,312	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		1,046,240 / 1,046,240	0 / 0	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0
13	22-01-Y-01500045-3-0 B (L) ,150mm*45(57,217	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		2,288,680 / 2,288,680	0 / 0	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0
14	22-01-Y-02000045-3-0 B (L) ,200mm*45(83,101	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		1,662,020 / 1,662,020	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-03000045-3-0 B (L),300mm*45(155,304	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		3,106,080 / 3,106,080	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
16	22-01-Y-04000022-3-0 B (L),400mm*22(216,608	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		4,332,160 / 4,332,160	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
17	22-02-B-00800080-3-0 B ,80*80mm()	43,866	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		438,660 / 438,660	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-01000080-3-0 B ,100*80mm(51,768	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		517,680 / 517,680	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
19	22-02-B-01000100-3-0 B ,100*100mm(54,492	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		653,904 / 653,904	2 / 2	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
20	22-02-B-01500080-3-0 B ,150*80mm(73,565	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		735,650 / 735,650	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-01500100-3-0 B ,150*100mm(79,014	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		790,140 / 790,140	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-02000080-3-0 B ,200mm*80mm(99,449	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		994,490 / 994,490	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-02000100-3-0 B ,200mm*100mm(104,898	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		1,048,980 / 1,048,980	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-03000100-3-0 B ,300mm*100mm(171,651	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		514,953 / 514,953	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
25	22-04-0-00000080-3-0 ,80mm	7,450	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		745,000 / 745,000	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0
26	22-04-0-00000100-3-0 ,100mm	8,676	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		867,600 / 867,600	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0
27	22-04-0-00000150-3-0 ,150mm	12,386	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		619,300 / 619,300	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
28	22-04-0-00000200-3-0 ,200mm	15,563	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		778,150 / 778,150	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
29	22-04-0-00000250-3-0 ,250mm	22,038	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		220,380 / 220,380	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
30	22-04-0-00000300-3-0 ,300mm	24,883	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		746,490 / 746,490	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-0-00000400-3-0	,400mm	28,633	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,431,650 / 1,431,650	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
32	22-04-2-00000080-3-0	,80mm	1,216	500 / 500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			608,000 / 608,000	0 / 0	500 / 500	0 / 0	0 / 0	0 / 0
33	22-04-2-00000100-3-0	,100mm	1,357	557 / 557	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			755,849 / 755,849	57 / 57	500 / 500	0 / 0	0 / 0	0 / 0
34	22-04-2-00000150-3-0	,150mm	1,819	200 / 200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			363,800 / 363,800	0 / 0	200 / 200	0 / 0	0 / 0	0 / 0
35	22-04-2-00000200-3-0	,200mm	2,412	141 / 141	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			340,092 / 340,092	11 / 11	100 / 100	0 / 0	0 / 0	30 / 30
36	22-04-2-00000250-3-0	,250mm	2,825	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			84,750 / 84,750	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
37	22-04-2-00000300-3-0	,300mm	3,840	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			384,000 / 384,000	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0
38	22-04-2-00000400-3-0	,400mm	5,197	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			311,820 / 311,820	0 / 0	50 / 50	0 / 0	0 / 0	10 / 10
39	22-04-3-00240085-3-0	,24*85	1,115	5,000 / 5,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			5,575,000 / 5,575,000	0 / 0	5,000 / 5,000	0 / 0	0 / 0	0 / 0
40	22-04-3-00240105-3-0	,24*105	1,301	1,000 / 1,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,301,000 / 1,301,000	0 / 0	500 / 500	0 / 0	0 / 0	500 / 500
41	22-05-0-00800500-3-0	80mm*L500 (2F)(34,738	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,736,900 / 1,736,900	0 / 0	30 / 30	0 / 0	0 / 0	20 / 20
42	22-05-0-01000300-3-0	100mm*L300 (2F)(32,256	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			161,280 / 161,280	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
43	22-05-0-01000500-3-0	100mm*L500 (2F)(40,324	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,612,960 / 1,612,960	0 / 0	20 / 20	0 / 0	0 / 0	20 / 20
44	22-05-0-01500500-3-0	150mm*L500 (2F)(61,167	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			2,140,845 / 2,140,845	0 / 0	20 / 20	0 / 0	0 / 0	15 / 15
45	22-05-0-02000500-3-0	200mm*L500 (2F)(83,101	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,662,020 / 1,662,020	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
46	22-05-0-02500500-3-0	250mm*L500 (2F)(112,663	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,126,630 / 1,126,630	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-05-0-03000500-3-0	300mm*L500 (2F) (146,448	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F	(BPF)		2,928,960 / 2,928,960	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
48	22-05-0-04000500-3-0	400mm*L500 (2F) (202,848	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F	(BPF)		2,028,480 / 2,028,480	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
49	22-07-2-00000080-3-0	80mm	21,274	500 / 500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			10,637,000 / 10,637,000	0 / 0	500 / 500	0 / 0	0 / 0	0 / 0
50	22-07-2-00000100-3-0	100mm	23,576	563 / 563	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			13,273,288 / 13,273,288	63 / 63	500 / 500	0 / 0	0 / 0	0 / 0
51	22-07-2-00000150-3-0	150mm	30,383	130 / 130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			3,949,790 / 3,949,790	0 / 0	100 / 100	0 / 0	0 / 0	30 / 30
52	22-07-2-00000200-3-0	200mm	39,401	120 / 120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			4,728,120 / 4,728,120	10 / 10	100 / 100	0 / 0	0 / 0	10 / 10
53	22-07-2-00000250-3-0	250mm	48,842	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,221,050 / 1,221,050	0 / 0	10 / 10	0 / 0	0 / 0	15 / 15
54	22-07-2-00000300-3-0	300mm	57,046	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			3,422,760 / 3,422,760	0 / 0	50 / 50	0 / 0	0 / 0	10 / 10
55	22-07-2-00000400-3-0	400mm	91,491	45 / 45	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			4,117,095 / 4,117,095	0 / 0	40 / 40	0 / 0	0 / 0	5 / 5
56	22-08-0-00000080-3-0	80mm()	25,339	120 / 120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,040,680 / 3,040,680	0 / 0	120 / 120	0 / 0	0 / 0	0 / 0
57	22-08-0-00000100-3-0	100mm()	30,788	171 / 171	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		5,264,748 / 5,264,748	11 / 11	160 / 160	0 / 0	0 / 0	0 / 0
58	22-08-0-00000150-3-0	150mm()	47,408	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,844,480 / 2,844,480	0 / 0	40 / 40	0 / 0	0 / 0	20 / 20
59	22-08-0-00000200-3-0	200mm()	64,028	70 / 70	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,481,960 / 4,481,960	0 / 0	50 / 50	0 / 0	0 / 0	20 / 20
60	22-08-0-00000250-3-0	250mm()	87,188	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,743,760 / 1,743,760	0 / 0	10 / 10	0 / 0	0 / 0	10 / 10
61	22-08-0-00000300-3-0	300mm()	108,985	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,359,400 / 4,359,400	0 / 0	30 / 30	0 / 0	0 / 0	10 / 10
62	22-08-0-00000400-3-0	400mm()	168,927	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		6,757,080 / 6,757,080	0 / 0	30 / 30	0 / 0	0 / 0	10 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-09-0-06500080-3-0	80*L650 (1F)(,1F (L650)(BPF)	33,158	180 / 180	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,968,440 / 5,968,440	0 / 0	180 / 180	0 / 0	0 / 0	0 / 0
64	22-09-0-06500100-3-0	100*L650 (1F)(,1F (L650)(BPF)	40,351	200 / 200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				8,070,200 / 8,070,200	0 / 0	200 / 200	0 / 0	0 / 0	0 / 0
65	22-09-0-06500150-3-0	150*L650 (1F)(,1F (L650)(BPF)	62,939	120 / 120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,552,680 / 7,552,680	0 / 0	120 / 120	0 / 0	0 / 0	0 / 0
66	22-09-0-06500200-3-0	200*L650 (1F)(,1F (L650)(BPF)	88,850	104 / 104	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,240,400 / 9,240,400	4 / 4	100 / 100	0 / 0	0 / 0	0 / 0
67	22-09-0-06500250-3-0	250*L650 (1F)(,1F (L650)(BPF)	119,665	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,794,975 / 1,794,975	0 / 0	10 / 10	0 / 0	0 / 0	5 / 5
68	22-09-0-06500300-3-0	300*L650 (1F)(,1F (L650)(BPF)	154,077	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,622,310 / 4,622,310	0 / 0	20 / 20	0 / 0	0 / 0	10 / 10
69	22-09-0-06500400-3-0	400*L650 (1F)(,1F (L650)(BPF)	192,631	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,742,085 / 6,742,085	0 / 0	20 / 20	0 / 0	0 / 0	15 / 15
70	22-10-A-01000080-3-0	A ,100*80mm(, K.P (BPF)	27,791	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				583,611 / 583,611	1 / 1	20 / 20	0 / 0	0 / 0	0 / 0
71	22-10-A-01500100-3-0	A ,150*100mm(, K.P (BPF)	42,276	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				42,276 / 42,276	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
72	22-10-A-02000100-3-0	A ,200*100mm(, K.P (BPF)	59,620	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				59,620 / 59,620	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
73	22-10-A-02000150-3-0	A ,200*150mm(, K.P (BPF)	61,304	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				122,608 / 122,608	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
74	22-11-A-02000100-3-0	A ,200*100mm ,	78,608	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				78,608 / 78,608	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
75	22-12-A-00800090-3-0	A ,80mm *90(, (BPF)	25,978	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				129,890 / 129,890	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
76	22-12-A-01000090-3-0	A ,100mm *90(, (BPF)	32,423	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				194,538 / 194,538	1 / 1	5 / 5	0 / 0	0 / 0	0 / 0
77	22-15-0-00000080-3-0	80mm, (, (BPF)	23,976	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,198,800 / 1,198,800	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
78	22-15-0-00000100-3-0	100mm, (, (BPF)	28,336	80 / 80	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,266,880 / 2,266,880	0 / 0	80 / 80	0 / 0	0 / 0	0 / 0

		가	(/)	1	2	3	4	5	6
				(/)	(/)	(/)	(/)	(/)	(/)
			(/)	7	8	9	10	11	12
			(/)	(/)	(/)	(/)	(/)	(/)	(/)
95	31-01-4-00000200-3-0	(), 200mm	522,700	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,045,400 / 1,045,400	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
96	31-01-5-00000080-3-0	, 80mm	317,505	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				12,700,200 / 12,700,200	0 / 0	40 / 40	0 / 0	0 / 0	0 / 0
97	31-01-5-00000100-3-0	, 100mm	392,106	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				15,684,240 / 15,684,240	0 / 0	40 / 40	0 / 0	0 / 0	0 / 0
98	31-01-5-00000150-3-0	, 150mm	698,753	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,987,530 / 6,987,530	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
99	31-01-5-00000200-3-0	, 200mm	908,881	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,088,810 / 9,088,810	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
100	31-01-5-00000300-3-0	, 300mm	2,138,988	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,277,976 / 4,277,976	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
101	31-03-0-00000080-3-0	, 80mm	2,882,481	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				23,059,848 / 23,059,848	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
102	31-03-0-00000100-3-0	, 100mm	2,964,924	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				20,754,468 / 20,754,468	0 / 0	5 / 5	0 / 0	0 / 0	2 / 2
103	31-03-0-00000150-3-0	, 150mm	3,990,432	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				23,942,592 / 23,942,592	0 / 0	5 / 5	0 / 0	0 / 0	1 / 1
104	31-03-0-00000200-3-0	, 200mm	5,908,735	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				23,634,940 / 23,634,940	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
105	31-03-0-00000250-3-0	, 250mm	7,334,393	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				14,668,786 / 14,668,786	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
106	31-03-0-00000300-3-0	, 300mm	9,236,609	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				27,709,827 / 27,709,827	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
107	31-03-0-00000400-3-0	, 400mm	17,902,152	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				89,510,760 / 89,510,760	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
108	31-03-3-00000080-3-0	, 80mm	377,025	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 가		11,310,750 / 11,310,750	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
109	31-03-3-00000100-3-0	, 100mm	498,678	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 가		14,960,340 / 14,960,340	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
110	31-03-4-00000080-3-0	()	207,011	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 가		8,280,440 / 8,280,440	0 / 0	40 / 40	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	31-03-4-00000100-3-0	()	264,420	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,가			5,288,400 / 5,288,400	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
112	31-03-F-00000080-3-0	,80mm	700,060	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,000,600 / 7,000,600	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
113	31-03-F-00000100-3-0	,100mm	738,767	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,387,670 / 7,387,670	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
114	31-03-F-00000200-3-0	,200mm	1,055,066	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				10,550,660 / 10,550,660	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
115	31-03-F-00000250-3-0	,250mm	1,404,543	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,809,086 / 2,809,086	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
116	31-03-F-00000300-3-0	,300mm	1,625,731	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				16,257,310 / 16,257,310	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
117	31-03-G-40000080-3-0	(265,928	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				10,637,120 / 10,637,120	0 / 0	40 / 40	0 / 0	0 / 0	0 / 0
118	31-03-G-40000100-3-0	(310,869	44 / 44	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				13,678,236 / 13,678,236	4 / 4	40 / 40	0 / 0	0 / 0	0 / 0
119	31-03-G-40000150-3-0	(541,206	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				10,824,120 / 10,824,120	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
120	31-03-G-40000200-3-0	(741,381	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,413,810 / 7,413,810	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
121	31-04-Z-00100080-3-0	,10K*	330,910	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,618,200 / 6,618,200	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
122	31-04-Z-00100150-3-0	,10K*	987,099	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,935,495 / 4,935,495	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
123	31-04-Z-00200100-3-0	(357,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				357,800 / 357,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
124	31-05-A-00000200-3-0	,200mm	1,105,940	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,211,880 / 2,211,880	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
125	31-05-Q-00000080-3-0	,80	443,381	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,650,715 / 6,650,715	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
126	31-05-Q-00000100-3-0	,10	518,786	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,781,790 / 7,781,790	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
143	81-09-6-00400110-4-0	, 40mm ×	269,447	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				8,083,410 / 8,083,410	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	
144	81-09-6-00500110-4-0	, 50mm ×	299,609	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				8,988,270 / 8,988,270	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	
145	81-09-8-00150110-4-0	, 15mm ×	101,545	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
	()			5,077,250 / 5,077,250	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	
146	81-09-8-00200100-4-0	, 20mm ×	141,761	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
	()			2,835,220 / 2,835,220	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	
()				13,925	0	0	0	0	1	1
				1,106,444,250	198	11,728	50	0	1,048	899
()				13,925	0	0	0	0	1	1
				1,106,444,250	198	11,728	50	0	1,048	899