

: 2019 12 13
 : 16 43 55
 : 1 / 9

: ,
 :
 : ,

((2019-7432-0-0001)

: -24238

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-5-00000100-1-6 (-2) ,1		173,240	51 / 51	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2) ,			8,835,240 / 8,835,240	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
2	12-01-5-00000150-1-6 (-2) ,1		267,890	51 / 51	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2) ,			13,662,390 / 13,662,390	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
3	12-01-5-00000300-1-6 (-2) ,3		487,870	105 / 105	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	1 / 1
	(2) ,			51,226,350 / 51,226,350	0 / 0	0 / 0	0 / 0	50 / 50	50 / 50	0 / 0
4	12-01-6-00000080-1-6 (-2) KP,80mm*		135,900	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2) ,			1,494,900 / 1,494,900	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
5	12-01-6-00000200-1-6 (-2) KP,200mm		287,630	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2) ,			4,314,450 / 4,314,450	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
6	12-01-6-00000500-1-6 (-2) KP,500mm		1,119,790	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2) ,			1,119,790 / 1,119,790	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
7	12-01-6-00000700-1-6 (-2) KP,700mm		2,020,660	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	(2) ,			6,061,980 / 6,061,980	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
8	12-01-7-00000080-1-6 (-3) ,8		129,730	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			1,297,300 / 1,297,300	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
9	12-01-7-00000100-1-6 (-3) ,1		160,440	77 / 77	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			12,353,880 / 12,353,880	0 / 0	27 / 27	0 / 0	50 / 50	0 / 0	0 / 0
10	12-01-7-00000150-1-6 (-3) ,1		242,950	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			14,577,000 / 14,577,000	0 / 0	10 / 10	0 / 0	50 / 50	0 / 0	0 / 0
11	22-01-B-00800045-3-0 B ,80mm *45`		24,840	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8	4 / 4
	,K.P (BPF)			794,880 / 794,880	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
12	22-01-B-01000022-3-0 B ,100mm *22		29,256	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			87,768 / 87,768	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
13	22-01-B-01000045-3-0 B ,100mm *45		31,464	45 / 45	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,K.P (BPF)			1,415,880 / 1,415,880	5 / 5	0 / 0	0 / 0	37 / 37	0 / 0	0 / 0
14	22-01-B-01000090-3-0 B ,100mm *90(36,856	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			368,560 / 368,560	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-01500022-3-0	B (L), 150mm*22(52,992	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		105,984 / 105,984	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
16	22-01-Y-01500045-3-0	B (L), 150mm*45(57,960	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		869,400 / 869,400	5 / 5	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
17	22-01-Y-02000022-3-0	B (L), 200mm*22(75,900	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		151,800 / 151,800	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
18	22-01-Y-02000045-3-0	B (L), 200mm*45(84,180	34 / 34	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,K.P	(BPF)		2,862,120 / 2,862,120	19 / 19	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
19	22-01-Y-03000045-3-0	B (L), 300mm*45(157,320	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	1 / 1
	,K.P	(BPF)		3,303,720 / 3,303,720	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-01-Y-07000022-3-0	B (L), 700mm*22(613,250	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		613,250 / 613,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-01-Y-07000045-3-0	B (L), 700mm*45(792,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		792,000 / 792,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-01000080-3-0	B, 100*80mm(52,440	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		52,440 / 52,440	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
23	22-02-B-01000100-3-0	B, 100*100mm(55,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		276,000 / 276,000	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-01500080-3-0	B, 150*80mm(74,520	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		74,520 / 74,520	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
25	22-02-B-01500100-3-0	B, 150*100mm(80,040	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		80,040 / 80,040	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
26	22-02-B-01500150-3-0	B, 150*150mm(92,460	1 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		92,460 / 184,920	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
27	22-02-B-02000200-3-0	B, 200*200mm(136,620	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		136,620 / 136,620	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
28	22-02-B-03000300-3-0	B, 300mm*300mm(262,200	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		262,200 / 262,200	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
29	22-02-B-04000300-3-0	B, 400*300mm(372,600	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	,	T (BPF)		1,117,800 / 1,117,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
30	22-03-B-02000100-3-0	B, 200*100mm(109,230	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	-T		109,230 / 109,230	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-05-0-02500500-3-0	250mm*L500 (2F)(115,780	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,157,800 / 1,157,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
48	22-05-0-03000500-3-0	300mm*L500 (2F)(125,237	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	, 2F (BPF)			375,711 / 375,711	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-05-0-05000500-3-0	500mm*500mm(236,262	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			236,262 / 236,262	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
50	22-06-0-00000300-3-0	F ,300mm	3,390	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			0 / 3,390	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
51	22-07-2-00000080-3-0	80mm	21,160	37 / 37	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
	,			782,920 / 782,920	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
52	22-07-2-00000100-3-0	100mm	23,450	36 / 36	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	,			844,200 / 844,200	0 / 0	0 / 0	20 / 20	10 / 10	0 / 0
53	22-07-2-00000150-3-0	150mm	30,220	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,208,800 / 1,208,800	20 / 20	20 / 20	0 / 0	0 / 0	0 / 0
54	22-07-2-00000200-3-0	200mm	39,190	67 / 67	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,			2,625,730 / 2,625,730	32 / 32	0 / 0	15 / 15	10 / 10	0 / 0
55	22-07-2-00000250-3-0	250mm	48,580	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			485,800 / 485,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
56	22-07-2-00000300-3-0	300mm	56,740	51 / 51	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	,			2,893,740 / 2,893,740	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-07-2-00000500-3-0	500mm	155,980	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			311,960 / 311,960	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
58	22-07-2-00000700-3-0	700mm	278,690	9 / 9	0 / 0	0 / 0	6 / 6	0 / 0	3 / 3
	,			2,508,210 / 2,508,210	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-08-0-00000080-3-0	80mm()	25,668	39 / 39	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	,K.P (BPF)			1,001,052 / 1,001,052	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
60	22-08-0-00000100-3-0	100mm(31,188	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,K.P (BPF)			311,880 / 311,880	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
61	22-08-0-00000150-3-0	150mm(48,024	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			720,360 / 720,360	5 / 5	10 / 10	0 / 0	0 / 0	0 / 0
62	22-08-0-00000200-3-0	200mm(64,860	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,K.P (BPF)			454,020 / 454,020	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
63	22-08-0-00000300-3-0	300mm(110,400	18 / 18	0 / 0	0 / 0	0 / 0	0 / 0	18 / 18	0 / 0
	,K.P	(BPF)		1,987,200 / 1,987,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
64	22-08-0-00000500-3-0	500mm()	248,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		248,400 / 248,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
65	22-08-0-00000700-3-0	700mm()	470,250	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,881,000 / 1,881,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	22-09-0-06500080-3-0	80*L650 (1F) (33,590	31 / 31	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F	(L650) (BPF)		1,041,290 / 1,041,290	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
67	22-09-0-06500100-3-0	100*L650 (1F) (40,875	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F	(L650) (BPF)		490,500 / 490,500	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
68	22-09-0-06500150-3-0	150*L650 (1F) (63,755	4 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F	(L650) (BPF)		255,020 / 318,775	0 / 0	2 / 2	1 / 1	0 / 0	0 / 0	0 / 1
69	22-09-0-06500200-3-0	200*L650 (1F) (90,005	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F	(L650) (BPF)		990,055 / 990,055	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
70	22-09-0-06500250-3-0	250*L650 (1F) (121,219	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,212,190 / 1,212,190	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
71	22-09-0-06500300-3-0	300*L650 (1F) (156,080	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	,1F	(L650) (BPF)		624,320 / 624,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	22-09-0-06500400-3-0	400*L650 (1F) (195,130	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	,1F	(L650) (BPF)		780,520 / 780,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
73	22-09-0-06500500-3-0	500*L650 (1F) (267,030	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		534,060 / 534,060	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
74	22-10-A-01000080-3-0	A ,100*80mm(28,152	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		56,304 / 56,304	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
75	22-10-A-01500080-3-0	A ,150*80mm(42,504	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		85,008 / 85,008	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
76	22-10-A-01500100-3-0	A ,150*100mm(43,056	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		43,056 / 43,056	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
77	22-10-A-02000100-3-0	A ,200*100mm(60,720	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		60,720 / 60,720	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
78	22-10-A-02000150-3-0	A ,200*150mm(62,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		62,100 / 62,100	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	22-16-0-00000080-3-0	80mm	10,080	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			100,800 / 100,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
96	22-17-0-00800050-3-0	80*50mm	9,108	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			100,188 / 100,188	1 / 1	0 / 0	0 / 0	10 / 10	0 / 0
97	22-17-0-01000050-3-0	100*50mm	11,040	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			110,400 / 110,400	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
98	22-25-1-00000080-3-0	KP ,80mm	11,040	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			11,040 / 11,040	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
99	22-25-1-00000100-3-0	KP ,100mm	14,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			14,000 / 14,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
100	22-25-1-00000150-3-0	KP ,150mm	19,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			19,600 / 19,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
101	22-25-1-00000200-3-0	KP ,200mm	33,600	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			67,200 / 67,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
102	22-25-1-00000300-3-0	KP ,300mm	53,590	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, (BPF)			107,180 / 107,180	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
103	22-25-1-00000500-3-0	KP ,500mm	179,200	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, (BPF)			179,200 / 179,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-25-1-00000700-3-0	KP ,700mm	368,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, (BPF)			737,000 / 737,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	31-01-3-00000100-3-0	,100mm	189,200	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,081,200 / 2,081,200	5 / 5	1 / 1	5 / 5	0 / 0	0 / 0
106	31-01-3-00000150-3-0	,150mm	373,100	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,865,500 / 1,865,500	3 / 3	0 / 0	0 / 0	0 / 0	2 / 2
107	31-01-3-00000200-3-0	,200mm	522,700	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,613,500 / 2,613,500	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
108	31-01-3-00000250-3-0	,250mm	762,300	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,623,000 / 7,623,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
109	31-01-3-00000300-3-0	,300mm	906,800	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
				2,720,400 / 2,720,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	31-01-3-00000400-3-0	,400mm	1,870,550	10,000,000 / 10,000,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				18,705,500,000,000 / 18,705,500,000,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	31-01-3-00000500-3-0	,500mm	2,989,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				2,989,800 / 2,989,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
112	31-03-0-00000100-3-0	,100mm	2,949,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,949,000 / 2,949,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
113	31-03-F-00000100-3-0	,100mm	712,800	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,128,000 / 7,128,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
114	31-03-F-00000150-3-0	,150mm	838,310	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,221,410 / 9,221,410	0 / 0	1 / 1	0 / 0	10 / 10	0 / 0
115	31-03-F-00000300-3-0	,300mm	1,568,160	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				23,522,400 / 23,522,400	0 / 0	5 / 5	0 / 0	10 / 10	0 / 0
116	31-04-Z-00100100-3-0	,10K	480,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,920,000 / 1,920,000	1 / 1	3 / 3	0 / 0	0 / 0	0 / 0
117	31-05-Q-00000100-3-0	,1	516,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,160,000 / 5,160,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
118	31-05-Q-00000150-3-0	,1	1,070,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,280,000 / 4,280,000	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
119	41-01-0-01000648-4-0	, ,	315,000	30 / 30	0 / 0	0 / 0	10 / 10	0 / 0	10 / 10
				9,450,000 / 9,450,000	5 / 5	5 / 5	0 / 0	0 / 0	0 / 0
120	41-01-0-03180410-4-0	318x 410,	277,900	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				7,225,400 / 7,225,400	1 / 1	0 / 0	10 / 10	10 / 10	0 / 0
121	41-01-1-01000648-4-0	, ,	312,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				312,000 / 312,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
122	41-01-2-01000648-4-0	, ,D6	335,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,675,000 / 1,675,000	0 / 0	3 / 3	2 / 2	0 / 0	0 / 0
123	41-01-3-20000648-3-0	(525,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,050,000 / 1,050,000	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
124	41-01-B-00000648-4-0	가	375,000	92 / 92	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				34,500,000 / 34,500,000	0 / 0	0 / 0	0 / 0	90 / 90	0 / 0
125	41-01-C-00000648-4-0	가	375,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				750,000 / 750,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
126	41-01-D-10000648-4-0	가	419,600	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				839,200 / 839,200	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0

: 2019 12 13
 : 16 43 55
 : 9 / 9

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	41-05-0-00000648-4-0	297,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			891,000 / 891,000	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
()			10,002,640	0	0	182	0	411	387
			18,705,796,328,790	180	241	249	932	50	9
()			10,002,845	0	0	182	0	411	387
			18,705,796,744,755	180	241	249	932	50	214