

:
 :
 : 2019

(2019-7432-7-9901)

: -26590

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6	(-3) ,8	133,650	18 / 18	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2	2 / 2
	(3)	,		2,405,700 / 2,405,700	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
2	12-01-7-00000100-1-6	(-3) ,1	165,390	18 / 18	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2	2 / 2
	(3)	,		2,977,020 / 2,977,020	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
3	12-01-7-00000150-1-6	(-3) ,1	250,040	18 / 18	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2	2 / 2
	(3)	,		4,500,720 / 4,500,720	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
4	12-01-7-00000200-1-6	(-3) ,2	335,010	12 / 12	0 / 0	0 / 0	1 / 1	2 / 2	2 / 2	1 / 1
	(3)	,		4,020,120 / 4,020,120	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
5	12-01-7-00000250-1-6	(-3) ,2	439,540	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	(3)	,		3,955,860 / 3,955,860	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
6	12-01-7-00000300-1-6	(-3) ,3	553,360	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	(3)	,		4,980,240 / 4,980,240	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
7	22-01-Y-05000045-3-0	B (L) ,500mm*45(337,850	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,013,550 / 1,013,550	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
8	22-02-B-00800080-3-0	B ,80*80mm(45,080	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		405,720 / 405,720	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
9	22-02-B-01000080-3-0	B ,100*80mm(53,200	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		478,800 / 478,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
10	22-02-B-01000100-3-0	B ,100*100mm(56,000	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		504,000 / 504,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
11	22-02-B-01500080-3-0	B ,150*80mm(75,600	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		680,400 / 680,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
12	22-02-B-01500100-3-0	B ,150*100mm(81,200	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		730,800 / 730,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
13	22-02-B-01500150-3-0	B ,150*150mm(93,800	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		844,200 / 844,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
14	22-02-B-02000080-3-0	B ,200mm*80mm(102,200	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
	,	T (BPF)		919,800 / 919,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-02000100-3-0	B ,200mm*100mm(107,800	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			970,200 / 970,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
16	22-02-B-02000150-3-0	B ,200mm*150mm(121,800	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,096,200 / 1,096,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
17	22-02-B-02000200-3-0	B ,200*200mm(138,600	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,247,400 / 1,247,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
18	22-02-B-02500100-3-0	B ,250*100mm(134,415	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,209,735 / 1,209,735	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
19	22-02-B-02500150-3-0	B ,250*150mm(151,760	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,365,840 / 1,365,840	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
20	22-02-B-02500200-3-0	B ,250*200mm(175,000	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,575,000 / 1,575,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
21	22-02-B-03000150-3-0	B ,300mm*150mm(194,600	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,751,400 / 1,751,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
22	22-02-B-03000200-3-0	B ,300mm*200mm(214,200	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			1,927,800 / 1,927,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
23	22-02-B-03000250-3-0	B ,300mm*250mm(241,360	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			2,172,240 / 2,172,240	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
24	22-02-B-03000300-3-0	B ,300mm*300mm(266,000	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, T (BPF)			2,394,000 / 2,394,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
25	22-02-B-05000080-3-0	B ,500*80mm(339,480	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,697,400 / 1,697,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
26	22-02-B-05000300-3-0	B ,500*300mm(499,560	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			499,560 / 499,560	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
27	22-04-0-00000080-3-0	,80mm	6,690	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			60,210 / 60,210	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
28	22-04-0-00000100-3-0	,100mm	9,140	11 / 11	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			100,540 / 100,540	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
29	22-04-0-00000150-3-0	,150mm	11,190	10 / 10	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			111,900 / 111,900	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
30	22-04-0-00000200-3-0	,200mm	14,050	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			126,450 / 126,450	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-0-00000250-3-0	,250mm	20,020	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			180,180 / 180,180	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
32	22-04-0-00000300-3-0	,300mm	24,380	9 / 9	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			219,420 / 219,420	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
33	22-04-2-00000080-3-0	,80mm	1,210	57 / 57	0 / 0	0 / 0	7 / 7	12 / 12	12 / 12
	, K.P			68,970 / 68,970	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
34	22-04-2-00000100-3-0	,100mm	1,350	84 / 84	0 / 0	0 / 0	11 / 11	16 / 16	16 / 16
	, K.P			113,400 / 113,400	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
35	22-04-2-00000150-3-0	,150mm	1,810	57 / 57	0 / 0	0 / 0	8 / 8	11 / 11	11 / 11
	, K.P			103,170 / 103,170	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
36	22-04-2-00000200-3-0	,200mm	2,400	42 / 42	0 / 0	0 / 0	5 / 5	6 / 6	6 / 6
	, K.P			100,800 / 100,800	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
37	22-04-2-00000250-3-0	,250mm	2,810	37 / 37	0 / 0	0 / 0	4 / 4	5 / 5	4 / 4
	, K.P			103,970 / 103,970	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
38	22-04-2-00000300-3-0	,300mm	3,820	48 / 48	0 / 0	0 / 0	4 / 4	5 / 5	4 / 4
	, K.P			183,360 / 183,360	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
39	22-04-3-00240085-3-0	,24*85	1,110	1,648 / 1,648	0 / 0	0 / 0	83 / 83	963 / 963	150 / 150
	, K.P			1,829,280 / 1,829,280	0 / 0	0 / 0	0 / 0	0 / 0	300 / 300
40	22-05-0-00800300-3-0	80mm*L300 (2F)(28,140	20 / 20	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	, 2F (BPF)			562,800 / 562,800	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
41	22-05-0-00800500-3-0	80mm*L500 (2F)(29,707	60 / 60	0 / 0	0 / 0	4 / 4	6 / 6	9 / 9
	, 2F (BPF)			1,782,420 / 1,782,420	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40
42	22-05-0-01000300-3-0	100mm*L300 (2F)(26,841	90 / 90	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30
	, 2F (BPF)			2,415,690 / 2,415,690	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
43	22-05-0-01000500-3-0	100mm*L500 (2F)(41,440	95 / 95	0 / 0	0 / 0	5 / 5	42 / 42	13 / 13
	, 2F (BPF)			3,936,800 / 3,936,800	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
44	22-05-0-01500500-3-0	150mm*L500 (2F)(52,308	40 / 40	0 / 0	0 / 0	4 / 4	6 / 6	9 / 9
	, 2F (BPF)			2,092,320 / 2,092,320	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
45	22-05-0-02000500-3-0	200mm*L500 (2F)(85,400	30 / 30	0 / 0	0 / 0	2 / 2	3 / 3	3 / 3
	, 2F (BPF)			2,562,000 / 2,562,000	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
46	22-05-0-02500500-3-0	250mm*L500 (2F)(115,780	10 / 10	0 / 0	0 / 0	1 / 1	2 / 2	1 / 1
	, 2F (BPF)			1,157,800 / 1,157,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
47	22-05-0-03000500-3-0	300mm* L500 (2F)(125,237	16 / 16	0 / 0	0 / 0	2 / 2	3 / 3	3 / 3	2 / 2
	, 2F (BPF)			2,003,792 / 2,003,792	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	1 / 1
48	22-06-0-00000080-3-0	F ,80mm	620	75 / 75	0 / 0	0 / 0	4 / 4	9 / 9	9 / 9	3 / 3
	,			46,500 / 46,500	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
49	22-06-0-00000100-3-0	F ,100mm	840	240 / 240	0 / 0	0 / 0	8 / 8	113 / 113	13 / 13	6 / 6
	,			201,600 / 201,600	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100	0 / 0
50	22-06-0-00000150-3-0	F ,150mm	1,190	43 / 43	0 / 0	0 / 0	5 / 5	8 / 8	8 / 8	2 / 2
	,			51,170 / 51,170	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
51	22-06-0-00000200-3-0	F ,200mm	2,010	20 / 20	0 / 0	0 / 0	2 / 2	3 / 3	3 / 3	2 / 2
	,			40,200 / 40,200	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
52	22-06-0-00000250-3-0	F ,250mm	2,790	5 / 5	0 / 0	0 / 0	1 / 1	2 / 2	1 / 1	1 / 1
	,			13,950 / 13,950	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-06-0-00000300-3-0	F ,300mm	3,390	5 / 5	0 / 0	0 / 0	1 / 1	2 / 2	1 / 1	1 / 1
	,			16,950 / 16,950	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-07-2-00000080-3-0	80mm	21,160	63 / 63	0 / 0	0 / 0	6 / 6	11 / 11	11 / 11	5 / 5
	,			1,333,080 / 1,333,080	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
55	22-07-2-00000100-3-0	100mm	23,450	88 / 88	0 / 0	0 / 0	10 / 10	15 / 15	15 / 15	8 / 8
	,			2,063,600 / 2,063,600	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	0 / 0
56	22-07-2-00000150-3-0	150mm	30,220	62 / 62	0 / 0	0 / 0	7 / 7	10 / 10	10 / 10	4 / 4
	,			1,873,640 / 1,873,640	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	1 / 1
57	22-07-2-00000200-3-0	200mm	39,190	38 / 38	0 / 0	0 / 0	4 / 4	5 / 5	5 / 5	4 / 4
	,			1,489,220 / 1,489,220	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
58	22-07-2-00000250-3-0	250mm	48,580	18 / 18	0 / 0	0 / 0	3 / 3	4 / 4	3 / 3	3 / 3
	,			874,440 / 874,440	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
59	22-07-2-00000300-3-0	300mm	56,740	29 / 29	0 / 0	0 / 0	3 / 3	4 / 4	3 / 3	3 / 3
	,			1,645,460 / 1,645,460	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	11 / 11
60	22-07-2-00000500-3-0	500mm	155,980	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			2,963,620 / 2,963,620	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	19 / 19
61	22-08-0-00000080-3-0	80mm()	21,669	44 / 44	0 / 0	0 / 0	5 / 5	7 / 7	10 / 10	2 / 2
	,K.P (BPF)			953,436 / 953,436	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
62	22-08-0-00000100-3-0	100mm(31,640	72 / 72	0 / 0	0 / 0	6 / 6	13 / 13	14 / 14	6 / 6
	,K.P (BPF)			2,278,080 / 2,278,080	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	3 / 3

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-25-I-00000500-3-0	KP ,500mm	176,640	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		353,280 / 353,280	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
80	31-01-3-00000080-3-0	,80mm	152,000	45 / 45	0 / 0	0 / 0	4 / 4	9 / 9	3 / 3
				6,840,000 / 6,840,000	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
81	31-01-3-00000100-3-0	,100mm	189,200	150 / 150	0 / 0	0 / 0	8 / 8	43 / 43	6 / 6
				28,380,000 / 28,380,000	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
82	31-01-3-00000150-3-0	,150mm	373,100	45 / 45	0 / 0	0 / 0	5 / 5	8 / 8	2 / 2
				16,789,500 / 16,789,500	0 / 0	0 / 0	0 / 0	20 / 20	2 / 2
83	31-01-3-00000200-3-0	,200mm	522,700	20 / 20	0 / 0	0 / 0	2 / 2	3 / 3	2 / 2
				10,454,000 / 10,454,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
84	31-01-3-00000250-3-0	,250mm	762,300	10 / 10	0 / 0	0 / 0	1 / 1	2 / 2	1 / 1
				7,623,000 / 7,623,000	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
85	31-01-3-00000300-3-0	,300mm	906,800	10 / 10	0 / 0	0 / 0	1 / 1	2 / 2	1 / 1
				9,068,000 / 9,068,000	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
86	31-03-0-00000080-3-0	,80mm	2,867,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				28,670,000 / 28,670,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
87	31-03-0-00000100-3-0	,100mm	2,949,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				29,490,000 / 29,490,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
88	31-03-0-00000150-3-0	,150mm	3,969,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				39,690,000 / 39,690,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
89	31-03-0-00000200-3-0	,200mm	5,877,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				58,770,000 / 58,770,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
90	31-03-0-00000300-3-0	,300mm	9,187,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				91,870,000 / 91,870,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
91	31-03-0-00000400-3-0	,400mm	17,806,000	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				124,642,000 / 124,642,000	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0
92	31-03-0-00000500-3-0	,500mm	18,998,000	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				132,986,000 / 132,986,000	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0
93	31-03-F-00000200-3-0	,200mm	1,016,950	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				4,067,800 / 4,067,800	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
94	31-03-F-00000250-3-0	,250mm	1,382,920	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				5,531,680 / 5,531,680	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0

: 2020 04 23
 : 21 31 50
 : 8 / 8

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	41-01-D-00000648-4-0	가	375,000	20 / 20	0 / 0	0 / 0	4 / 4	6 / 6	6 / 6
				7,500,000 / 7,500,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
112	41-01-D-10000648-4-0	가	419,600	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,356,800 / 3,356,800	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
()				4,907	0	0	387	1,697	674
				934,226,078	10	40	0	0	1,570
()				4,908	0	0	387	1,698	674
				935,794,238	10	40	0	0	1,570