

: 2020 06 08
 : 13 00 48
 : 1 / 12

:
 :
 : 2020 ,

() (2020-7400-1-0001)

: -7864

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-5-00000080-1-6 (-2) ,8	143,168	8 / 8	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1	2 / 2	
	(2) ,	1,145,344 / 1,145,344	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
2	12-01-5-00000100-1-6 (-2) ,1	174,175	23 / 23	0 / 0	0 / 0	5 / 5	10 / 10	2 / 2	2 / 2	
	(2) ,	4,006,025 / 4,006,025	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	
3	12-01-5-00000150-1-6 (-2) ,1	269,336	21 / 21	0 / 0	0 / 0	5 / 5	10 / 10	2 / 2	2 / 2	
	(2) ,	5,656,056 / 5,656,056	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
4	12-01-5-00000200-1-6 (-2) ,2	295,778	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	
	(2) ,	1,478,890 / 1,478,890	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
5	12-01-6-00000150-1-6 (-2) KP,150mm	253,652	14 / 14	0 / 0	0 / 0	5 / 5	0 / 0	4 / 4	5 / 5	
	(2) ,	3,551,128 / 3,551,128	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
6	12-01-6-00000200-1-6 (-2) KP,200mm	289,183	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	4 / 4	
	(2) ,	2,024,281 / 2,024,281	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
7	12-01-6-00000300-1-6 (-2) KP,300mm	580,618	6 / 6	0 / 0	0 / 0	1 / 1	0 / 0	5 / 5	0 / 0	
	(2) ,	3,483,708 / 3,483,708	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
8	12-01-6-00000400-1-6 (-2) KP,400mm	832,048	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	
	(2) ,	4,160,240 / 4,160,240	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
9	12-01-6-00000500-1-6 (-2) KP,500mm	1,125,836	10 / 10	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3	5 / 5	
	(2) ,	11,258,360 / 11,258,360	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
10	12-01-7-00000080-1-6 (-3) ,8	130,430	10 / 10	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	
	(3) ,	1,304,300 / 1,304,300	0 / 0	1 / 1	3 / 3	3 / 3	0 / 0	0 / 0	0 / 0	
11	12-01-7-00000100-1-6 (-3) ,1	161,306	155 / 155	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	100 / 100	
	(3) ,	25,002,430 / 25,002,430	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
12	12-01-7-00000150-1-6 (-3) ,1	244,261	53 / 53	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	5 / 5	
	(3) ,	12,945,833 / 12,945,833	1 / 1	10 / 10	1 / 1	5 / 5	0 / 0	21 / 21		
13	12-01-7-00000200-1-6 (-3) ,2	327,498	54 / 54	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8	12 / 12	
	(3) ,	17,684,892 / 17,684,892	0 / 0	1 / 1	3 / 3	0 / 0	0 / 0	30 / 30		
14	12-01-7-00000300-1-6 (-3) ,3	540,885	65 / 65	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
	(3) ,	35,157,525 / 35,157,525	0 / 0	1 / 1	14 / 14	50 / 50	0 / 0	0 / 0	0 / 0	

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-02-B-05000200-3-0 B ,500*200mm(407,700	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		407,700 / 407,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
48	22-04-0-00000080-3-0 ,80mm	6,726	96 / 96	0 / 0	0 / 0	0 / 0	56 / 56	20 / 20	0 / 0
	, K.P		645,696 / 645,696	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-04-0-00000150-3-0 ,150mm	11,250	33 / 33	0 / 0	0 / 0	0 / 0	7 / 7	20 / 20	6 / 6
	, K.P		371,250 / 371,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
50	22-04-0-00000200-3-0 ,200mm	14,125	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	, K.P		155,375 / 155,375	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
51	22-04-0-00000300-3-0 ,300mm	24,511	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	, K.P		318,643 / 318,643	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
52	22-04-2-00000080-3-0 ,80mm	1,216	285 / 285	0 / 0	0 / 0	0 / 0	0 / 0	53 / 53	20 / 20
	, K.P		346,560 / 346,560	124 / 124	11 / 11	77 / 77	0 / 0	0 / 0	0 / 0
53	22-04-2-00000100-3-0 ,100mm	1,357	185 / 185	0 / 0	0 / 0	0 / 0	34 / 34	17 / 17	6 / 6
	, K.P		251,045 / 251,045	97 / 97	0 / 0	31 / 31	0 / 0	0 / 0	0 / 0
54	22-04-2-00000150-3-0 ,150mm	1,819	99 / 99	0 / 0	0 / 0	0 / 0	30 / 30	34 / 34	0 / 0
	, K.P		180,081 / 180,081	5 / 5	5 / 5	15 / 15	0 / 0	0 / 0	10 / 10
55	22-04-2-00000200-3-0 ,200mm	2,412	137 / 137	0 / 0	0 / 0	2 / 2	0 / 0	42 / 42	12 / 12
	, K.P		330,444 / 330,444	0 / 0	35 / 35	16 / 16	30 / 30	0 / 0	0 / 0
56	22-04-2-00000300-3-0 ,300mm	3,840	94 / 94	0 / 0	0 / 0	2 / 2	0 / 0	2 / 2	24 / 24
	, K.P		360,960 / 360,960	0 / 0	0 / 0	26 / 26	30 / 30	0 / 0	10 / 10
57	22-04-2-00000400-3-0 ,400mm	5,197	79 / 79	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0	1 / 1
	, K.P		410,563 / 410,563	0 / 0	50 / 50	7 / 7	0 / 0	9 / 9	0 / 0
58	22-04-2-00000500-3-0 ,500mm	7,972	64 / 64	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0	5 / 5
	, K.P		510,208 / 510,208	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
59	22-04-3-00240085-3-0 ,24*85	1,115	3,491 / 3,491	0 / 0	0 / 0	70 / 70	222 / 222	472 / 472	400 / 400
	, K.P		3,892,465 / 3,892,465	320 / 320	777 / 777	800 / 800	330 / 330	0 / 0	100 / 100
60	22-04-3-00240105-3-0 ,24*105	1,301	1,028 / 1,028	0 / 0	0 / 0	228 / 228	0 / 0	0 / 0	0 / 0
	, K.P		1,337,428 / 1,337,428	0 / 0	500 / 500	70 / 70	0 / 0	180 / 180	50 / 50
61	22-05-0-00800500-3-0 80mm*L500 (2F)(34,425	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12	2 / 2
	, 2F (BPF)		1,101,600 / 1,101,600	8 / 8	2 / 2	8 / 8	0 / 0	0 / 0	0 / 0
62	22-05-0-01000500-3-0 100mm*L500 (2F)(39,960	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, 2F (BPF)		319,680 / 319,680	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0	5 / 5

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
63	22-05-0-01500500-3-0	150mm*L500 (2F)(60,615	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, 2F (BPF)			363,690 / 363,690	1 / 1	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0
64	22-05-0-02000500-3-0	200mm*L500 (2F)(82,350	8 / 8	0 / 0	0 / 0	1 / 1	4 / 4	1 / 1	0 / 0
	, 2F (BPF)			658,800 / 658,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
65	22-05-0-03000500-3-0	300mm*L500 (2F)(145,125	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			290,250 / 290,250	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
66	22-06-0-00000150-3-0	F ,150mm	1,196	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			2,392 / 2,392	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
67	22-06-0-00000250-3-0	F ,250mm	2,805	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,			2,805 / 2,805	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-06-0-00000400-3-0	F ,400mm	5,750	11 / 11	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	,			63,250 / 63,250	0 / 0	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0
69	22-07-2-00000080-3-0	80mm	21,274	289 / 289	0 / 0	0 / 0	0 / 0	30 / 30	53 / 53	30 / 30
	,			6,148,186 / 6,148,186	84 / 84	11 / 11	81 / 81	0 / 0	0 / 0	0 / 0
70	22-07-2-00000100-3-0	100mm	23,576	169 / 169	8 / 8	0 / 0	0 / 0	34 / 34	8 / 8	0 / 0
	,			3,984,344 / 3,984,344	86 / 86	0 / 0	31 / 31	0 / 0	0 / 0	2 / 2
71	22-07-2-00000150-3-0	150mm	30,383	159 / 159	0 / 0	0 / 0	0 / 0	30 / 30	34 / 34	20 / 20
	,			4,830,897 / 4,830,897	5 / 5	5 / 5	55 / 55	0 / 0	0 / 0	10 / 10
72	22-07-2-00000200-3-0	200mm	39,401	156 / 156	0 / 0	0 / 0	10 / 10	0 / 0	42 / 42	12 / 12
	,			6,146,556 / 6,146,556	36 / 36	0 / 0	26 / 26	30 / 30	0 / 0	0 / 0
73	22-07-2-00000250-3-0	250mm	48,842	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,			97,684 / 97,684	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-07-2-00000300-3-0	300mm	57,046	84 / 84	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	24 / 24
	,			4,791,864 / 4,791,864	0 / 0	0 / 0	18 / 18	30 / 30	0 / 0	10 / 10
75	22-07-2-00000400-3-0	400mm	91,491	47 / 47	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			4,300,077 / 4,300,077	0 / 0	12 / 12	7 / 7	0 / 0	18 / 18	10 / 10
76	22-07-2-00000500-3-0	500mm	156,822	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,			784,110 / 784,110	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
77	22-08-0-00000080-3-0	80mm()	25,110	85 / 85	0 / 0	0 / 0	0 / 0	10 / 10	12 / 12	4 / 4
	,K.P (BPF)			2,134,350 / 2,134,350	24 / 24	4 / 4	31 / 31	0 / 0	0 / 0	0 / 0
78	22-08-0-00000100-3-0	100mm(30,510	47 / 47	0 / 0	0 / 0	0 / 0	22 / 22	8 / 8	1 / 1
	,K.P (BPF)			1,433,970 / 1,433,970	10 / 10	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	22-16-0-00000200-3-0	200mm	29,700	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, (BPF)			29,700 / 29,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
128	22-17-0-00800050-3-0	80*50mm	8,910	14 / 14	0 / 0	0 / 0	3 / 3	0 / 0	4 / 4
	, (BPF)			124,740 / 124,740	0 / 0	0 / 0	3 / 3	3 / 3	0 / 0
129	22-17-0-01000050-3-0	100*50mm	10,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, (BPF)			54,000 / 54,000	0 / 0	1 / 1	2 / 2	0 / 0	0 / 0
130	22-19-B-03000100-3-0	B ,300*100mm	162,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			162,000 / 162,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
131	22-25-I-00000100-3-0	KP ,100mm	13,500	3 / 3	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, (BPF)			40,500 / 40,500	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
132	31-01-3-00000080-3-0	,80mm	152,820	41 / 41	0 / 0	0 / 0	0 / 0	5 / 5	7 / 7
				6,265,620 / 6,265,620	4 / 4	9 / 9	12 / 12	0 / 0	2 / 2
133	31-01-3-00000100-3-0	,100mm	190,221	16 / 16	0 / 0	0 / 0	1 / 1	10 / 10	3 / 3
				3,043,536 / 3,043,536	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
134	31-01-3-00000150-3-0	,150mm	375,114	17 / 17	0 / 0	0 / 0	0 / 0	10 / 10	1 / 1
				6,376,938 / 6,376,938	2 / 2	1 / 1	2 / 2	0 / 0	0 / 0
135	31-01-3-00000200-3-0	,200mm	525,522	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,204,176 / 4,204,176	0 / 0	1 / 1	2 / 2	2 / 2	3 / 3
136	31-01-3-00000250-3-0	,250mm	766,416	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				766,416 / 766,416	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
137	31-01-3-00000300-3-0	,300mm	911,696	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,735,088 / 2,735,088	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
138	31-01-3-00000400-3-0	,400mm	1,880,650	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				1,880,650 / 1,880,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
139	31-01-4-00000080-3-0	(),80mm	152,820	12 / 12	0 / 0	0 / 0	0 / 0	5 / 5	2 / 2
				1,833,840 / 1,833,840	1 / 1	0 / 0	1 / 1	1 / 1	2 / 2
140	31-01-4-00000100-3-0	(),100	190,221	6 / 6	0 / 0	0 / 0	0 / 0	2 / 2	1 / 1
				1,141,326 / 1,141,326	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
141	31-01-4-00000150-3-0	(),150	375,114	4 / 4	0 / 0	0 / 0	0 / 0	2 / 2	1 / 1
				1,500,456 / 1,500,456	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
142	31-01-4-00000200-3-0	(),200	525,522	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				2,627,610 / 2,627,610	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
175	81-07-0-00000200-3-0	200mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(DR)			0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
176	81-08-0-00160065-3-0	M16*60mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
177	81-08-0-00200080-3-0	M20*80mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
178	81-09-6-00250110-4-0	, 25mmx	136,000	160 / 160	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30
				21,760,000 / 21,760,000	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
179	81-09-6-00300110-4-0	, 30mmx	177,000	140 / 140	0 / 0	0 / 0	10 / 10	20 / 20	10 / 10
				24,780,000 / 24,780,000	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
180	81-09-6-00400110-4-0	, 40mmx	268,000	120 / 120	0 / 0	0 / 0	10 / 10	0 / 0	10 / 10
				32,160,000 / 32,160,000	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
181	81-09-6-00500110-4-0	, 50mmx	298,000	120 / 120	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
				35,760,000 / 35,760,000	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
182	81-09-8-00150110-4-0	, 15mmx	101,000	125 / 125	0 / 0	0 / 0	15 / 15	0 / 0	10 / 10
	()			12,625,000 / 12,625,000	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
183	81-09-8-00200100-4-0	, 20mmx	141,000	160 / 160	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30
	()			22,560,000 / 22,560,000	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
184	81-10-0-00000080-3-0	(80mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
185	81-10-0-00000100-3-0	(100mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
186	81-10-0-00000150-3-0	(150mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
187	81-10-0-00000200-3-0	(200mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
()				9,589	19	0	544	793	1,196
()				520,587,120	1,406	1,582	1,537	607	268
()				9,591	19	0	544	793	1,196
()				521,937,700	1,406	1,582	1,537	607	268