

: 2020 07 06  
 : 19 54 06  
 : 1 / 9

: ,  
 :  
 : ,

( ( 2019-7432-0-0001 )

: -1678

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
1	12-01-5-00000100-1-6	( -2 ) ,1	173,240	51 / 51	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2 ) ,			8,835,240 / 8,835,240	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
2	12-01-5-00000150-1-6	( -2 ) ,1	267,890	51 / 51	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2 ) ,			13,662,390 / 13,662,390	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
3	12-01-5-00000300-1-6	( -2 ) ,3	487,870	105 / 105	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	1 / 1
	(2 ) ,			51,226,350 / 51,226,350	0 / 0	0 / 0	0 / 0	50 / 50	50 / 50	0 / 0
4	12-01-6-00000080-1-6	( -2 ) KP,80mm*	135,900	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2 ) ,			1,494,900 / 1,494,900	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
5	12-01-6-00000200-1-6	( -2 ) KP,200mm	287,630	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 ) ,			4,314,450 / 4,314,450	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
6	12-01-6-00000500-1-6	( -2 ) KP,500mm	1,119,790	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 ) ,			1,119,790 / 1,119,790	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
7	12-01-6-00000700-1-6	( -2 ) KP,700mm	2,020,660	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	(2 ) ,			6,061,980 / 6,061,980	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
8	12-01-7-00000080-1-6	( -3 ) ,8	129,730	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			1,297,300 / 1,297,300	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
9	12-01-7-00000100-1-6	( -3 ) ,1	160,440	77 / 77	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			12,353,880 / 12,353,880	0 / 0	27 / 27	0 / 0	50 / 50	0 / 0	0 / 0
10	12-01-7-00000150-1-6	( -3 ) ,1	242,950	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			14,577,000 / 14,577,000	0 / 0	10 / 10	0 / 0	50 / 50	0 / 0	0 / 0
11	22-01-B-00800045-3-0	B ,80mm *45`	24,840	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8	4 / 4
	,K.P (BPF)			794,880 / 794,880	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
12	22-01-B-01000022-3-0	B ,100mm *22	29,256	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			87,768 / 87,768	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
13	22-01-B-01000045-3-0	B ,100mm *45	31,464	45 / 45	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,K.P (BPF)			1,415,880 / 1,415,880	5 / 5	0 / 0	0 / 0	37 / 37	0 / 0	0 / 0
14	22-01-B-01000090-3-0	B ,100mm *90(	36,856	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			368,560 / 368,560	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0



		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
31	22-03-B-02000100-3-0 B ,200*100mm(	109,230	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P -T		109,230 / 109,230	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
32	22-03-B-02000200-3-0 B ,200*200mm	138,670	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P -T		0 / 138,670	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
33	22-03-B-04000300-3-0 B ,400*300mm(	369,110	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,K.P -T		1,107,330 / 1,107,330	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-04-0-00000200-3-0 ,200mm	14,050	2 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, K.P		28,100 / 112,400	0 / 6	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
35	22-04-0-00000300-3-0 ,300mm	24,380	23 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, K.P		560,740 / 560,740	0 / 0	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-0-00000700-3-0 ,700mm	74,080	4 / 4	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	, K.P		296,320 / 296,320	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
37	22-04-2-00000080-3-0 ,80mm	1,210	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
	, K.P		8,470 / 8,470	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
38	22-04-2-00000100-3-0 ,100mm	1,350	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	, K.P		8,100 / 8,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000150-3-0 ,150mm	1,810	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		36,200 / 36,200	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
40	22-04-2-00000200-3-0 ,200mm	2,400	36 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		86,400 / 144,000	26 / 50	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
41	22-04-2-00000300-3-0 ,300mm	3,820	66 / 66	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	3 / 3
	, K.P		252,120 / 252,120	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0	30 / 30
42	22-04-2-00000500-3-0 ,500mm	7,930	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		15,860 / 15,860	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
43	22-04-2-00000700-3-0 ,700mm	12,590	9 / 9	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0
	, K.P		113,310 / 113,310	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
44	22-04-3-00240085-3-0 ,24*85	1,110	1,018 / 1,018	0 / 0	0 / 0	0 / 0	0 / 0	240 / 240	298 / 298
	, K.P		1,129,980 / 1,129,980	0 / 0	80 / 80	0 / 0	300 / 300	0 / 0	100 / 100
45	22-04-3-00240105-3-0 ,24*105	1,295	244 / 244	0 / 0	0 / 0	144 / 144	0 / 0	0 / 0	0 / 0
	, K.P		315,980 / 315,980	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
46	22-05-0-00800500-3-0 80mm*L500 (2F)(	35,190	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)		1,055,700 / 1,055,700	0 / 0	0 / 0	10 / 10	20 / 20	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
47	22-05-0-01000500-3-0	100mm*L500 (2F)(	40,848	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			408,480 / 408,480	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
48	22-05-0-02000500-3-0	200mm*L500 (2F)(	71,065	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, 2F (BPF)			71,065 / 71,065	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-05-0-02500500-3-0	250mm*L500 (2F)(	115,780	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,157,800 / 1,157,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
50	22-05-0-03000500-3-0	300mm*L500 (2F)(	125,237	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	, 2F (BPF)			375,711 / 375,711	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-05-0-05000500-3-0	500mm*500mm(	236,262	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			236,262 / 236,262	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
52	22-06-0-00000300-3-0	F ,300mm	3,390	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			3,390 / 3,390	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
53	22-07-2-00000080-3-0	80mm	21,160	37 / 37	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
	,			782,920 / 782,920	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
54	22-07-2-00000100-3-0	100mm	23,450	36 / 36	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	,			844,200 / 844,200	0 / 0	0 / 0	20 / 20	10 / 10	0 / 0
55	22-07-2-00000150-3-0	150mm	30,220	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,208,800 / 1,208,800	20 / 20	20 / 20	0 / 0	0 / 0	0 / 0
56	22-07-2-00000200-3-0	200mm	39,190	67 / 91	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,			2,625,730 / 3,566,290	32 / 56	0 / 0	15 / 15	10 / 10	0 / 0
57	22-07-2-00000250-3-0	250mm	48,580	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			485,800 / 485,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
58	22-07-2-00000300-3-0	300mm	56,740	81 / 81	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	,			4,595,940 / 4,595,940	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
59	22-07-2-00000500-3-0	500mm	155,980	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			311,960 / 311,960	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
60	22-07-2-00000700-3-0	700mm	278,690	9 / 9	0 / 0	0 / 0	6 / 6	0 / 0	3 / 3
	,			2,508,210 / 2,508,210	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-08-0-00000080-3-0	80mm( )	25,668	39 / 39	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	,K.P (BPF)			1,001,052 / 1,001,052	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
62	22-08-0-00000100-3-0	100mm(	31,188	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,K.P (BPF)			311,880 / 311,880	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
63	22-08-0-00000150-3-0	150mm(	48,024	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			720,360 / 720,360	5 / 5	10 / 10	0 / 0	0 / 0	0 / 0
64	22-08-0-00000200-3-0	200mm(	64,860	7 / 15	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,K.P (BPF)			454,020 / 972,900	0 / 8	0 / 0	5 / 5	0 / 0	0 / 0
65	22-08-0-00000300-3-0	300mm(	110,400	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	18 / 18
	,K.P (BPF)			3,091,200 / 3,091,200	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
66	22-08-0-00000500-3-0	500mm( )	248,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			248,400 / 248,400	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
67	22-08-0-00000700-3-0	700mm( )	470,250	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,K.P (BPF)			1,881,000 / 1,881,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-09-0-06500080-3-0	80*L650 (1F )(	33,590	31 / 31	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F (L650) (BPF)			1,041,290 / 1,041,290	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
69	22-09-0-06500100-3-0	100*L650 (1F )(	40,875	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			490,500 / 490,500	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
70	22-09-0-06500150-3-0	150*L650 (1F )(	63,755	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F (L650) (BPF)			318,775 / 318,775	0 / 0	2 / 2	1 / 1	0 / 0	1 / 1
71	22-09-0-06500200-3-0	200*L650 (1F )(	90,005	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F (L650) (BPF)			990,055 / 990,055	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
72	22-09-0-06500250-3-0	250*L650 (1F )(	121,219	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			1,212,190 / 1,212,190	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
73	22-09-0-06500300-3-0	300*L650 (1F )(	156,080	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	,1F (L650) (BPF)			624,320 / 624,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-09-0-06500400-3-0	400*L650 (1F )(	195,130	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	,1F (L650) (BPF)			780,520 / 780,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	22-09-0-06500500-3-0	500*L650 (1F )(	267,030	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			534,060 / 534,060	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
76	22-10-A-01000080-3-0	A ,100*80mm(	28,152	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			56,304 / 56,304	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
77	22-10-A-01500080-3-0	A ,150*80mm(	42,504	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			85,008 / 85,008	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0
78	22-10-A-01500100-3-0	A ,150*100mm(	43,056	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			43,056 / 43,056	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
79	22-10-A-02000100-3-0	A ,200*100mm(	60,720	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		60,720 / 60,720	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
80	22-10-A-02000150-3-0	A ,200*150mm(	62,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		62,100 / 62,100	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
81	22-10-A-03000200-3-0	A ,300*200mm(	110,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		220,800 / 220,800	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
82	22-10-A-03000250-3-0	A ,300*250mm(	107,640	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		1,076,400 / 1,076,400	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
83	22-11-A-01500080-3-0	A ,150*80mm	37,513	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			375,130 / 375,130	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
84	22-11-B-01000080-3-0	B ,100*80mm	23,157	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		69,471 / 69,471	1 / 1	0 / 0	2 / 2	0 / 0	0 / 0
85	22-12-A-00800090-3-0	A ,80mm *90(	27,324	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		27,324 / 27,324	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
86	22-12-A-01000090-3-0	A ,100mm *90(	32,844	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		426,972 / 426,972	0 / 0	0 / 0	13 / 13	0 / 0	0 / 0
87	22-12-A-01500090-3-0	A ,150mm *90	52,200	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		52,200 / 52,200	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
88	22-12-A-02000090-3-0	A ,200mm *90	85,560	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		85,560 / 85,560	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
89	22-13-0-01000090-3-0	100mm*90( )	49,128	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		245,640 / 245,640	3 / 3	0 / 0	2 / 2	0 / 0	0 / 0
90	22-14-0-00000150-3-0	150mm	3,840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			38,400 / 38,400	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
91	22-14-0-00000300-3-0	300mm	6,490	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			194,700 / 194,700	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
92	22-15-0-00000080-3-0	80mm, (	20,504	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,	(BPF)		41,008 / 41,008	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
93	22-15-0-00000100-3-0	100mm, (	24,232	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		339,248 / 339,248	4 / 4	0 / 0	0 / 0	10 / 10	0 / 0
94	22-15-0-00000150-3-0	150mm, (	37,513	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,	(BPF)		112,539 / 112,539	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
95	22-15-0-00000200-3-0	200mm, (	52,425	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			524,250 / 524,250	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
96	22-15-0-00000300-3-0	300mm, (	92,035	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			92,035 / 92,035	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
97	22-15-0-00000700-3-0	700mm, (	485,060	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	, (BPF)			485,060 / 485,060	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-16-0-00000080-3-0	80mm	10,080	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			100,800 / 100,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
99	22-17-0-00800050-3-0	80*50mm	9,108	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			100,188 / 100,188	1 / 1	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
100	22-17-0-01000050-3-0	100*50mm	11,040	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			110,400 / 110,400	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
101	22-25-1-00000080-3-0	KP ,80mm	11,040	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			11,040 / 11,040	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
102	22-25-1-00000100-3-0	KP ,100mm	14,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			14,000 / 14,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	22-25-1-00000150-3-0	KP ,150mm	19,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			19,600 / 19,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-25-1-00000200-3-0	KP ,200mm	33,600	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			67,200 / 67,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	22-25-1-00000300-3-0	KP ,300mm	53,590	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, (BPF)			107,180 / 107,180	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
106	22-25-1-00000500-3-0	KP ,500mm	179,200	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, (BPF)			179,200 / 179,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-25-1-00000700-3-0	KP ,700mm	368,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, (BPF)			737,000 / 737,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
108	31-01-3-00000100-3-0	,100mm	189,200	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,459,600 / 2,459,600	5 / 5	1 / 1	5 / 5	0 / 0	0 / 0	2 / 2
109	31-01-3-00000150-3-0	,150mm	373,100	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,865,500 / 1,865,500	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
110	31-01-3-00000200-3-0	,200mm	522,700	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,613,500 / 2,613,500	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
111	31-01-3-00000250-3-0	,250mm	762,300	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,623,000 / 7,623,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
112	31-01-3-00000300-3-0	,300mm	906,800	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
				2,720,400 / 2,720,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
113	31-01-3-00000400-3-0	,400mm	1,870,550	10,000,000 / 10,000,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				18,705,500,000,000 / 18,705,500,000,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
114	31-01-3-00000500-3-0	,500mm	2,989,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				2,989,800 / 2,989,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
115	31-03-0-00000100-3-0	,100mm	2,949,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,949,000 / 2,949,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
116	31-03-F-00000100-3-0	,100mm	712,800	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,128,000 / 7,128,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
117	31-03-F-00000150-3-0	,150mm	838,310	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,221,410 / 9,221,410	0 / 0	1 / 1	0 / 0	10 / 10	0 / 0	0 / 0
118	31-03-F-00000200-3-0	,200mm	1,016,950	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 1,016,950	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
119	31-03-F-00000300-3-0	,300mm	1,568,160	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				23,522,400 / 23,522,400	0 / 0	5 / 5	0 / 0	10 / 10	0 / 0	0 / 0
120	31-04-Z-00100100-3-0	,10K	480,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,920,000 / 1,920,000	1 / 1	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
121	31-05-Q-00000100-3-0	,1	516,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,160,000 / 5,160,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
122	31-05-Q-00000150-3-0	,1	1,070,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,280,000 / 4,280,000	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
123	41-01-0-01000648-4-0	, ,	315,000	30 / 30	0 / 0	0 / 0	10 / 10	0 / 0	10 / 10	0 / 0
				9,450,000 / 9,450,000	5 / 5	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
124	41-01-0-03180410-4-0	318x 410,	277,900	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				7,225,400 / 7,225,400	1 / 1	0 / 0	10 / 10	10 / 10	0 / 0	0 / 0
125	41-01-1-01000648-4-0	, ,	312,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				312,000 / 312,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
126	41-01-2-01000648-4-0	, ,D6	335,000	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,345,000 / 2,345,000	0 / 0	3 / 3	2 / 2	0 / 0	0 / 0	2 / 2



		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )	
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )	
127	41-01-3-20000648-3-0	(	525,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				1,050,000 / 1,050,000	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	
128	41-01-B-00000648-4-0	가	375,000	92 / 92	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	
				34,500,000 / 34,500,000	0 / 0	0 / 0	0 / 0	90 / 90	0 / 0	
129	41-01-C-00000648-4-0	가	375,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	
				750,000 / 750,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
130	41-01-D-10000648-4-0	가	419,600	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				839,200 / 839,200	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0	
131	41-05-0-00000648-4-0		297,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				891,000 / 891,000	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	
132	81-09-6-00250110-4-0	, 25mmx	136,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				2,720,000 / 2,720,000	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	
133	81-09-6-00400110-4-0	, 40mmx	268,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				5,360,000 / 5,360,000	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	
134	81-09-8-00150110-4-0	, 15mmx	101,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
		( )		2,020,000 / 2,020,000	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	
( )				10,003,021	0	0	182	0	411	387
				18,705,812,929,615	180	241	249	932	50	390
( )				10,003,093	0	0	182	0	411	387
				18,705,816,360,015	252	241	249	932	50	390