

: 2019 09 02
 : 13 32 52
 : 1 / 5

: ,
 : ()
 : 27 5

(2019-7332-2-0007)

:

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-5-00000300-1-6	(-2) ,3	487,870	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2)	,		20,002,670 / 20,002,670	0 / 0	0 / 0	41 / 41	0 / 0	0 / 0	0 / 0
2	12-01-7-00000080-1-6	(-3) ,8	130,430	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		260,860 / 260,860	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
3	12-01-7-00000100-1-6	(-3) ,1	161,306	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		1,290,448 / 1,290,448	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
4	12-01-7-00000150-1-6	(-3) ,1	244,261	53 / 53	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		12,945,833 / 12,945,833	0 / 0	0 / 0	53 / 53	0 / 0	0 / 0	0 / 0
5	12-01-7-00000200-1-6	(-3) ,2	327,498	219 / 219	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		71,722,062 / 71,722,062	0 / 0	0 / 0	219 / 219	0 / 0	0 / 0	0 / 0
6	12-01-7-00000300-1-6	(-3) ,3	540,885	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		22,176,285 / 22,176,285	0 / 0	0 / 0	41 / 41	0 / 0	0 / 0	0 / 0
7	22-01-B-00800045-3-0	B ,80mm *45`	24,974	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		199,792 / 199,792	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
8	22-01-B-01000045-3-0	B ,100mm *45	31,633	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,581,650 / 1,581,650	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
9	22-01-Y-01500045-3-0	B (L) ,150mm*45(58,272	45 / 45	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,622,240 / 2,622,240	0 / 0	0 / 0	45 / 45	0 / 0	0 / 0	0 / 0
10	22-01-Y-02000022-3-0	B (L) ,200mm*22(76,309	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		610,472 / 610,472	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
11	22-01-Y-02000045-3-0	B (L) ,200mm*45(84,634	90 / 90	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		7,617,060 / 7,617,060	0 / 0	0 / 0	90 / 90	0 / 0	0 / 0	0 / 0
12	22-01-Y-03000022-3-0	B (L) ,300mm*22(135,970	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		815,820 / 815,820	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
13	22-01-Y-03000045-3-0	B (L) ,300mm*45(158,169	49 / 49	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		7,750,281 / 7,750,281	0 / 0	0 / 0	49 / 49	0 / 0	0 / 0	0 / 0
14	22-02-B-01000100-3-0	B ,100*100mm(55,498	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		55,498 / 55,498	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-01500080-3-0 B ,150*80mm(74,922	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		224,766 / 224,766	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
16	22-02-B-01500100-3-0 B ,150*100mm(80,472	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		241,416 / 241,416	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
17	22-02-B-02000080-3-0 B ,200mm*80mm(101,283	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		202,566 / 202,566	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
18	22-02-B-02000100-3-0 B ,200mm*100mm(106,833	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		2,670,825 / 2,670,825	0 / 0	0 / 0	25 / 25	0 / 0	0 / 0	0 / 0
19	22-02-B-02000150-3-0 B ,200mm*150mm(120,708	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		1,086,372 / 1,086,372	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0
20	22-02-B-03000100-3-0 B ,300mm*100mm(174,818	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		874,090 / 874,090	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
21	22-02-B-03000150-3-0 B ,300mm*150mm(192,855	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		578,565 / 578,565	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
22	22-02-B-03000200-3-0 B ,300mm*200mm(211,140	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		422,280 / 422,280	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
23	22-02-B-03000300-3-0 B ,300mm*300mm(263,615	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		790,845 / 790,845	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
24	22-04-0-00000080-3-0 ,80mm	6,726	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		53,808 / 53,808	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
25	22-04-0-00000100-3-0 ,100mm	7,852	46 / 46	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		361,192 / 361,192	0 / 0	0 / 0	46 / 46	0 / 0	0 / 0	0 / 0
26	22-04-0-00000150-3-0 ,150mm	11,250	42 / 42	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		472,500 / 472,500	0 / 0	0 / 0	42 / 42	0 / 0	0 / 0	0 / 0
27	22-04-0-00000200-3-0 ,200mm	14,125	118 / 118	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		1,666,750 / 1,666,750	0 / 0	0 / 0	118 / 118	0 / 0	0 / 0	0 / 0
28	22-04-0-00000300-3-0 ,300mm	24,511	48 / 48	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		1,176,528 / 1,176,528	0 / 0	0 / 0	48 / 48	0 / 0	0 / 0	0 / 0
29	22-04-2-00000080-3-0 ,80mm	1,216	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		31,616 / 31,616	0 / 0	0 / 0	26 / 26	0 / 0	0 / 0	0 / 0
30	22-04-2-00000100-3-0 ,100mm	1,357	168 / 168	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		227,976 / 227,976	0 / 0	0 / 0	168 / 168	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-2-00000150-3-0	,150mm	1,819	164 / 164	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			298,316 / 298,316	0 / 0	0 / 0	164 / 164	0 / 0	0 / 0
32	22-04-2-00000200-3-0	,200mm	2,412	492 / 492	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,186,704 / 1,186,704	0 / 0	0 / 0	492 / 492	0 / 0	0 / 0
33	22-04-2-00000300-3-0	,300mm	3,840	228 / 228	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			875,520 / 875,520	0 / 0	0 / 0	228 / 228	0 / 0	0 / 0
34	22-04-3-00240085-3-0	,24*85	1,115	5,072 / 5,072	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			5,655,280 / 5,655,280	0 / 0	0 / 0	5,072 / 5,072	0 / 0	0 / 0
35	22-05-0-00800500-3-0	80mm*L500 (2F)(35,380	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			176,900 / 176,900	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
36	22-05-0-01000500-3-0	100mm*L500 (2F)(41,068	23 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			944,564 / 944,564	0 / 0	0 / 0	23 / 23	0 / 0	0 / 0
37	22-05-0-01500500-3-0	150mm*L500 (2F)(62,296	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			747,552 / 747,552	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
38	22-05-0-02000500-3-0	200mm*L500 (2F)(84,634	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			169,268 / 169,268	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
39	22-05-0-03000500-3-0	300mm*L500 (2F)(149,151	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			149,151 / 149,151	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
40	22-07-2-00000080-3-0	80mm	21,274	18 / 18	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			382,932 / 382,932	0 / 0	0 / 0	18 / 18	0 / 0	0 / 0
41	22-07-2-00000100-3-0	100mm	23,576	122 / 122	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			2,876,272 / 2,876,272	0 / 0	0 / 0	122 / 122	0 / 0	0 / 0
42	22-07-2-00000150-3-0	150mm	30,383	122 / 122	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			3,706,726 / 3,706,726	0 / 0	0 / 0	122 / 122	0 / 0	0 / 0
43	22-07-2-00000200-3-0	200mm	39,401	374 / 374	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			14,735,974 / 14,735,974	0 / 0	0 / 0	374 / 374	0 / 0	0 / 0
44	22-07-2-00000300-3-0	300mm	57,046	180 / 180	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			10,268,280 / 10,268,280	0 / 0	0 / 0	180 / 180	0 / 0	0 / 0
45	22-08-0-00000080-3-0	80mm()	25,806	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			206,448 / 206,448	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
46	22-08-0-00000100-3-0	100mm(31,356	57 / 57	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,787,292 / 1,787,292	0 / 0	0 / 0	57 / 57	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-08-0-00000150-3-0	150mm(48,283	57 / 57	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,752,131 / 2,752,131	0 / 0	0 / 0	57 / 57	0 / 0	0 / 0
48	22-08-0-00000200-3-0	200mm(65,210	185 / 185	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			12,063,850 / 12,063,850	0 / 0	0 / 0	185 / 185	0 / 0	0 / 0
49	22-08-0-00000300-3-0	300mm(110,996	77 / 77	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			8,546,692 / 8,546,692	0 / 0	0 / 0	77 / 77	0 / 0	0 / 0
50	22-09-0-06500080-3-0	80*L650 (1F) (33,770	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			168,850 / 168,850	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
51	22-09-0-06500100-3-0	100*L650 (1F) (41,095	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			1,150,660 / 1,150,660	0 / 0	0 / 0	28 / 28	0 / 0	0 / 0
52	22-09-0-06500150-3-0	150*L650 (1F) (64,100	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			769,200 / 769,200	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
53	22-09-0-06500200-3-0	200*L650 (1F) (90,489	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			723,912 / 723,912	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
54	22-09-0-06500300-3-0	300*L650 (1F) (156,920	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			156,920 / 156,920	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
55	22-11-A-03000200-3-0	A ,300*200mm	142,907	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			571,628 / 571,628	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
56	22-13-0-01000090-3-0	100mm*90()	49,128	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			49,128 / 49,128	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
57	22-14-0-00000150-3-0	150mm	3,860	36 / 36	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			138,960 / 138,960	0 / 0	0 / 0	36 / 36	0 / 0	0 / 0
58	22-14-0-00000200-3-0	200mm	3,961	151 / 151	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			598,111 / 598,111	0 / 0	0 / 0	151 / 151	0 / 0	0 / 0
59	22-14-0-00000300-3-0	300mm	6,525	55 / 55	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			358,875 / 358,875	0 / 0	0 / 0	55 / 55	0 / 0	0 / 0
60	22-15-0-00000300-3-0	300mm, (109,020	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			218,040 / 218,040	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
61	22-17-0-00800050-3-0	80*50mm	9,108	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			9,108 / 9,108	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
62	22-17-0-01000050-3-0	100*50mm	11,099	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			11,099 / 11,099	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	31-01-3-00000080-3-0	,80mm	152,820	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				458,460 / 458,460	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
64	31-01-3-00000100-3-0	,100mm	190,221	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,521,768 / 1,521,768	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
65	31-01-3-00000150-3-0	,150mm	375,114	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,500,456 / 1,500,456	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
66	31-01-3-00000200-3-0	,200mm	525,522	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				525,522 / 525,522	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
67	31-03-F-00000150-3-0	,150mm	842,836	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				5,899,852 / 5,899,852	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
68	31-03-F-00000200-3-0	,200mm	1,022,441	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,022,441 / 1,022,441	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
69	31-04-Z-00100100-3-0	,10K	482,640	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,791,680 / 5,791,680	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
70	31-12-0-00000100-3-0	,100mm	411,409	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,525,499 / 4,525,499	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0
71	41-01-0-01000648-4-0	, ,	312,000	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,744,000 / 3,744,000	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
72	41-01-0-03180410-4-0	318x 410,	277,900	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,779,000 / 2,779,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
73	41-01-2-01000648-4-0	, ,D6	336,809	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,368,090 / 3,368,090	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
74	41-01-2-03180410-4-0	318x 410,	277,900	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,446,400 / 4,446,400	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0
()			8,731	0	0	0	0	5	0
			268,770,577	0	0	8,726	0	0	0
()			8,731	0	0	0	0	5	0
			268,770,577	0	0	8,726	0	0	0