2019 07 03

09 09 02

1 / 1

: 2019/07/03

	2019-7000-1-9901-0061	2019-7000-1-9901-0061				
	2019					
	<u>'</u>					
						'
	•					
		G2B				
					가	
1	22-01-Y-02500045-3-0		B (L),250mm	*45(1	117,15
	,K.P (E	BPF)			117,159	
2	22-02-B-00800080-3-0		B ,80*80mm()	1	45,32
	, Т	(BPF)			45,323	
3	22-05-0-01000300-3-0		100mm*L300 (2F))()	1	31,79
J	, 2F (BPF)				31,795	
4	22-07-2-00000300-3-0		300mm		5	285,23
4	,				57,046	
5	22-09-0-06500080-3-0		80*L650 (1F)(3	102,78
J	,1F (L650)	(BPF)			34,260	
6	22-09-0-06500250-3-0		250*L650 (1F)(1	102,88
J	,1F (L650) (BPF)				102,885	
7_	22-11-A-01500100-3-0		A ,150*100mm		2	82,80
,	,	(BPF)			41,400	
8	22-14-0-00000080-3-0	10062657	80mm		4	7,760
J	,				1,940	
Q	31-01-3-00000080-3-0		,80mm		2	305,64
3					152,820	
10	41-01-0-01000648-4-0		,	,D648mi	1	320,72
10					320,722	
11_	41-05-0-00000648-4-0	20973446		,	1	298,633
11					298,633	
					22	1,700,727