

(2019-6831-7-9901)

-7957

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	22-01-B-00800022-3-0 B ,80mm *22` (20,038	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		400,760 / 400,760	10 / 10	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
2	22-01-B-00800045-3-0 B ,80mm *45` (24,840	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		496,800 / 496,800	10 / 10	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
3	22-01-B-01000022-3-0 B ,100mm *22	29,256	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		117,024 / 117,024	2 / 2	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
4	22-01-B-01000045-3-0 B ,100mm *45	31,464	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		943,920 / 943,920	10 / 10	0 / 0	10 / 10	0 / 0	10 / 10	0 / 0
5	22-01-Y-01500022-3-0 B (L),150mm*22(52,992	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		317,952 / 317,952	2 / 2	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
6	22-01-Y-01500045-3-0 B (L),150mm*45(57,960	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		695,520 / 695,520	4 / 4	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
7	22-01-Y-02000022-3-0 B (L),200mm*22(75,900	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		227,700 / 227,700	1 / 1	0 / 0	1 / 1	0 / 0	1 / 1	0 / 0
8	22-01-Y-02000045-3-0 B (L),200mm*45(84,180	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		757,620 / 757,620	3 / 3	0 / 0	3 / 3	0 / 0	3 / 3	0 / 0
9	22-01-Y-03000022-3-0 B (L),300mm*22(135,240	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		811,440 / 811,440	2 / 2	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
10	22-01-Y-03000045-3-0 B (L),300mm*45(157,320	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		629,280 / 629,280	2 / 2	0 / 0	1 / 1	0 / 0	1 / 1	0 / 0
11	22-02-B-01000080-3-0 B ,100*80mm(52,440	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		262,200 / 262,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
12	22-02-B-01000100-3-0 B ,100*100mm(55,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		276,000 / 276,000	2 / 2	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
13	22-02-B-01500080-3-0 B ,150*80mm(74,520	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		372,600 / 372,600	2 / 2	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
14	22-02-B-01500100-3-0 B ,150*100mm(80,040	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		400,200 / 400,200	2 / 2	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-01500150-3-0 B ,150*150mm(92,460	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		277,380 / 277,380	0 / 0	2 / 2	1 / 1	0 / 0	0 / 0	0 / 0
16	22-02-B-02000080-3-0 B ,200mm*80mm(100,740	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		201,480 / 201,480	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
17	22-02-B-02000100-3-0 B ,200mm*100mm(106,260	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		212,520 / 212,520	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
18	22-02-B-02000150-3-0 B ,200mm*150mm(120,060	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		240,120 / 240,120	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
19	22-02-B-02000200-3-0 B ,200*200mm(136,620	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		273,240 / 273,240	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-02-B-03000100-3-0 B ,300mm*100mm(173,880	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		695,520 / 695,520	2 / 2	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
21	22-02-B-03000150-3-0 B ,300mm*150mm(191,820	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		383,640 / 383,640	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
22	22-04-0-00000080-3-0 ,80mm	6,690	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		13,380 / 13,380	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-04-0-00000100-3-0 ,100mm	7,810	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		15,620 / 15,620	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
24	22-04-0-00000150-3-0 ,150mm	11,190	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		22,380 / 22,380	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
25	22-04-0-00000200-3-0 ,200mm	14,050	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		28,100 / 28,100	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
26	22-04-0-00000250-3-0 ,250mm	20,020	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		40,040 / 40,040	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
27	22-04-0-00000300-3-0 ,300mm	24,380	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		48,760 / 48,760	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
28	22-04-2-00000080-3-0 ,80mm	1,210	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		72,600 / 72,600	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
29	22-04-2-00000100-3-0 ,100mm	1,350	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		81,000 / 81,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
30	22-04-2-00000150-3-0 ,150mm	1,810	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		108,600 / 108,600	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-2-00000200-3-0	,200mm	2,400	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P			144,000 / 144,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
32	22-04-2-00000250-3-0	,250mm	2,810	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	, K.P			28,100 / 28,100	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
33	22-04-2-00000300-3-0	,300mm	3,820	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			38,200 / 38,200	5 / 5	0 / 0	5 / 5	0 / 0	0 / 0
34	22-04-3-00240085-3-0	,24*85	1,110	1,000 / 1,000	0 / 0	0 / 0	0 / 0	0 / 0	200 / 200
	, K.P			1,110,000 / 1,110,000	0 / 0	200 / 200	200 / 200	200 / 200	200 / 200
35	22-04-3-00240105-3-0	,24*105	1,295	300 / 300	0 / 0	0 / 0	0 / 0	0 / 0	300 / 300
	, K.P			388,500 / 388,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-05-0-00800500-3-0	80mm*L500 (2F)(29,707	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, 2F (BPF)			118,828 / 118,828	0 / 0	1 / 1	0 / 0	1 / 1	1 / 1
37	22-05-0-01000500-3-0	100mm*L500 (2F)(41,440	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, 2F (BPF)			331,520 / 331,520	0 / 0	2 / 2	0 / 0	2 / 2	2 / 2
38	22-05-0-01500500-3-0	150mm*L500 (2F)(52,308	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, 2F (BPF)			313,848 / 313,848	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
39	22-05-0-02000500-3-0	200mm*L500 (2F)(71,065	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, 2F (BPF)			142,130 / 142,130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
40	22-05-0-02500500-3-0	250mm*L500 (2F)(115,780	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, 2F (BPF)			231,560 / 231,560	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
41	22-05-0-03000500-3-0	300mm*L500 (2F)(125,237	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, 2F (BPF)			500,948 / 500,948	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
42	22-06-0-00000080-3-0	F ,80mm	620	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,			6,200 / 6,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
43	22-06-0-00000100-3-0	F ,100mm	840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			8,400 / 8,400	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
44	22-06-0-00000150-3-0	F ,150mm	1,190	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			11,900 / 11,900	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
45	22-06-0-00000200-3-0	F ,200mm	2,010	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			20,100 / 20,100	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
46	22-06-0-00000250-3-0	F ,250mm	2,790	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			11,160 / 11,160	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-06-0-00000300-3-0	F ,300mm	3,390	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			13,560 / 13,560	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
48	22-07-2-00000080-3-0	80mm	21,160	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	,			846,400 / 846,400	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
49	22-07-2-00000100-3-0	100mm	23,450	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	,			1,407,000 / 1,407,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
50	22-07-2-00000150-3-0	150mm	30,220	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,			604,400 / 604,400	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
51	22-07-2-00000200-3-0	200mm	39,190	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,			391,900 / 391,900	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
52	22-07-2-00000250-3-0	250mm	48,580	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,			194,320 / 194,320	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
53	22-07-2-00000300-3-0	300mm	56,740	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,			567,400 / 567,400	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
54	22-08-0-00000080-3-0	80mm()	21,669	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			433,380 / 433,380	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
55	22-08-0-00000100-3-0	100mm()	26,329	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			789,870 / 789,870	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0
56	22-08-0-00000150-3-0	150mm()	48,720	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			974,400 / 974,400	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
57	22-08-0-00000200-3-0	200mm()	54,755	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,095,100 / 1,095,100	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
58	22-08-0-00000250-3-0	250mm()	86,720	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			346,880 / 346,880	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
59	22-08-0-00000300-3-0	300mm()	93,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			932,000 / 932,000	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
60	22-09-0-06500080-3-0	80*L650 (1F)()	33,590	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			201,540 / 201,540	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
61	22-09-0-06500100-3-0	100*L650 (1F)()	40,875	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,1F (L650) (BPF)			367,875 / 367,875	0 / 0	3 / 3	0 / 0	3 / 3	0 / 0
62	22-09-0-06500150-3-0	150*L650 (1F)()	63,755	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,1F (L650) (BPF)			573,795 / 573,795	0 / 0	3 / 3	0 / 0	3 / 3	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-09-0-06500200-3-0	200*L650 (1F) (90,005	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			540,030 / 540,030	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0
64	22-09-0-06500250-3-0	250*L650 (1F) (102,333	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,1F (L650) (BPF)			204,666 / 204,666	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
65	22-09-0-06500300-3-0	300*L650 (1F) (156,080	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			936,480 / 936,480	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0
66	31-01-3-00000080-3-0	,80mm	152,000	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				2,280,000 / 2,280,000	5 / 5	0 / 0	5 / 5	0 / 0	0 / 0
67	31-01-3-00000100-3-0	,100mm	189,200	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				7,568,000 / 7,568,000	10 / 10	0 / 0	10 / 10	0 / 0	10 / 10
68	31-01-3-00000150-3-0	,150mm	373,100	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				2,984,800 / 2,984,800	2 / 2	0 / 0	2 / 2	0 / 0	2 / 2
69	31-01-3-00000200-3-0	,200mm	522,700	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				2,090,800 / 2,090,800	1 / 1	0 / 0	1 / 1	0 / 0	1 / 1
70	31-01-3-00000250-3-0	,250mm	762,300	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				762,300 / 762,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	31-01-3-00000300-3-0	,300mm	906,800	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				1,813,600 / 1,813,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
72	31-01-5-00000080-3-0	,80mm	290,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				8,700,000 / 8,700,000	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0
73	31-01-5-00000100-3-0	,100mm	385,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				11,550,000 / 11,550,000	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0
74	31-01-5-00000150-3-0	,150mm	690,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				4,140,000 / 4,140,000	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
75	31-01-5-00000200-3-0	,200mm	823,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				823,500 / 823,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
76	31-01-5-00000250-3-0	,250mm	1,440,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				1,440,000 / 1,440,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
77	31-01-5-00000300-3-0	,300mm	1,701,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				6,804,000 / 6,804,000	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0
78	41-01-0-01000648-4-0	, ,	315,000	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
				18,900,000 / 18,900,000	0 / 0	20 / 20	0 / 0	20 / 20	0 / 0

: 2019 11 07
 : 17 24 14
 : 6 / 6

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	41-01-0-03180410-4-0	318x 410,	277,900	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
				3,334,800 / 3,334,800	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
80	41-01-1-01000648-4-0	, ,	315,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				1,890,000 / 1,890,000	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
81	41-01-1-03180410-4-0	318x 410,	277,900	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				1,667,400 / 1,667,400	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
82	41-01-3-20000648-3-0	(525,000	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
				6,300,000 / 6,300,000	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
83	41-01-D-10000648-4-0	가	419,600	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				2,517,600 / 2,517,600	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
()			2,327	0	0	0	0	46	764
			109,816,586	215	283	494	284	241	0
()			2,327	0	0	0	0	46	764
			109,816,586	215	283	494	284	241	0