

: 2019 11 13
 : 11 26 32
 : 1 / 17

: ,
 :
 :

(2019-6831-7-9901)

: -7957

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-6-00000400-1-6	(-2)KP,400mm	827,580	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2)	,		8,275,800 / 8,275,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
2	12-01-6-00000500-1-6	(-2)KP,500mm	1,119,790	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2)	,		11,197,900 / 11,197,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
3	12-01-6-00000600-1-6	(-2)KP,600mm	1,527,380	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2)	,		15,273,800 / 15,273,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
4	12-01-7-00000080-1-6	(-3) ,8	129,730	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		1,297,300 / 1,297,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
5	12-01-7-00000100-1-6	(-3) ,1	160,440	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		1,604,400 / 1,604,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
6	12-01-7-00000150-1-6	(-3) ,1	242,950	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		2,429,500 / 2,429,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
7	12-01-7-00000200-1-6	(-3) ,2	325,740	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		3,257,400 / 3,257,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
8	12-01-7-00000250-1-6	(-3) ,2	427,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		4,276,000 / 4,276,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
9	12-01-7-00000300-1-6	(-3) ,3	537,980	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)	,		5,379,800 / 5,379,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
10	22-01-B-00800022-3-0	B ,80mm *22` (20,038	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			400,760 / 400,760	10 / 10	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
11	22-01-B-00800045-3-0	B ,80mm *45` (24,840	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,242,000 / 1,242,000	10 / 10	0 / 0	10 / 10	0 / 0	0 / 0	30 / 30
12	22-01-B-01000022-3-0	B ,100mm *22	29,256	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			292,560 / 292,560	2 / 2	0 / 0	2 / 2	0 / 0	0 / 0	6 / 6
13	22-01-B-01000045-3-0	B ,100mm *45	31,464	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,573,200 / 1,573,200	10 / 10	0 / 0	10 / 10	0 / 0	10 / 10	20 / 20
14	22-01-Y-01500022-3-0	B (L) ,150mm*22(52,992	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			529,920 / 529,920	2 / 2	0 / 0	2 / 2	0 / 0	2 / 2	4 / 4

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-01500045-3-0	B (L), 150mm*45(57,960	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,898,000 / 2,898,000	4 / 4	0 / 0	4 / 4	0 / 0	4 / 4	38 / 38
16	22-01-Y-02000022-3-0	B (L), 200mm*22(75,900	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		759,000 / 759,000	1 / 1	0 / 0	1 / 1	0 / 0	1 / 1	7 / 7
17	22-01-Y-02000045-3-0	B (L), 200mm*45(84,180	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,525,400 / 2,525,400	3 / 3	0 / 0	3 / 3	0 / 0	3 / 3	21 / 21
18	22-01-Y-02500022-3-0	B (L), 250mm*22(102,980	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,029,800 / 1,029,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
19	22-01-Y-02500045-3-0	B (L), 250mm*45(118,680	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,186,800 / 1,186,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
20	22-01-Y-03000022-3-0	B (L), 300mm*22(135,240	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,352,400 / 1,352,400	2 / 2	0 / 0	2 / 2	0 / 0	2 / 2	4 / 4
21	22-01-Y-03000045-3-0	B (L), 300mm*45(157,320	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,719,600 / 4,719,600	2 / 2	0 / 0	1 / 1	0 / 0	1 / 1	26 / 26
22	22-01-Y-04000022-3-0	B (L), 400mm*22(219,420	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,194,200 / 2,194,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
23	22-01-Y-04000045-3-0	B (L), 400mm*45(262,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,622,000 / 2,622,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
24	22-01-Y-05000022-3-0	B (L), 500mm*22(322,920	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,229,200 / 3,229,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
25	22-01-Y-05000045-3-0	B (L), 500mm*45(337,850	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,378,500 / 3,378,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
26	22-01-Y-06000022-3-0	B (L), 600mm*22(455,400	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,554,000 / 4,554,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
27	22-01-Y-06000045-3-0	B (L), 600mm*45(579,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		5,796,000 / 5,796,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
28	22-02-B-00800080-3-0	B ,80*80mm(44,436	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		444,360 / 444,360	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
29	22-02-B-01000080-3-0	B ,100*80mm(52,440	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		262,200 / 262,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
30	22-02-B-01000100-3-0	B ,100*100mm(55,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		276,000 / 276,000	2 / 2	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-02-B-01500080-3-0	B ,150*80mm(74,520	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			372,600 / 372,600	2 / 2	0 / 0	0 / 0	3 / 3	0 / 0
32	22-02-B-01500100-3-0	B ,150*100mm(80,040	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			400,200 / 400,200	2 / 2	0 / 0	0 / 0	3 / 3	0 / 0
33	22-02-B-01500150-3-0	B ,150*150mm(92,460	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			462,300 / 462,300	0 / 0	2 / 2	1 / 1	0 / 0	0 / 0
34	22-02-B-02000080-3-0	B ,200mm*80mm(100,740	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			503,700 / 503,700	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
35	22-02-B-02000100-3-0	B ,200mm*100mm(106,260	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			531,300 / 531,300	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
36	22-02-B-02000150-3-0	B ,200mm*150mm(120,060	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			600,300 / 600,300	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
37	22-02-B-02000200-3-0	B ,200*200mm(136,620	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			683,100 / 683,100	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
38	22-02-B-02500100-3-0	B ,250*100mm(134,415	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,344,150 / 1,344,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-02-B-02500150-3-0	B ,250*150mm(151,760	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,517,600 / 1,517,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
40	22-02-B-02500200-3-0	B ,250*200mm(175,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,750,000 / 1,750,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-02-B-02500250-3-0	B ,250*250mm(194,520	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,945,200 / 1,945,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
42	22-02-B-03000080-3-0	B ,300mm*80mm(162,840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,628,400 / 1,628,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
43	22-02-B-03000100-3-0	B ,300mm*100mm(173,880	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			869,400 / 869,400	2 / 2	0 / 0	2 / 2	0 / 0	0 / 0
44	22-02-B-03000150-3-0	B ,300mm*150mm(191,820	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			959,100 / 959,100	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0
45	22-02-B-03000200-3-0	B ,300mm*200mm(211,140	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			2,111,400 / 2,111,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
46	22-02-B-03000250-3-0	B ,300mm*250mm(237,820	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			2,378,200 / 2,378,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-02-B-03000300-3-0 B ,300mm*300mm(262,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		2,622,000 / 2,622,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
48	22-04-0-00000080-3-0 ,80mm	6,690	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		334,500 / 334,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	48 / 48
49	22-04-0-00000100-3-0 ,100mm	7,810	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		390,500 / 390,500	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	48 / 48
50	22-04-0-00000150-3-0 ,150mm	11,190	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		559,500 / 559,500	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	48 / 48
51	22-04-0-00000200-3-0 ,200mm	14,050	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		702,500 / 702,500	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	48 / 48
52	22-04-0-00000250-3-0 ,250mm	20,020	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		1,001,000 / 1,001,000	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	48 / 48
53	22-04-0-00000300-3-0 ,300mm	24,380	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		1,219,000 / 1,219,000	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	48 / 48
54	22-04-0-00000400-3-0 ,400mm	46,110	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		4,611,000 / 4,611,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
55	22-04-0-00000500-3-0 ,500mm	58,120	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		5,812,000 / 5,812,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
56	22-04-0-00000600-3-0 ,600mm	72,870	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		7,287,000 / 7,287,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
57	22-04-0-00000700-3-0 ,700mm	107,390	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		10,739,000 / 10,739,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
58	22-04-2-00000080-3-0 ,80mm	1,210	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		121,000 / 121,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	40 / 40
59	22-04-2-00000100-3-0 ,100mm	1,350	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		135,000 / 135,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	40 / 40
60	22-04-2-00000150-3-0 ,150mm	1,810	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		181,000 / 181,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	40 / 40
61	22-04-2-00000200-3-0 ,200mm	2,400	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	, K.P		240,000 / 240,000	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	40 / 40
62	22-04-2-00000250-3-0 ,250mm	2,810	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	, K.P		140,500 / 140,500	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	40 / 40

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-04-2-00000300-3-0	,300mm	3,820	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			191,000 / 191,000	5 / 5	0 / 0	5 / 5	0 / 0	0 / 0
64	22-04-2-00000400-3-0	,400mm	5,170	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			517,000 / 517,000	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
65	22-04-2-00000500-3-0	,500mm	7,930	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			793,000 / 793,000	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
66	22-04-2-00000600-3-0	,600mm	8,810	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			881,000 / 881,000	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
67	22-04-2-00000700-3-0	,700mm	12,590	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,259,000 / 1,259,000	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
68	22-04-3-00240085-3-0	,24*85	1,110	4,000 / 4,000	0 / 0	0 / 0	0 / 0	0 / 0	200 / 200
	, K.P			4,440,000 / 4,440,000	0 / 0	200 / 200	200 / 200	200 / 200	200 / 200
69	22-04-3-00240105-3-0	,24*105	1,295	3,000 / 3,000	0 / 0	0 / 0	0 / 0	0 / 0	300 / 300
	, K.P			3,885,000 / 3,885,000	0 / 0	0 / 0	0 / 0	0 / 0	2,700 / 2,700
70	22-04-3-00270125-3-0	,27*125	1,818	1,000 / 1,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,818,000 / 1,818,000	0 / 0	0 / 0	0 / 0	0 / 0	1,000 / 1,000
71	22-05-0-00800500-3-0	80mm*L500 (2F)(29,707	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			297,070 / 297,070	0 / 0	1 / 1	0 / 0	1 / 1	1 / 1
72	22-05-0-01000500-3-0	100mm*L500 (2F)(41,440	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			414,400 / 414,400	0 / 0	2 / 2	0 / 0	2 / 2	2 / 2
73	22-05-0-01500500-3-0	150mm*L500 (2F)(52,308	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			523,080 / 523,080	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
74	22-05-0-02000500-3-0	200mm*L500 (2F)(71,065	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			710,650 / 710,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	22-05-0-02500500-3-0	250mm*L500 (2F)(115,780	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,157,800 / 1,157,800	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
76	22-05-0-03000500-3-0	300mm*L500 (2F)(125,237	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,252,370 / 1,252,370	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
77	22-05-0-04000500-3-0	400mm*L500 (2F)(205,482	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			2,054,820 / 2,054,820	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
78	22-05-0-05000500-3-0	500mm*500mm(236,262	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			2,362,620 / 2,362,620	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	22-07-2-00000600-3-0	600mm	192,860	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			9,643,000 / 9,643,000	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
96	22-07-2-00000700-3-0	700mm	278,690	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			13,934,500 / 13,934,500	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
97	22-08-0-00000080-3-0	80mm()	21,669	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,083,450 / 1,083,450	20 / 20	0 / 0	0 / 0	0 / 0	30 / 30
98	22-08-0-00000100-3-0	100mm()	26,329	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,316,450 / 1,316,450	30 / 30	0 / 0	0 / 0	0 / 0	20 / 20
99	22-08-0-00000150-3-0	150mm()	48,720	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,436,000 / 2,436,000	20 / 20	0 / 0	0 / 0	0 / 0	30 / 30
100	22-08-0-00000200-3-0	200mm()	54,755	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,737,750 / 2,737,750	20 / 20	0 / 0	0 / 0	0 / 0	30 / 30
101	22-08-0-00000250-3-0	250mm()	86,720	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,601,600 / 2,601,600	4 / 4	0 / 0	0 / 0	0 / 0	26 / 26
102	22-08-0-00000300-3-0	300mm()	93,200	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			4,660,000 / 4,660,000	0 / 0	10 / 10	0 / 0	0 / 0	40 / 40
103	22-08-0-00000400-3-0	400mm()	171,258	5 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			856,290 / 1,712,580	0 / 0	0 / 0	0 / 0	0 / 0	5 / 10
104	22-08-0-00000500-3-0	500mm()	248,400	5 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,242,000 / 2,484,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 10
105	22-08-0-00000600-3-0	600mm()	347,760	5 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,738,800 / 3,477,600	0 / 0	0 / 0	0 / 0	0 / 0	5 / 10
106	22-08-0-00000700-3-0	700mm()	555,750	5 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,778,750 / 5,557,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 10
107	22-09-0-06500080-3-0	80*L650 (1F) (33,590	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			671,800 / 671,800	0 / 0	2 / 2	0 / 0	2 / 2	14 / 14
108	22-09-0-06500100-3-0	100*L650 (1F) (40,875	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,1F (L650) (BPF)			817,500 / 817,500	0 / 0	3 / 3	0 / 0	3 / 3	11 / 11
109	22-09-0-06500150-3-0	150*L650 (1F) (63,755	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	,1F (L650) (BPF)			1,275,100 / 1,275,100	0 / 0	3 / 3	0 / 0	3 / 3	11 / 11
110	22-09-0-06500200-3-0	200*L650 (1F) (90,005	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			1,800,100 / 1,800,100	0 / 0	0 / 0	2 / 2	2 / 2	14 / 14

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	22-09-0-06500250-3-0	250*L650 (1F) (102,333	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			1,023,330 / 1,023,330	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
112	22-09-0-06500300-3-0	300*L650 (1F) (156,080	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			3,121,600 / 3,121,600	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0
113	22-09-0-06500400-3-0	400*L650 (1F) (195,132	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			975,660 / 975,660	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
114	22-09-0-06500500-3-0	500*L650 (1F) (267,030	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			1,335,150 / 1,335,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
115	22-09-0-06500600-3-0	600*L650 (1F) (357,696	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			1,788,480 / 1,788,480	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
116	22-09-0-06500700-3-0	700*L650 (1F) (539,330	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,696,650 / 2,696,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
117	22-10-A-01000080-3-0	A ,100*80mm(28,152	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			140,760 / 140,760	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
118	22-10-A-01500080-3-0	A ,150*80mm(42,504	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			212,520 / 212,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
119	22-10-A-01500100-3-0	A ,150*100mm(43,056	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			215,280 / 215,280	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
120	22-10-A-02000080-3-0	A ,200*80mm(59,340	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			296,700 / 296,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
121	22-10-A-02000100-3-0	A ,200*100mm(60,720	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			303,600 / 303,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
122	22-10-A-02000150-3-0	A ,200*150mm(62,100	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			310,500 / 310,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
123	22-10-A-02500100-3-0	A ,250*100mm(82,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			414,000 / 414,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
124	22-10-A-02500150-3-0	A ,250*150mm(86,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			434,000 / 434,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
125	22-10-A-02500200-3-0	A ,250*200mm(82,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			414,000 / 414,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
126	22-10-A-03000080-3-0	A ,300*80mm(107,045	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			535,225 / 535,225	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
143	22-10-A-07000400-3-0	A ,700*400mm	589,272	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			2,946,360 / 2,946,360	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
144	22-10-A-07000500-3-0	A ,700*500mm	614,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			3,070,000 / 3,070,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
145	22-10-A-07000600-3-0	A ,700*600mm	604,500	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			3,022,500 / 3,022,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
146	22-10-B-01000080-3-0	B ,100*80mm((BPF)	24,840	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			124,200 / 124,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
147	22-10-B-01500100-3-0	B ,150*100mm (BPF)	39,468	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			197,340 / 197,340	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
148	22-10-B-02000100-3-0	B ,200*100mm (BPF)	53,505	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			267,525 / 267,525	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
149	22-10-B-02000150-3-0	B ,200*150mm((BPF)	53,505	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			267,525 / 267,525	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
150	22-10-B-02500150-3-0	B ,250*150mm	82,070	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			410,350 / 410,350	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
151	22-10-B-02500200-3-0	B ,250*200mm	75,880	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			379,400 / 379,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
152	22-10-B-03000150-3-0	B ,300*150mm (BPF)	106,260	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			531,300 / 531,300	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
153	22-10-B-03000200-3-0	B ,300*200mm	104,880	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			524,400 / 524,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
154	22-10-B-03000250-3-0	B ,300*250mm	100,740	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			503,700 / 503,700	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
155	22-10-B-04000200-3-0	B ,400*200mm	176,150	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			880,750 / 880,750	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
156	22-10-B-04000250-3-0	B ,400*250mm	181,120	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			905,600 / 905,600	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
157	22-10-B-04000300-3-0	B ,400*300mm (BPF)	169,740	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			848,700 / 848,700	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
158	22-10-B-05000400-3-0	B ,500*400mm	250,600	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			1,253,000 / 1,253,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
191	22-11-A-03000200-3-0	A ,300*200mm	142,140	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			710,700 / 710,700	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
192	22-11-A-03000250-3-0	(BPF)A ,300*250mm	111,780	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			558,900 / 558,900	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
193	22-11-A-04000200-3-0	A ,400*200mm	147,840	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			739,200 / 739,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
194	22-11-A-04000250-3-0	A ,400*250mm	203,760	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,018,800 / 1,018,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
195	22-11-A-04000300-3-0	A ,400*300mm	176,960	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			884,800 / 884,800	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
196	22-11-A-05000300-3-0	A ,500*300mm	271,680	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,358,400 / 1,358,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
197	22-11-A-05000400-3-0	A ,500*400mm	256,300	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,281,500 / 1,281,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
198	22-11-A-05000450-3-0	A ,500*450mm	220,740	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,103,700 / 1,103,700	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
199	22-11-A-06000300-3-0	A ,600*300mm	337,850	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,689,250 / 1,689,250	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
200	22-11-A-06000400-3-0	A ,600*400mm	364,320	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,821,600 / 1,821,600	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
201	22-11-A-06000500-3-0	A ,600*500mm	403,790	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			2,018,950 / 2,018,950	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
202	22-11-A-07000400-3-0	A ,700*400mm	468,990	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			2,344,950 / 2,344,950	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
203	22-11-A-07000500-3-0	A ,700*500mm	368,104	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,840,520 / 1,840,520	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
204	22-11-A-07000600-3-0	A ,700*600mm	575,250	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			2,876,250 / 2,876,250	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
205	22-15-0-00000080-3-0	80mm, (24,288	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			485,760 / 485,760	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
206	22-15-0-00000100-3-0	100mm, (28,704	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			574,080 / 574,080	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
223	22-30-0-00000150-3-0	가 150mm	410,300	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		2,051,500 / 2,051,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
224	22-30-0-00000200-3-0	가 200mm	614,900	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		3,074,500 / 3,074,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
225	22-30-0-00000250-3-0	가 250mm	860,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		4,301,000 / 4,301,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
226	22-30-0-00000300-3-0	가 300mm	949,300	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		4,746,500 / 4,746,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
227	22-30-0-00000400-3-0	가 400mm	2,791,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		13,959,000 / 13,959,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
228	22-30-0-00000500-3-0	가 500mm	3,567,300	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		17,836,500 / 17,836,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
229	22-30-0-00000600-3-0	가 600mm	5,217,300	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		가		26,086,500 / 26,086,500	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
230	31-01-3-00000080-3-0	,80mm	152,000	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				6,080,000 / 6,080,000	5 / 5	0 / 0	5 / 5	0 / 0	0 / 0
231	31-01-3-00000100-3-0	,100mm	189,200	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				7,568,000 / 7,568,000	10 / 10	0 / 0	10 / 10	0 / 0	10 / 10
232	31-01-3-00000150-3-0	,150mm	373,100	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				11,193,000 / 11,193,000	2 / 2	0 / 0	2 / 2	0 / 0	2 / 2
233	31-01-3-00000200-3-0	,200mm	522,700	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				2,613,500 / 2,613,500	1 / 1	0 / 0	1 / 1	0 / 0	1 / 1
234	31-01-3-00000250-3-0	,250mm	762,300	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				3,811,500 / 3,811,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
235	31-01-3-00000300-3-0	,300mm	906,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				4,534,000 / 4,534,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
236	31-01-3-00000400-3-0	,400mm	1,870,550	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,352,750 / 9,352,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
237	31-01-3-00000500-3-0	,500mm	2,989,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				14,949,000 / 14,949,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
238	31-01-3-00000600-3-0	,600mm	6,116,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				30,580,000 / 30,580,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
239	31-01-3-00000700-3-0	700mm	8,690,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				43,450,000 / 43,450,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
240	31-01-5-00000080-3-0	,80mm	290,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				8,700,000 / 8,700,000	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0
241	31-01-5-00000100-3-0	,100mm	385,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				11,550,000 / 11,550,000	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0
242	31-01-5-00000150-3-0	,150mm	690,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				20,700,000 / 20,700,000	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
243	31-01-5-00000200-3-0	,200mm	823,500	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				24,705,000 / 24,705,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
244	31-01-5-00000250-3-0	,250mm	1,440,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				43,200,000 / 43,200,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
245	31-01-5-00000300-3-0	,300mm	1,701,000	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				23,814,000 / 23,814,000	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0
246	31-01-5-00000400-3-0	,400mm	3,816,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				19,080,000 / 19,080,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
247	31-01-5-00000500-3-0	,500mm	5,697,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				28,485,000 / 28,485,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
248	31-01-5-00000600-3-0	,600mm	16,000,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				80,000,000 / 80,000,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
249	41-01-0-01000648-4-0	,	315,000	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				18,900,000 / 18,900,000	0 / 0	20 / 20	0 / 0	20 / 20	0 / 0
250	41-01-0-03180410-4-0	318x 410,	277,900	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,334,800 / 3,334,800	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
251	41-01-1-01000648-4-0	,	315,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,890,000 / 1,890,000	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
252	41-01-1-03180410-4-0	318x 410,	277,900	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,667,400 / 1,667,400	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0
253	41-01-3-20000648-3-0	(525,000	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,300,000 / 6,300,000	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
254	41-01-D-10000648-4-0	가	419,600	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,517,600 / 2,517,600	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0

: 2019 11 13
 : 11 26 32
 : 17 / 17

	가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
		(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
()		12,476	0	0	0	0	46	764
		889,817,885	215	283	494	284	241	10,149
()		12,496	0	0	0	0	46	764
		896,433,725	215	283	494	284	241	10,169