

자 재 사 용 계 획 서

출력일자: 2021년 01월 15일

출력시간: 09시 09분 09초

페이지: 3/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-04-0-00000200-3-0	압륜,200mm	17,292	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	134,640 / 138,336	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
33	22-04-0-00000250-3-0	압륜,250mm	24,561	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	477,800 / 491,220	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
34	22-04-0-00000300-3-0	압륜,300mm	30,011	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	291,800 / 300,110	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
35	22-04-2-00000080-3-0	고무링,80mm	1,397	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	22,990 / 26,543	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	19 / 19
36	22-04-2-00000100-3-0	고무링,100mm	1,558	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	135,000 / 155,800	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0
37	22-04-2-00000150-3-0	고무링,150mm	2,091	118 / 118	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	213,580 / 246,738	20 / 20	10 / 10	0 / 0	0 / 0	0 / 0	88 / 88
38	22-04-2-00000250-3-0	고무링,250mm	3,247	40 / 40	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	112,800 / 129,880	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000300-3-0	고무링,300mm	4,403	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	384,000 / 440,300	0 / 0	0 / 0	0 / 0	40 / 40	60 / 60	0 / 0
40	22-04-2-00000400-3-0	고무링,400mm	5,931	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	20,760 / 23,724	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
41	22-04-3-00240085-3-0	볼트,24*85	1,337	1,100 / 1,100	0 / 0	0 / 0	0 / 0	300 / 300	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	1,221,000 / 1,470,700	0 / 0	0 / 0	300 / 300	500 / 500	0 / 0	0 / 0
42	22-05-0-02500500-3-0	250mm*L500 (2F)(마개포함)	116,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	232,800 / 232,800	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
43	22-06-0-00000250-3-0	F 고무링,250mm	2,800	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	56,000 / 56,000	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
44	22-06-0-00000300-3-0	F 고무링,300mm	3,400	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	34,000 / 34,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
45	22-07-2-00000080-3-0	80mm	20,090	27 / 27	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	542,430 / 542,430	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	27 / 27
46	22-07-2-00000100-3-0	100mm	20,950	120 / 120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	2,514,000 / 2,514,000	0 / 0	0 / 0	80 / 80	0 / 0	0 / 0	40 / 40
47	22-07-2-00000150-3-0	150mm	26,670	54 / 54	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,440,180 / 1,440,180	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	34 / 34

자 재 사 용 계 획 서

출력일자: 2021년 01월 15일

출력시간: 09시 09분 09초

페이지: 4/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-07-2-00000200-3-0	200mm	34,140	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	34,140 / 34,140	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
49	22-07-2-00000250-3-0	250mm	48,840	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	976,800 / 976,800	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
50	22-07-2-00000300-3-0	300mm	49,510	123 / 123	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	6,089,730 / 6,089,730	0 / 0	0 / 0	10 / 10	40 / 40	72 / 72	1 / 1
51	22-07-2-00000400-3-0	400mm	91,490	4 / 4	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	365,960 / 365,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
52	22-08-0-00000080-3-0	이음관80mm(마개포함)	26,180	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	235,620 / 235,620	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	9 / 9
53	22-08-0-00000100-3-0	이음관100mm(마개포함)	31,810	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	795,250 / 795,250	0 / 0	0 / 0	25 / 25	0 / 0	0 / 0	0 / 0
54	22-08-0-00000250-3-0	이음관250mm(마개포함)	90,080	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	900,800 / 900,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
55	22-08-0-00000300-3-0	이음관300mm(마개포함)	112,600	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	2,815,000 / 2,815,000	0 / 0	0 / 0	5 / 5	0 / 0	11 / 11	9 / 9
56	22-08-0-00000400-3-0	400mm(마개포함)	174,530	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	174,530 / 174,530	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	34,256	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	376,816 / 376,816	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
58	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	41,688	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	917,136 / 917,136	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	65,020	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	260,080 / 260,080	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-09-0-06500250-3-0	250*L650 (1F단관)(마개포함)	123,636	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	247,272 / 247,272	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
61	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	159,190	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	477,570 / 477,570	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	63,340	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	63,340 / 63,340	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
63	22-10-A-03000200-3-0	A형, 300*200mm(마개포함)	112,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	112,600 / 112,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1

자 재 사 용 계 획 서

출력일자: 2021년 01월 15일

출력시간: 09시 09분 09초

페이지: 6/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
80	22-16-0-00000300-3-0	마개플렌지 300mm	67,560	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	135,120 / 135,120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
81	22-16-0-00000400-3-0	400mm	102,750	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	102,750 / 102,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
82	22-17-0-00800050-3-0	80*50mm	9,280	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	9,280 / 9,280	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
83	22-17-0-01000050-3-0	100*50mm	11,260	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	22,520 / 22,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
84	22-25-1-00000080-3-0	KP형,80mm	11,260	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	11,260 / 11,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
85	22-25-1-00000100-3-0	KP형,100mm	14,070	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	14,070 / 14,070	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
86	22-25-1-00000150-3-0	KP형,150mm	19,700	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	39,400 / 39,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
87	22-25-1-00000200-3-0	KP형,200mm	33,780	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	101,340 / 101,340	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
88	22-25-1-00000300-3-0	KP형,300mm	64,740	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	194,220 / 194,220	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
89	22-25-1-00000400-3-0	KP형,400mm	115,410	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	115,410 / 115,410	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
90	31-01-3-00000100-3-0	소프트형,100mm	171,219	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	1,540,971 / 1,540,971	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	9 / 9
91	31-01-3-00000150-3-0	소프트형,150mm	337,613	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	337,613 / 337,613	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
92	31-01-3-00000250-3-0	소프트형,250mm	689,804	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도밸브		개	689,804 / 689,804	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
93	31-01-3-00000400-3-0	소프트형,400mm	1,692,590	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	1,692,590 / 1,692,590	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
94	31-01-4-00000080-3-0	소프트형(핸들용),80mm	137,538	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	상수도밸브		개	687,690 / 687,690	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
95	31-01-4-00000250-3-0	소프트형(핸들용),250mm	689,804	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도밸브		개	1,379,608 / 1,379,608	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 01월 15일

출력시간: 09시 09분 09초

페이지: 7/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	31-03-F-00000100-3-0	다용도소프트실, 100mm	716,649	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	상수도밸브		개	2,149,947 / 2,149,947	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
97	31-03-F-00000150-3-0	다용도소프트실, 150mm	842,836	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	상수도밸브		개	842,836 / 842,836	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	31-03-F-00000250-3-0	다용도소프트실, 250mm	1,390,387	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	1,390,387 / 1,390,387	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
99	31-03-F-00000300-3-0	다용도소프트실, 300mm	1,576,628	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	3,153,256 / 3,153,256	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	1 / 1
100	31-04-Z-00100080-3-0	소프트실 체크밸브, 10K* φ 80	330,910	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	330,910 / 330,910	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
101	31-05-A-00000100-3-0	급속공기밸브, 100mm	236,671	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브, 공기밸브		개	473,342 / 473,342	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
102	41-01-0-01000648-4-0	제수밸브용, 원형받침, D648mm×H250mm	274,775	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	원형철개		조	2,472,975 / 2,472,975	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
103	41-01-2-01000648-4-0	소화전용, 원형받침, D648mm×H150mm	244,191	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	2,686,101 / 2,686,101	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	6 / 6
104	41-01-2-03180410-4-0	318×410, 제수밸브보호통(소화전용)	279,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	558,800 / 558,800	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
105	41-05-0-00000648-4-0	수도계량기용 이중형 철개, D648×H100mm	298,633	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	2,986,330 / 2,986,330	0 / 0	0 / 0	5 / 5	5 / 5	0 / 0	0 / 0
106	81-09-6-00150000-3-0	구상흑연주철보호통뚜껑(15mm)	30,564	80 / 80	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통주철뚜껑		개	2,445,120 / 2,445,120	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	60 / 60
107	81-09-6-00200025-3-0	구상흑연주철보호통뚜껑(20-25mm)	42,930	64 / 64	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통주철뚜껑		개	2,747,520 / 2,747,520	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	60 / 60
108	81-09-6-00250110-4-0	구상흑연주철, Φ25mm×심도1.1m	136,734	150 / 150	0 / 0	0 / 0	50 / 50	30 / 30	0 / 0	0 / 0
	수도계량기보호통		조	20,510,100 / 20,510,100	20 / 20	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
109	81-09-6-00300000-3-0	구상흑연주철보호통뚜껑(30mm)	50,571	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통주철뚜껑		개	606,852 / 606,852	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	10 / 10
110	81-09-6-00300110-4-0	구상흑연주철, Φ30mm×심도1.1m	177,955	150 / 150	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	수도계량기보호통		조	26,693,250 / 26,693,250	20 / 20	30 / 30	0 / 0	50 / 50	0 / 0	0 / 0
111	81-09-6-00400050-3-0	구상흑연주철보호통뚜껑(40-50mm)	91,692	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통주철뚜껑		개	183,384 / 183,384	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 01월 15일

출력시간: 09시 09분 09초

페이지: 8/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
112	81-09-6-00400110-4-0	구상흑연주철, Φ40mm×심도1.1m	269,447	120 / 120	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	수도계량기보호통		조	32,333,640 / 32,333,640	20 / 20	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
113	81-09-6-00500110-4-0	구상흑연주철, Φ50mm×심도1.1m	299,609	120 / 120	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	수도계량기보호통		조	35,953,080 / 35,953,080	20 / 20	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
114	81-09-8-00150110-4-0	역지변설치, Φ15mm×심도1.1m	101,545	230 / 230	0 / 0	0 / 0	50 / 50	30 / 30	0 / 0	100 / 100
	수도계량기보호통(역류방지밸브설치형)		조	23,355,350 / 23,355,350	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
115	81-09-8-00200100-4-0	역지변설치, Φ20mm×심도1.1m	141,761	150 / 150	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브설치형)		조	21,264,150 / 21,264,150	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
합 계 (전)				3,643	11	0	300	391	0	112
				257,717,743	170	60	784	974	218	623
합 계 (후)				3,643	11	0	300	391	0	112
				257,717,743	170	60	784	974	218	623