

: 2020 11 17
 : 16 05 17
 : 2 / 10

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-02500045-3-0	B (L), 250mm*45(117,159	64 / 64	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		7,498,176 / 7,498,176	0 / 0	0 / 0	0 / 0	40 / 40	0 / 0	20 / 20
16	22-01-Y-03000011-3-0	B (L), 300mm*11(105,879	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		529,395 / 529,395	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
17	22-01-Y-03000022-3-0	B (L), 300mm*22(114,786	18 / 18	0 / 0	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
	,K.P	(BPF)		2,066,148 / 2,066,148	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
18	22-01-Y-03000045-3-0	B (L), 300mm*45(133,527	95 / 95	0 / 0	15 / 15	20 / 20	0 / 0	20 / 20	20 / 20
	,K.P	(BPF)		12,685,065 / 12,685,065	5 / 5	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
19	22-01-Y-04000045-3-0	B (L), 400mm*45(222,545	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,225,450 / 2,225,450	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
20	22-01-Y-06000011-3-0	B (L), 600mm*11(396,931	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		793,862 / 793,862	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
21	22-01-Y-06000022-3-0	B (L), 600mm*22(464,494	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,857,976 / 1,857,976	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
22	22-01-Y-06000045-3-0	B (L), 600mm*45(591,175	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,364,700 / 2,364,700	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0
23	22-01-Y-07000011-3-0	B (L), 700mm*11(574,103	70 / 70	0 / 0	20 / 20	10 / 10	0 / 0	0 / 0	10 / 10
	,K.P	(BPF)		40,187,210 / 40,187,210	0 / 0	0 / 0	0 / 0	20 / 20	10 / 10	0 / 0
24	22-01-Y-07000022-3-0	B (L), 700mm*22(616,561	130 / 130	0 / 0	40 / 40	40 / 40	0 / 0	0 / 0	10 / 10
	,K.P	(BPF)		80,152,930 / 80,152,930	0 / 0	10 / 10	0 / 0	20 / 20	10 / 10	0 / 0
25	22-01-Y-07000045-3-0	B (L), 700mm*45(796,276	203 / 203	0 / 0	30 / 30	6 / 6	0 / 0	0 / 0	50 / 50
	,K.P	(BPF)		161,644,028 / 161,644,028	0 / 0	40 / 40	8 / 8	4 / 4	15 / 15	50 / 50
26	22-01-Y-08000022-3-0	B (L), 800mm*22	771,393	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,542,786 / 1,542,786	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-02-B-00800080-3-0	B ,80*80mm(44,440	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		88,880 / 88,880	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
28	22-02-B-01000080-3-0	B ,100*80mm(52,440	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, T	(BPF)		104,880 / 104,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-02-B-01000100-3-0	B ,100*100mm(55,200	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	, T	(BPF)		441,600 / 441,600	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	2 / 2
30	22-02-B-01500100-3-0	B ,150*100mm(81,200	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, T	(BPF)		1,705,200 / 1,705,200	10 / 10	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-04-0-00000700-3-0	,700mm	74,480	320 / 320	0 / 0	120 / 120	200 / 200	0 / 0	0 / 0	0 / 0
	, K.P			23,833,600 / 23,833,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
48	22-04-0-00000800-3-0	,800mm	82,362	4 / 4	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0
	, K.P			329,448 / 329,448	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-04-2-00000080-3-0	,80mm	1,216	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			48,640 / 48,640	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	0 / 0
50	22-04-2-00000100-3-0	,100mm	1,357	190 / 190	0 / 0	20 / 20	0 / 0	120 / 120	0 / 0	0 / 0
	, K.P			257,830 / 257,830	0 / 0	0 / 0	0 / 0	20 / 20	10 / 10	20 / 20
51	22-04-2-00000150-3-0	,150mm	1,819	155 / 155	0 / 0	10 / 10	0 / 0	50 / 50	10 / 10	0 / 0
	, K.P			281,945 / 281,945	0 / 0	0 / 0	0 / 0	15 / 15	20 / 20	50 / 50
52	22-04-2-00000200-3-0	,200mm	2,412	198 / 198	0 / 0	30 / 30	8 / 8	50 / 50	0 / 0	30 / 30
	, K.P			477,576 / 477,576	0 / 0	0 / 0	0 / 0	20 / 20	60 / 60	0 / 0
53	22-04-2-00000250-3-0	,250mm	2,825	30 / 30	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	, K.P			84,750 / 84,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
54	22-04-2-00000300-3-0	,300mm	3,840	267 / 267	0 / 0	50 / 50	50 / 50	20 / 20	30 / 30	0 / 0
	, K.P			1,025,280 / 1,025,280	30 / 30	0 / 0	7 / 7	50 / 50	30 / 30	0 / 0
55	22-04-2-00000400-3-0	,400mm	5,197	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			103,940 / 103,940	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
56	22-04-2-00000600-3-0	,600mm	8,857	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			194,854 / 194,854	0 / 0	0 / 0	20 / 20	2 / 2	0 / 0	0 / 0
57	22-04-2-00000700-3-0	,700mm	12,657	740 / 740	0 / 0	300 / 300	330 / 330	50 / 50	0 / 0	0 / 0
	, K.P			9,366,180 / 9,366,180	0 / 0	0 / 0	0 / 0	10 / 10	50 / 50	0 / 0
58	22-04-2-00000800-3-0	,800mm	14,608	4 / 4	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0
	, K.P			58,432 / 58,432	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-04-3-00240085-3-0	,24*85	1,115	3,533 / 4,033	0 / 0	1,000 / 1,000	400 / 400	500 / 500	400 / 400	150 / 150
	, K.P			3,939,295 / 4,496,795	100 / 100	0 / 0	500 / 500	400 / 400	83 / 83	0 / 500
60	22-04-3-00240105-3-0	,24*105	1,301	11,408 / 11,408	0 / 0	5,000 / 5,000	5,000 / 5,000	100 / 100	0 / 0	0 / 0
	, K.P			14,841,808 / 14,841,808	0 / 0	0 / 0	280 / 280	28 / 28	500 / 500	500 / 500
61	22-04-3-00270125-3-0	,27*125	1,827	90 / 90	0 / 0	40 / 40	40 / 40	10 / 10	0 / 0	0 / 0
	, K.P			164,430 / 164,430	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-05-0-01000500-3-0	100mm*L500 (2F)(41,663	19 / 19	0 / 0	3 / 3	0 / 0	0 / 0	10 / 10	0 / 0
	, 2F (BPF)			791,597 / 791,597	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
63	22-05-0-01500500-3-0	150mm*L500 (2F)(52,590	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			473,310 / 473,310	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	3 / 3
64	22-05-0-02000500-3-0	200mm*L500 (2F)(71,448	13 / 13	0 / 0	5 / 5	2 / 2	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			928,824 / 928,824	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
65	22-05-0-02500500-3-0	250mm*L500 (2F)(116,405	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			116,405 / 116,405	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	22-05-0-03000500-3-0	300mm*L500 (2F)(125,913	36 / 36	0 / 0	5 / 5	8 / 8	0 / 0	3 / 3	20 / 20
	, 2F (BPF)			4,532,868 / 4,532,868	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
67	22-05-0-07000500-3-0	700mm*500mm(490,210	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,470,630 / 1,470,630	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-06-0-00000080-3-0	F ,80mm	623	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,			3,115 / 3,115	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
69	22-06-0-00000150-3-0	F ,150mm	1,196	11 / 11	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	5 / 5
	,			13,156 / 13,156	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	22-06-0-00000200-3-0	F ,200mm	2,020	7 / 7	0 / 0	5 / 5	2 / 2	0 / 0	0 / 0	0 / 0
	,			14,140 / 14,140	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	22-06-0-00000250-3-0	F ,250mm	2,805	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	,			5,610 / 5,610	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	22-06-0-00000300-3-0	F ,300mm	3,408	20 / 20	0 / 0	5 / 5	10 / 10	0 / 0	5 / 5	0 / 0
	,			68,160 / 68,160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
73	22-06-0-00000700-3-0	F ,700mm	17,524	9 / 9	0 / 0	5 / 5	4 / 4	0 / 0	0 / 0	0 / 0
	,			157,716 / 157,716	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-06-0-00000800-3-0	F ,800mm	22,892	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	,			45,784 / 45,784	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	22-07-2-00000080-3-0	80mm	21,274	65 / 65	0 / 0	0 / 0	0 / 0	10 / 10	5 / 5	0 / 0
	,			1,382,810 / 1,382,810	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
76	22-07-2-00000100-3-0	100mm	23,576	224 / 224	0 / 0	0 / 0	0 / 0	150 / 150	0 / 0	0 / 0
	,			5,281,024 / 5,281,024	0 / 0	0 / 0	0 / 0	20 / 20	50 / 50	4 / 4
77	22-07-2-00000150-3-0	150mm	30,383	634 / 634	0 / 0	0 / 0	4 / 4	30 / 30	0 / 0	0 / 0
	,			19,262,822 / 19,262,822	10 / 10	0 / 0	0 / 0	520 / 520	20 / 20	50 / 50
78	22-07-2-00000200-3-0	200mm	39,401	176 / 176	0 / 0	10 / 10	8 / 8	30 / 30	0 / 0	30 / 30
	,			6,934,576 / 6,934,576	20 / 20	0 / 0	60 / 60	18 / 18	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-07-2-00000250-3-0	250mm	48,842	30 / 30	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,			1,465,260 / 1,465,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
80	22-07-2-00000300-3-0	300mm	57,046	247 / 247	0 / 0	30 / 30	30 / 30	30 / 30	30 / 30	0 / 0
	,			14,090,362 / 14,090,362	10 / 10	0 / 0	7 / 7	50 / 50	30 / 30	30 / 30
81	22-07-2-00000400-3-0	400mm	91,491	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,006,401 / 1,006,401	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	1 / 1
82	22-07-2-00000600-3-0	600mm	193,901	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			4,265,822 / 4,265,822	0 / 0	0 / 0	20 / 20	2 / 2	0 / 0	0 / 0
83	22-07-2-00000700-3-0	700mm	280,194	415 / 415	0 / 0	160 / 160	130 / 130	20 / 20	0 / 0	0 / 0
	,			116,280,510 / 116,280,510	0 / 0	0 / 0	0 / 0	50 / 50	50 / 50	5 / 5
84	22-07-2-00000800-3-0	800mm	368,489	3 / 3	0 / 0	1 / 1	2 / 2	0 / 0	0 / 0	0 / 0
	,			1,105,467 / 1,105,467	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-08-0-00000080-3-0	80mm()	21,786	1,000,300 / 1,000,300	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,K.P (BPF)			21,792,535,800 / 21,792,535,800	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
86	22-08-0-00000100-3-0	100mm()	26,471	95 / 95	0 / 0	0 / 0	30 / 30	50 / 50	0 / 0	0 / 0
	,K.P (BPF)			2,514,745 / 2,514,745	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	5 / 5
87	22-08-0-00000150-3-0	150mm()	48,983	64 / 64	0 / 0	0 / 0	30 / 30	10 / 10	4 / 4	0 / 0
	,K.P (BPF)			3,134,912 / 3,134,912	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	10 / 10
88	22-08-0-00000200-3-0	200mm()	55,050	89 / 89	0 / 0	20 / 20	4 / 4	10 / 10	10 / 10	0 / 0
	,K.P (BPF)			4,899,450 / 4,899,450	0 / 0	0 / 0	40 / 40	5 / 5	0 / 0	0 / 0
89	22-08-0-00000250-3-0	250mm()	87,188	14 / 14	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,220,632 / 1,220,632	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
90	22-08-0-00000300-3-0	300mm()	112,604	98 / 98	0 / 0	0 / 0	20 / 20	10 / 10	30 / 30	0 / 0
	,K.P (BPF)			11,035,192 / 11,035,192	10 / 10	0 / 0	0 / 0	20 / 20	3 / 3	5 / 5
91	22-08-0-00000400-3-0	400mm()	145,240	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,452,400 / 1,452,400	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
92	22-08-0-00000600-3-0	600mm()	354,705	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,128,230 / 2,128,230	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
93	22-08-0-00000700-3-0	700mm()	472,789	210 / 210	0 / 0	60 / 60	60 / 60	20 / 20	0 / 0	0 / 0
	,K.P (BPF)			99,285,690 / 99,285,690	0 / 0	0 / 0	0 / 0	20 / 20	50 / 50	0 / 0
94	22-09-0-06500080-3-0	80*L650 (1F) (33,590	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			33,590 / 33,590	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0

: 2020 11 17
 : 16 05 17
 : 7 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	22-09-0-06500100-3-0	100*L650 (1F) (41,691	25 / 25	0 / 0	3 / 3	0 / 0	10 / 10	0 / 0
	,1F (L650) (BPF)			1,042,275 / 1,042,275	0 / 0	0 / 0	6 / 6	4 / 4	2 / 2
96	22-09-0-06500150-3-0	150*L650 (1F) (65,029	26 / 26	0 / 0	1 / 1	0 / 0	2 / 2	2 / 2
	,1F (L650) (BPF)			1,690,754 / 1,690,754	0 / 0	0 / 0	4 / 4	5 / 5	2 / 2
97	22-09-0-06500200-3-0	200*L650 (1F) (76,391	11 / 11	0 / 0	3 / 3	2 / 2	2 / 2	0 / 0
	,1F (L650) (BPF)			840,301 / 840,301	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
98	22-09-0-06500250-3-0	250*L650 (1F) (102,885	6 / 6	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0
	,1F (L650) (BPF)			617,310 / 617,310	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
99	22-09-0-06500300-3-0	300*L650 (1F) (159,195	31 / 31	0 / 0	5 / 5	10 / 10	2 / 2	5 / 5
	,1F (L650) (BPF)			4,935,045 / 4,935,045	4 / 4	0 / 0	0 / 0	5 / 5	0 / 0
100	22-09-0-06500600-3-0	600*L650 (1F) (364,839	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			729,678 / 729,678	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
101	22-09-0-06500700-3-0	700*L650 (1F) (458,826	11 / 11	0 / 0	2 / 2	5 / 5	2 / 2	0 / 0
	,1F (L650) (BPF)			5,047,086 / 5,047,086	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
102	22-09-0-06500800-3-0	800*L650 (1F)	580,479	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, 1F (L650) (BPF)			580,479 / 580,479	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	22-10-A-03000150-3-0	A ,300*150mm(94,874	6 / 6	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, K.P (BPF)			569,244 / 569,244	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
104	22-10-A-03000200-3-0	A ,300*200mm(110,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			220,800 / 220,800	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
105	22-10-A-03000250-3-0	A ,300*250mm(91,360	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, K.P (BPF)			639,520 / 639,520	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
106	22-10-A-08000700-3-0	A ,800*700mm	634,035	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,K.P			634,035 / 634,035	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-10-B-02000100-3-0	B ,200*100mm	53,505	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			107,010 / 107,010	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
108	22-11-A-02000150-3-0	A ,200*150mm	57,730	7 / 7	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, (BPF)			404,110 / 404,110	0 / 0	3 / 3	0 / 0	0 / 0	2 / 2
109	22-11-A-03000150-3-0	A ,300*150mm	128,340	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			256,680 / 256,680	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
110	22-11-A-03000250-3-0	(BPF)A ,300*250mm	96,110	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,			96,110 / 96,110	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	22-14-0-00000080-3-0	80mm	1,710	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			15,390 / 15,390	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
112	22-14-0-00000100-3-0	100mm	2,320	110 / 110	0 / 0	0 / 0	0 / 0	80 / 80	0 / 0
	,			255,200 / 255,200	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
113	22-14-0-00000200-3-0	200mm	3,961	102 / 102	0 / 0	0 / 0	2 / 2	20 / 20	20 / 20
	,			404,022 / 404,022	0 / 0	0 / 0	0 / 0	60 / 60	0 / 0
114	22-14-0-00000250-3-0	250mm	5,529	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,			11,058 / 11,058	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
115	22-14-0-00000300-3-0	300mm	6,525	133 / 133	0 / 0	0 / 0	8 / 8	10 / 10	35 / 35
	,			867,825 / 867,825	20 / 20	0 / 0	0 / 0	60 / 60	0 / 0
116	22-15-0-00000100-3-0	100mm, (28,704	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		57,408 / 57,408	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
117	22-15-0-00000150-3-0	150mm, (37,715	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		414,865 / 414,865	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
118	22-15-0-00000700-3-0	700mm, (487,679	13 / 13	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	(BPF)		6,339,827 / 6,339,827	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0
119	22-16-0-00000250-3-0	250mm	44,348	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,	(BPF)		88,696 / 88,696	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
120	22-16-0-00000400-3-0	400mm	85,504	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	(BPF)		171,008 / 171,008	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
121	22-16-0-00000700-3-0	700mm	379,649	26 / 26	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0
	,	(BPF)		9,870,874 / 9,870,874	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
122	22-16-0-00000800-3-0	800mm	496,305	8 / 8	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,			3,970,440 / 3,970,440	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
123	22-19-B-03000100-3-0	B ,300*100mm	168,907	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,	K.P (BPF)		337,814 / 337,814	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
124	22-19-B-07000200-3-0	B ,700*200mm(777,817	4 / 4	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	K.P (BPF)		3,111,268 / 3,111,268	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
125	22-19-B-07000300-3-0	B ,700*300mm(895,107	6 / 6	0 / 0	3 / 3	3 / 3	0 / 0	0 / 0
	,	K.P		5,370,642 / 5,370,642	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
126	22-25-I-00000100-3-0	KP ,100mm	14,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		70,000 / 70,000	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	31-01-3-00000080-3-0	,80mm	152,000	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,672,000 / 1,672,000	0 / 0	10 / 10	0 / 0	1 / 1	0 / 0
128	31-01-3-00000100-3-0	,100mm	189,200	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,973,200 / 3,973,200	0 / 0	10 / 10	3 / 3	3 / 3	5 / 5
129	31-01-3-00000150-3-0	,150mm	375,114	22 / 22	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
				8,252,508 / 8,252,508	0 / 0	10 / 10	1 / 1	2 / 2	0 / 0
130	31-01-3-00000200-3-0	,200mm	522,700	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,749,700 / 5,749,700	0 / 0	10 / 10	1 / 1	0 / 0	0 / 0
131	31-01-3-00000300-3-0	,300mm	911,696	4 / 4	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
				3,646,784 / 3,646,784	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
132	31-01-3-00000600-3-0	,600mm	6,149,026	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				12,298,052 / 12,298,052	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
133	31-02-D-00000700-3-0	, 70	8,316,668	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				8,316,668 / 8,316,668	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
134	31-02-R-00000700-3-0	,700mm	5,391,889	2 / 2	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
				10,783,778 / 10,783,778	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
135	31-03-0-00000150-3-0	,150mm	3,969,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,969,000 / 3,969,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
136	31-03-0-00000250-3-0	,250mm	7,334,393	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				14,668,786 / 14,668,786	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
137	31-03-F-00000100-3-0	,100mm	716,649	19 / 19	0 / 0	2 / 2	0 / 0	5 / 5	2 / 2
				13,616,331 / 13,616,331	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
138	31-03-F-00000150-3-0	,150mm	842,836	18 / 18	0 / 0	2 / 2	0 / 0	3 / 3	0 / 0
				15,171,048 / 15,171,048	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
139	31-03-F-00000200-3-0	,200mm	1,022,441	20 / 20	0 / 0	2 / 2	2 / 2	3 / 3	0 / 0
				20,448,820 / 20,448,820	0 / 0	0 / 0	10 / 10	3 / 3	0 / 0
140	31-03-F-00000250-3-0	,250mm	1,390,387	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,390,387 / 1,390,387	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
141	31-03-F-00000300-3-0	,300mm	1,576,628	18 / 18	0 / 0	5 / 5	7 / 7	2 / 2	2 / 2
				28,379,304 / 28,379,304	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
142	31-05-Q-00000080-3-0	,8	443,381	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				886,762 / 886,762	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

: 2020 11 17
 : 16 05 17
 : 10 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
143	31-05-Q-00000100-3-0	,1	518,786	16 / 16	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
				8,300,576 / 8,300,576	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
144	31-05-Q-00000150-3-0	,1	1,075,778	7 / 7	0 / 0	3 / 3	4 / 4	0 / 0	0 / 0
				7,530,446 / 7,530,446	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
145	31-05-Q-00000200-3-0	,2	2,443,122	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				2,443,122 / 2,443,122	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
146	41-01-0-00000648-4-0	, ,	382,052	5 / 5	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3
				1,910,260 / 1,910,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
147	41-01-0-01000648-4-0	, ,	316,701	68 / 68	0 / 0	10 / 10	6 / 6	20 / 20	3 / 3
				21,535,668 / 21,535,668	0 / 0	0 / 0	5 / 5	5 / 5	2 / 2
148	41-01-1-00000648-4-0	, ,	382,052	5 / 5	0 / 0	0 / 0	2 / 2	0 / 0	2 / 2
				1,910,260 / 1,910,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
149	41-01-1-01000648-4-0	, ,	316,701	11 / 11	0 / 0	4 / 4	4 / 4	2 / 2	1 / 1
				3,483,711 / 3,483,711	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
150	41-01-2-01000648-4-0	, ,D6	308,657	9 / 9	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
				2,777,913 / 2,777,913	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
151	41-01-2-03180410-4-0	318x 410,	279,400	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,676,400 / 1,676,400	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
152	41-01-D-00000648-4-0	가	377,025	22 / 22	0 / 0	4 / 4	3 / 3	2 / 2	1 / 1
				8,294,550 / 8,294,550	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
153	41-01-D-10000648-4-0	가	421,865	3 / 3	0 / 0	0 / 0	2 / 2	0 / 0	1 / 1
				1,265,595 / 1,265,595	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,022,771	0	7,157	6,818	1,493	731
			()	23,365,145,534	247	96	1,117	1,817	1,297
				1,023,271	0	7,157	6,818	1,493	731
			()	23,365,703,034	247	96	1,117	1,817	1,297