

자 재 사 용 계 획 서

출력일자: 2021년 12월 08일

출력시간: 16시 35분 36초

페이지: 2/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
16	22-01-Y-03000022-3-0	B형(L형),300mm*22(마개포함)	137,940	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	1,379,400 / 1,379,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
17	22-01-Y-03000045-3-0	B형(L형),300mm*45(마개포함)	160,460	64 / 64	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	10,269,440 / 10,269,440	0 / 0	30 / 30	0 / 0	13 / 13	0 / 0	1 / 1
18	22-01-Y-04000045-3-0	B형(L형),400mm*45(마개포함)	267,430	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	2,674,300 / 2,674,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
19	22-01-Y-05000045-3-0	B형(L형),500mm*45(마개포함)	426,300	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	852,600 / 852,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
20	22-02-B-00800080-3-0	B형,80*80mm(마개포함)	45,320	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	45,320 / 45,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
21	22-02-B-01000080-3-0	B형,100*80mm(마개포함)	53,480	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	53,480 / 53,480	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-01000100-3-0	B형,100*100mm(마개포함)	56,300	55 / 55	1 / 1	50 / 50	1 / 1	2 / 2	0 / 0	1 / 1
	닥타일이형관,소켓프렌지T형관(BPF)		개	3,096,500 / 3,096,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-01500080-3-0	B형,150*80mm(마개포함)	76,000	24 / 24	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,824,000 / 1,824,000	1 / 1	0 / 0	2 / 2	0 / 0	0 / 0	1 / 1
24	22-02-B-01500100-3-0	B형,150*100mm(마개포함)	81,630	35 / 35	20 / 20	0 / 0	1 / 1	3 / 3	1 / 1	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	2,857,050 / 2,857,050	3 / 3	0 / 0	5 / 5	0 / 0	1 / 1	1 / 1
25	22-02-B-01500150-3-0	B형,150*150mm(마개포함)	94,300	27 / 27	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	2,546,100 / 2,546,100	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
26	22-02-B-02000080-3-0	B형,200mm*80mm(마개포함)	102,750	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	513,750 / 513,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
27	22-02-B-02000100-3-0	B형,200mm*100mm(마개포함)	108,380	8 / 8	1 / 1	2 / 2	1 / 1	0 / 0	2 / 2	1 / 1
	닥타일이형관,소켓프렌지T형관(BPF)		개	867,040 / 867,040	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
28	22-02-B-02000150-3-0	B형,200mm*150mm(마개포함)	122,450	12 / 12	5 / 5	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,469,400 / 1,469,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	5 / 5
29	22-02-B-02000200-3-0	B형,200*200mm(마개포함)	139,340	10 / 10	5 / 5	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,393,400 / 1,393,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
30	22-02-B-03000080-3-0	B형,300mm*80mm(마개포함)	166,090	25 / 25	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	4,152,250 / 4,152,250	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	1 / 1
31	22-02-B-03000100-3-0	B형,300mm*100mm(마개포함)	177,350	27 / 27	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	4,788,450 / 4,788,450	0 / 0	2 / 2	0 / 0	0 / 0	4 / 4	1 / 1

자 재 사 용 계 획 서

출력일자: 2021년 12월 08일

출력시간: 16시 35분 36초

페이지: 3/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-02-B-03000150-3-0	B형, 300mm*150mm(마개포함)	195,650	26 / 26	5 / 5	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	5,086,900 / 5,086,900	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	10 / 10
33	22-02-B-03000200-3-0	B형, 300mm*200mm(마개포함)	215,350	8 / 8	2 / 2	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	1,722,800 / 1,722,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
34	22-02-B-03000300-3-0	B형, 300mm*300mm(마개포함)	267,430	5 / 5	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	1,337,150 / 1,337,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
35	22-04-0-00000080-3-0	압륜, 80mm	8,244	11 / 11	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	90,684 / 90,684	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
36	22-04-0-00000100-3-0	압륜, 100mm	9,621	59 / 59	10 / 10	4 / 4	2 / 2	6 / 6	1 / 1	2 / 2
	닥타일이형관, K.P접합부속		개	567,639 / 567,639	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	30 / 30
37	22-04-0-00000150-3-0	압륜, 150mm	13,753	22 / 22	10 / 10	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, K.P접합부속		개	302,566 / 302,566	6 / 6	0 / 0	4 / 4	0 / 0	0 / 0	1 / 1
38	22-04-0-00000200-3-0	압륜, 200mm	17,292	16 / 16	1 / 1	7 / 7	1 / 1	0 / 0	0 / 0	1 / 1
	닥타일이형관, K.P접합부속		개	276,672 / 276,672	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	5 / 5
39	22-04-0-00000300-3-0	압륜, 300mm	30,011	24 / 24	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	720,264 / 720,264	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0	20 / 20
40	22-04-2-00000080-3-0	고무링, 80mm	1,397	94 / 94	80 / 80	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	131,318 / 131,318	3 / 3	0 / 0	4 / 4	0 / 0	0 / 0	7 / 7
41	22-04-2-00000100-3-0	고무링, 100mm	1,558	600 / 600	100 / 100	50 / 50	44 / 44	59 / 59	39 / 39	18 / 18
	닥타일이형관, K.P접합부속		개	934,800 / 934,800	5 / 5	35 / 35	100 / 100	70 / 70	0 / 0	80 / 80
42	22-04-2-00000150-3-0	고무링, 150mm	2,091	401 / 401	80 / 80	4 / 4	1 / 1	7 / 7	100 / 100	1 / 1
	닥타일이형관, K.P접합부속		개	838,491 / 838,491	58 / 58	25 / 25	45 / 45	0 / 0	0 / 0	80 / 80
43	22-04-2-00000200-3-0	고무링, 200mm	2,764	381 / 381	200 / 200	72 / 72	3 / 3	50 / 50	0 / 0	3 / 3
	닥타일이형관, K.P접합부속		개	1,053,084 / 1,053,084	0 / 0	50 / 50	3 / 3	0 / 0	0 / 0	0 / 0
44	22-04-2-00000300-3-0	고무링, 300mm	4,403	317 / 317	200 / 200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	1,395,751 / 1,395,751	10 / 10	7 / 7	0 / 0	0 / 0	0 / 0	100 / 100
45	22-04-2-00000400-3-0	고무링, 400mm	5,900	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	5,900 / 5,900	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
46	22-04-3-00240085-3-0	볼트, 24*85	1,344	10,088 / 10,088	140 / 140	200 / 200	0 / 0	500 / 500	0 / 0	5,000 / 5,000
	닥타일이형관, K.P접합부속		개	13,558,272 / 13,558,272	248 / 248	0 / 0	1,000 / 1,000	0 / 0	0 / 0	3,000 / 3,000
47	22-04-3-00240105-3-0	볼트, 24*105	1,630	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	32,600 / 32,600	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10

자 재 사 용 계 획 서

출력일자: 2021년 12월 08일

출력시간: 16시 35분 36초

페이지: 4/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-05-0-00800500-3-0	80mm*L500 (2F)(마개포함)	35,890	28 / 28	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	1,004,920 / 1,004,920	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
49	22-05-0-01000500-3-0	100mm*L500 (2F)(마개포함)	41,660	22 / 22	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	916,520 / 916,520	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
50	22-05-0-01500500-3-0	150mm*L500 (2F)(마개포함)	63,190	38 / 38	30 / 30	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	2,401,220 / 2,401,220	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
51	22-05-0-02000500-3-0	200mm*L500 (2F)(마개포함)	85,860	18 / 18	10 / 10	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	1,545,480 / 1,545,480	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
52	22-05-0-03000500-3-0	300mm*L500 (2F)(마개포함)	151,310	11 / 11	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	1,664,410 / 1,664,410	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
53	22-06-0-0000080-3-0	F 고무링 ,80mm	880	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	880 / 880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
54	22-06-0-0000100-3-0	F 고무링 ,100mm	1,034	15 / 15	1 / 1	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	15,510 / 15,510	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
55	22-06-0-0000150-3-0	F 고무링 ,150mm	1,551	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	4,653 / 4,653	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
56	22-06-0-0000200-3-0	F 고무링 ,200mm	2,020	5 / 5	1 / 1	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	10,100 / 10,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
57	22-06-0-0000300-3-0	F 고무링 ,300mm	3,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	3,400 / 3,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
58	22-07-2-0000080-3-0	80mm	18,670	77 / 77	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,437,590 / 1,437,590	3 / 3	0 / 0	4 / 4	0 / 0	0 / 0	20 / 20
59	22-07-2-0000100-3-0	100mm	19,514	557 / 557	50 / 50	100 / 100	42 / 42	53 / 53	38 / 38	16 / 16
	닥타일이형관, 이탈방지압륜		개	10,869,298 / 10,869,298	120 / 120	31 / 31	7 / 7	50 / 50	0 / 0	50 / 50
60	22-07-2-0000150-3-0	150mm	24,883	518 / 518	70 / 70	4 / 4	1 / 1	7 / 7	250 / 250	1 / 1
	닥타일이형관, 이탈방지압륜		개	12,889,394 / 12,889,394	52 / 52	0 / 0	41 / 41	0 / 0	42 / 42	50 / 50
61	22-07-2-0000200-3-0	200mm	32,122	190 / 190	80 / 80	54 / 54	2 / 2	40 / 40	0 / 0	2 / 2
	닥타일이형관, 이탈방지압륜		개	6,103,180 / 6,103,180	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	10 / 10
62	22-07-2-0000300-3-0	300mm	46,871	159 / 159	50 / 50	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	7,452,489 / 7,452,489	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	100 / 100
63	22-07-2-0000400-3-0	400mm	91,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	91,000 / 91,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 12월 08일

출력시간: 16시 35분 36초

페이지: 5/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
64	22-08-0-00000080-3-0	이음관80mm(마개포함)	26,180	31 / 31	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	811,580 / 811,580	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
65	22-08-0-00000100-3-0	이음관100mm(마개포함)	31,810	163 / 163	10 / 10	2 / 2	50 / 50	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	5,185,030 / 5,185,030	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100
66	22-08-0-00000150-3-0	이음관150mm(마개포함)	48,980	202 / 202	100 / 100	1 / 1	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	9,893,960 / 9,893,960	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
67	22-08-0-00000200-3-0	이음관200mm(마개포함)	66,150	125 / 125	90 / 90	22 / 22	8 / 8	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	8,268,750 / 8,268,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
68	22-08-0-00000300-3-0	이음관300mm(마개포함)	112,600	140 / 140	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	15,764,000 / 15,764,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40
69	22-08-0-00000400-3-0	400mm(마개포함)	182,280	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.PO이음관(BPF)		개	182,280 / 182,280	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
70	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	34,256	26 / 26	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	890,656 / 890,656	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
71	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	41,688	33 / 33	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	1,375,704 / 1,375,704	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
72	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	65,020	29 / 29	5 / 5	1 / 1	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	1,885,580 / 1,885,580	2 / 2	0 / 0	0 / 0	0 / 0	3 / 3	8 / 8
73	22-09-0-06500200-3-0	200*L650 (1F단관)(마개포함)	91,798	61 / 61	50 / 50	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	5,599,678 / 5,599,678	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
74	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	159,190	19 / 19	10 / 10	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	3,024,610 / 3,024,610	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
75	22-10-A-01000080-3-0	A형, 100*80mm(마개포함)	28,710	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	143,550 / 143,550	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1
76	22-10-A-01500080-3-0	A형, 150*80mm(마개포함)	43,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	43,350 / 43,350	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
77	22-10-A-01500100-3-0	A형, 150*100mm(마개포함)	43,910	21 / 21	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	922,110 / 922,110	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
78	22-10-A-02000100-3-0	A형, 200*100mm(마개포함)	61,930	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	61,930 / 61,930	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
79	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	66,150	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	198,450 / 198,450	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 12월 08일

출력시간: 16시 35분 36초

페이지: 8/8

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
112	31-03-F-00000300-3-0	다용도소프트실,300mm	1,576,628	32 / 32	1 / 1	10 / 10	0 / 0	0 / 0	0 / 0	20 / 20
	상수도밸브		개	50,452,096 / 50,452,096	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
113	31-03-G-40000200-3-0	소프트형(캡높이조절형,200mm)	741,381	27 / 27	1 / 1	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	상수도밸브		개	20,017,287 / 20,017,287	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	1 / 1
114	31-05-Q-00000100-3-0	보수차단밸브일체형,100mm	518,786	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	518,786 / 518,786	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
115	31-12-0-00000100-3-0	수직 볼타입,100mm	411,409	33 / 33	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	상수도밸브		개	13,576,497 / 13,576,497	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
116	32-03-D-00000100-3-0	지하식,100mm	281,960	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	특수용도밸브, 옥외소화전		개	2,819,600 / 2,819,600	0 / 0	2 / 2	0 / 0	6 / 6	0 / 0	2 / 2
117	41-01-0-01000648-4-0	제수밸브용,원형발침,D648mm×H250mm	239,210	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	20 / 20
	원형철개		조	7,654,720 / 7,654,720	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
118	41-01-0-03180410-4-0	318×410, 제수밸브보호통	279,400	5 / 5	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	제수밸브보호통		조	1,397,000 / 1,397,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
119	41-01-0-03180560-4-0	318×560, 제수밸브보호통	301,046	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	제수밸브보호통		조	301,046 / 301,046	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
120	41-01-1-01000648-4-0	퇴수밸브용,원형발침,D648mm×H250mm	239,210	6 / 6	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	원형철개		조	1,435,260 / 1,435,260	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
121	41-01-2-01000648-4-0	소화전용,원형발침,D648mm×H150mm	244,191	23 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	5,616,393 / 5,616,393	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
122	41-01-2-03180560-4-0	318×560 제수밸브보호통(소화전용)	301,046	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	제수밸브보호통(소화전용)		조	301,046 / 301,046	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
123	41-01-3-10000648-3-0	밸브실고정형(높이조절용),부식방지,제수밸브용	520,294	51 / 51	2 / 2	4 / 4	3 / 3	0 / 0	0 / 0	0 / 0
	원형철개		조	26,534,994 / 26,534,994	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40
124	41-01-3-10000648-4-0	밸브실고정형(높이조절용),부식방지,퇴수밸브용	520,294	2 / 2	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	1,040,588 / 1,040,588	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
125	41-01-3-20000648-3-0	밸브실고정형(높이조절용),부식방지,공기밸브용	527,835	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	527,835 / 527,835	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
합 계 (전)				17,341	2,057	818	796	913	715	5,183
				591,534,749	668	376	1,277	221	110	4,207
합 계 (후)				17,341	2,057	818	796	913	715	5,183
				591,534,749	668	376	1,277	221	110	4,207