

자 재 사 용 계 획 서

출력일자: 2023년 01월 30일

출력시간: 09시 18분 45초

페이지: 3/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-02-B-03000100-3-0	B형, 300mm*100mm(마개포함)	221,690	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	0 / 443,380	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2
33	22-02-B-03000300-3-0	B형, 300mm*300mm(마개포함)	334,290	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	0 / 334,290	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0	0 / 0
34	22-02-B-05000300-3-0	B형, 500*300mm(마개포함)	636,920	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	0 / 636,920	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0	0 / 0
35	22-02-B-06000400-3-0	B형, 600*400mm(마개포함)	939,540	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	0 / 2,818,620	0 / 0	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-0-00000150-3-0	압륜, 150mm	17,222	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 86,110	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0	0 / 0
37	22-04-2-00000080-3-0	고무링, 80mm	1,548	0 / 215	0 / 0	0 / 0	0 / 0	0 / 0	0 / 100	0 / 100
	닥타일이형관, K.P접합부속		개	0 / 332,820	0 / 0	0 / 0	0 / 0	0 / 0	0 / 15	0 / 0
38	22-04-2-00000100-3-0	고무링, 100mm	1,739	0 / 200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 100	0 / 100
	닥타일이형관, K.P접합부속		개	0 / 347,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000150-3-0	고무링, 150mm	2,272	0 / 181	0 / 0	0 / 0	0 / 0	0 / 0	0 / 100	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 411,232	0 / 60	0 / 0	0 / 0	0 / 0	0 / 21	0 / 0
40	22-04-2-00000200-3-0	고무링, 200mm	2,945	0 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 100	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 294,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-04-2-00000250-3-0	고무링, 250mm	3,508	0 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 50	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 175,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
42	22-04-2-00000300-3-0	고무링, 300mm	4,866	0 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 50	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 291,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
43	22-04-2-00000350-3-0	고무링, 350mm	5,750	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 57,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
44	22-04-2-00000500-3-0	고무링, 500mm	9,792	0 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 107,712	0 / 0	0 / 0	0 / 0	0 / 11	0 / 0	0 / 0
45	22-04-2-00000600-3-0	고무링, 600mm	11,210	0 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 336,300	0 / 0	0 / 30	0 / 0	0 / 0	0 / 0	0 / 0
46	22-04-2-00000700-3-0	고무링, 700mm	14,236	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 142,360	0 / 0	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0
47	22-04-3-00240085-3-0	볼트, 24*85	1,789	0 / 2,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1,500	0 / 1,000
	닥타일이형관, K.P접합부속		개	0 / 4,919,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 250	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 01월 30일

출력시간: 09시 18분 45초

페이지: 6/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
80	22-09-0-06500600-3-0	600*L650 (1F단관)(마개포함)	456,040	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650) (BPF)		개	0 / 1,368,120	0 / 0	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0
81	22-09-0-06500700-3-0	700*L650 (1F단관)(마개포함)	700,750	0 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650) (BPF)		개	0 / 2,803,000	0 / 0	0 / 0	0 / 4	0 / 0	0 / 0	0 / 0
82	22-10-A-01500100-3-0	A형, 150*100mm(마개포함)	54,890	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	0 / 548,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
83	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	79,170	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	0 / 395,850	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0
84	22-10-A-02500150-3-0	A형, 250*150mm(마개포함)	109,080	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	0 / 545,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-10-A-02500200-3-0	A형, 250*200mm(마개포함)	105,560	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	0 / 527,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
86	22-10-B-02000100-3-0	B형, 200*100mm	72,130	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	0 / 144,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2
87	22-10-B-03000250-3-0	B형, 300*250mm	128,430	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, K.P소켓편락관		개	0 / 642,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
88	22-10-B-09000700-3-0	B형, 900*700mm	1,232,110	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	0 / 2,464,220	0 / 0	0 / 0	0 / 2	0 / 0	0 / 0	0 / 0
89	22-10-C-02500200-3-0	C형, 250*200mm	96,760	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, K.P소켓편락관		개	0 / 483,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
90	22-11-A-01000080-3-0	A형, 100*80mm	33,070	0 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	0 / 363,770	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
91	22-11-A-01500100-3-0	A형, 150*100mm	52,780	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	0 / 527,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
92	22-11-A-02000100-3-0	A형, 200*100mm	95,710	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	0 / 191,420	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0	0 / 0
93	22-11-A-03000200-3-0	A형, 300*200mm	181,220	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	0 / 362,440	0 / 0	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0
94	22-11-A-03000250-3-0	(BPF)A형, 300*250mm	142,510	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0
	닥타일이형관, 플렌지편락관		개	0 / 285,020	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
95	22-11-A-06000300-3-0	A형, 600*300mm	510,240	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	0 / 1,020,480	0 / 0	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 01월 30일

출력시간: 09시 18분 45초

페이지: 7/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-12-A-00800090-3-0	A형, 80mm *90(마개포함)	34,830	0 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	0 / 452,790	0 / 0	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0
97	22-12-A-01000090-3-0	A형, 100mm *90(마개포함)	41,870	0 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	0 / 669,920	0 / 10	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
98	22-12-A-01500045-3-0	A형, 150mm *45	65,090	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지곡관		개	0 / 650,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
99	22-12-A-01500090-3-0	A형, 150mm *90	70,370	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	0 / 703,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
100	22-12-A-02000090-3-0	A형, 200mm *90	109,080	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	0 / 327,240	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
101	22-12-A-03000090-3-0	A형, 300mm *90	246,320	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	0 / 1,231,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0
102	22-12-B-00800045-3-0	B형, 80mm *45	33,070	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지곡관		개	0 / 330,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	22-12-B-01000090-3-0	B형, 100mm *90	42,930	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	0 / 429,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-13-0-01000090-3-0	100mm*90(마개포함)	62,630	0 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 90
	닥타일이형관, 소화전 곡관(BPF)		개	0 / 6,263,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	22-14-0-00000080-3-0	80mm	2,101	0 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	0 / 18,909	0 / 0	0 / 0	0 / 0	0 / 0	0 / 9	0 / 0
106	22-14-0-00000100-3-0	100mm	2,845	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 타이튼고무링		개	0 / 28,450	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-14-0-00000200-3-0	200mm	4,835	0 / 18	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	0 / 87,030	0 / 0	0 / 18	0 / 0	0 / 0	0 / 0	0 / 0
108	22-15-0-00000080-3-0	80mm, 기타형(마개포함)	30,960	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	0 / 309,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
109	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	36,590	0 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	0 / 402,490	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
110	22-15-0-00000150-3-0	150mm, 기타형(마개포함)	56,650	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	0 / 566,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
111	22-15-0-00000200-3-0	200mm, 기타형(마개포함)	79,170	0 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	0 / 870,870	0 / 0	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 01월 30일

출력시간: 09시 18분 45초

페이지: 9/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
128	22-25-1-00000300-3-0	KP형,300mm	80,930	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0
	닥타일이형관, 캡(BPF)		개	0 / 161,860	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
129	22-25-1-00000600-3-0	KP형,600mm	327,250	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	0 / 327,250	0 / 0	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0
130	22-27-0-01000100-3-0	100*100MM	31,670	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, 소화전단관		개	0 / 158,350	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
131	22-27-0-01000200-3-0	100*200MM	38,700	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, 소화전단관		개	0 / 193,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
132	22-27-0-01000300-3-0	100*300MM(마개포함)	45,740	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, 소화전단관		개	0 / 228,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
133	22-27-0-01000500-3-0	100*500MM(마개포함)	59,820	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
	닥타일이형관, 소화전단관		개	0 / 299,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
134	31-01-3-0000080-3-0	소프트형,80mm	178,560	0 / 110	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 50
	상수도밸브		개	0 / 19,641,600	0 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
135	31-01-3-00000100-3-0	소프트형,100mm	221,570	0 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 50
	상수도밸브		개	0 / 13,294,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
136	31-01-3-00000150-3-0	소프트형,150mm	437,880	0 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 20
	상수도밸브		개	0 / 17,515,200	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
137	31-01-3-00000200-3-0	소프트형,200mm	612,590	0 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10	0 / 10
	상수도밸브		개	0 / 12,864,390	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
138	31-01-3-00000250-3-0	소프트형,250mm	890,070	0 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 10
	상수도밸브		개	0 / 13,351,050	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
139	31-01-3-00000300-3-0	소프트형,300mm	1,057,870	0 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 10
	상수도밸브		개	0 / 15,868,050	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
140	31-01-3-00000350-3-0	소프트형,350mm	1,541,560	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
	상수도밸브		개	0 / 1,541,560	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
141	31-01-3-00000400-3-0	소프트형,400mm	2,178,780	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
	상수도밸브		개	0 / 6,536,340	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
142	31-01-3-00000500-3-0	소프트형,500mm	3,479,060	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
	상수도밸브		개	0 / 3,479,060	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
143	31-01-3-00000600-3-0	소프트형,600mm	6,828,440	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	0 / 6,828,440	0 / 0	0 / 0	0 / 1	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 01월 30일

출력시간: 09시 18분 45초

페이지: 12/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
176	41-01-2-01000648-4-0	소화전용, 원형받침, D648mm×H150mm	411,700	0 / 10	0 / 0	0 / 0	0 / 10	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 4,117,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
177	41-01-2-03180410-4-0	318×410, 소화전용 중형철개	279,400	0 / 10	0 / 0	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 2,794,000	0 / 0	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0
178	41-01-2-10000648-3-0	밸브실고정형, 부식방지, 제수밸브용	545,200	0 / 10	0 / 0	0 / 0	0 / 10	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 5,452,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
179	41-01-2-10000648-4-0	밸브실고정형, 부식방지, 퇴수밸브용	545,200	0 / 10	0 / 0	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 5,452,000	0 / 0	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0
180	41-01-2-20000648-3-0	밸브실고정형, 부식방지, 공기밸브용	545,200	0 / 35	0 / 0	0 / 0	0 / 5	0 / 30	0 / 0	0 / 0
	원형철개		조	0 / 19,082,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
181	41-01-3-10000648-3-0	밸브실고정형(높이조절용), 부식방지, 제수밸브용	724,700	0 / 22	0 / 0	0 / 0	0 / 2	0 / 0	0 / 20	0 / 0
	원형철개		조	0 / 15,943,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
182	41-01-3-10000648-4-0	밸브실고정형(높이조절용), 부식방지, 퇴수밸브용	724,700	0 / 10	0 / 0	0 / 0	0 / 2	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 7,247,000	0 / 0	0 / 8	0 / 0	0 / 0	0 / 0	0 / 0
183	41-01-3-20000648-3-0	밸브실고정형(높이조절용), 부식방지, 공기밸브용	724,700	0 / 10	0 / 0	0 / 0	0 / 2	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 7,247,000	0 / 0	0 / 8	0 / 0	0 / 0	0 / 0	0 / 0
184	41-01-B-00000648-4-0	가변슬로프 제수밸브용 원형받침	517,600	0 / 8	0 / 0	0 / 0	0 / 3	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 4,140,800	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0
185	41-01-C-00000648-4-0	가변슬로프 퇴수밸브용 원형받침	517,600	0 / 8	0 / 0	0 / 0	0 / 3	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 4,140,800	0 / 0	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0
186	41-01-D-00000648-4-0	가변슬로프 공기밸브용 원형받침	517,600	0 / 75	0 / 0	0 / 0	0 / 5	0 / 20	0 / 0	0 / 0
	원형철개		조	0 / 38,820,000	0 / 0	0 / 0	0 / 0	0 / 50	0 / 0	0 / 0
187	41-01-D-10000648-4-0	가변슬로프 공기밸브용 사각받침	579,200	0 / 15	0 / 0	0 / 15	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 8,688,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
188	41-05-0-00000648-4-0	수도계량기용 이중형 철개, D648×H100mm	409,900	0 / 1	0 / 0	0 / 0	0 / 1	0 / 0	0 / 0	0 / 0
	원형철개		조	0 / 409,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
합 계 (전)				0	0	0	0	0	0	0
				0	0	0	0	0	0	
합 계 (후)				7,343	0	60	123	90	3,061	2,172
				746,102,247	336	490	51	381	395	184