2019 11 11 11

13

1 / 2

05

## : 2019/11/11

2019-6032-3-9901-0012	
2019	
, , , ,	

G2B 가 ,80mm \*45`` 22-01-B-00800045-3-0 В 124,870 ,K.P (BPF) 24,974 22-01-B-01000045-3-0 ,100mm \*45 158,165 ,K.P (BPF) 31,633 22-04-2-00000080-3-0 10062643 24,200 ,80mm , K.P 1,210 22-04-2-00000100-3-0 27,000 10062644 20 , 100mm , K.P 1,350 22-04-2-00000150-3-0 20 10062646 , 150mm 36,380 , K.P 1,819 22-04-2-00000250-3-0 10 10062648 , 250mm 28,100 , K.P 2,810 22-04-2-00000300-3-0 10062649 ,300mm 10 38,400 , K.P 3,840 22-07-2-00000080-3-0 20 425,480 80mm 21,274 22-07-2-00000100-3-0 100mm 20 471,520 23,576 22-07-2-00000150-3-0 150mm 20 607,660 10 30,383 22-07-2-00000250-3-0 10 250mm 488,420 48,842 22-07-2-00000300-3-0 300mm 10 570,460 12 57,046 22-08-0-00000080-3-0 80mm( ) 10 217,860 13 ,K.P 21,786 (BPF) 22-08-0-00000100-3-0 100mm( 10 264,710 14 26,471 ,K.P (BPF) 22-08-0-00000150-3-0 489,830 150mm( 10 15 ,K.P (BPF) 48,983 22-08-0-00000250-3-0 250mm( 261,564 16 ,K.P 87,188 (BPF) 22-09-0-06500080-3-0 80\*L650 (1F )( 167,945 17 (L650) (BPF) 33,589

2019 11 11 13 11 05 2 / 2

		G2B				
					가	
18	22-09-0-06500100-3-0		100*L650 (1F	)(	3	122,625
	,1F (L650)	(BPF)			40,875	
19	22-09-0-06500150-3-0		150*L650 (1F	)(	3	191,268
	,1F (L650)	(BPF)			63,756	
20	22-09-0-06500200-3-0		200*L650 (1F	)(	2	180,006
	,1F (L650)	(BPF)			90,003	
21	31-01-3-00000080-3-0		, 80mm	1	3	458,460
					152,820	
22	31-01-3-00000100-3-0		, 100m	m	2	380,442
					190,221	
23	41-01-0-03180410-4-0	10017238	318× 410,		3	833,700
					277,900	
24	81-09-8-00150110-4-0	20801441	,	15mm× 1	. 30	3,046,350
	(	)			101,545	
25	81-09-8-00200100-4-0	20801443	, ,	20mm× 1	. 5	708,805
	(	)			141,761	
					259	10,324,220