

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 1/15

예산과목 : 급.배수공사비,신설공사비

단위사업 : 급수공사

공사명 : 2023년 강동수도 관내 신설급수공사 (2023-7600-1-9901)

문서번호: 시설관리과-17816

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
1	12-01-5-00000400-1-6	(에폭시-2중)타이튼,400mm*6m	1,130,060	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2중관)내면 에폭시수지분체도장, 닥타일주철직관		본	1,130,060 / 1,130,060	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-6-00000500-1-6	(에폭시-2중)KP,500mm*6m	1,493,050	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(2중관)내면 에폭시수지분체도장, 닥타일주철직관		본	1,493,050 / 1,493,050	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
3	12-01-7-00000080-1-6	(에폭시-3중)타이튼,80mm*6m	172,970	50 / 50	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	8,648,500 / 8,648,500	0 / 0	0 / 0	0 / 0	25 / 25	5 / 5	0 / 0
4	12-01-7-00000100-1-6	(에폭시-3중)타이튼,100mm*6m	214,060	105 / 105	0 / 0	0 / 0	0 / 0	10 / 10	30 / 30	5 / 5
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	22,476,300 / 22,476,300	0 / 0	25 / 25	0 / 0	10 / 10	25 / 25	0 / 0
5	12-01-7-00000150-1-6	(에폭시-3중)타이튼,150mm*6m	324,270	65 / 65	0 / 0	0 / 0	0 / 0	10 / 10	50 / 50	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	21,077,550 / 21,077,550	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
6	12-01-7-00000200-1-6	(에폭시-3중)타이튼,200mm*6m	434,980	47 / 47	0 / 0	0 / 0	0 / 0	5 / 5	30 / 30	10 / 10
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	20,444,060 / 20,444,060	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
7	12-01-7-00000250-1-6	(에폭시-3중)타이튼,250mm*6m	568,230	10 / 10	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	5 / 5
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	5,682,300 / 5,682,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
8	12-01-7-00000300-1-6	(에폭시-3중)타이튼,300mm*6m	719,270	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	21,578,100 / 21,578,100	13 / 13	0 / 0	0 / 0	0 / 0	17 / 17	0 / 0
9	22-01-B-00800022-3-0	B형,80mm *22``(마개포함)	30,260	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관,K.P소켓곡관(BPF)		개	423,640 / 423,640	4 / 4	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
10	22-01-B-00800045-3-0	B형,80mm *45``	31,670	200 / 200	0 / 0	0 / 0	0 / 0	20 / 20	100 / 100	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	6,334,000 / 6,334,000	0 / 0	10 / 10	0 / 0	30 / 30	10 / 10	30 / 30
11	22-01-B-01000022-3-0	B형,100mm *22	37,300	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	634,100 / 634,100	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
12	22-01-B-01000045-3-0	B형,100mm *45	40,110	230 / 230	0 / 0	0 / 0	0 / 0	20 / 20	50 / 50	15 / 15
	닥타일이형관,K.P소켓곡관(BPF)		개	9,225,300 / 9,225,300	100 / 100	20 / 20	0 / 0	20 / 20	5 / 5	0 / 0
13	22-01-Y-01500011-3-0	B형(L형),150mm*11(마개포함)	63,350	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	380,100 / 380,100	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
14	22-01-Y-01500022-3-0	B형(L형),150mm*22(마개포함)	67,560	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	675,600 / 675,600	8 / 8	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
15	22-01-Y-01500045-3-0	B형(L형),150mm*45(마개포함)	73,890	177 / 177	0 / 0	0 / 0	0 / 0	20 / 20	50 / 50	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	13,078,530 / 13,078,530	12 / 12	50 / 50	0 / 0	0 / 0	15 / 15	30 / 30

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 2/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
16	22-01-Y-02000022-3-0	B형(L형),200mm*22(마개포함)	96,760	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	774,080 / 774,080	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
17	22-01-Y-02000045-3-0	B형(L형),200mm*45(마개포함)	107,320	100 / 100	0 / 0	0 / 0	0 / 0	10 / 10	30 / 30	40 / 40
	닥타일이형관,K.P소켓곡관(BPF)		개	10,732,000 / 10,732,000	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
18	22-01-Y-02500045-3-0	B형(L형),250mm*45(마개포함)	151,310	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	1,210,480 / 1,210,480	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-01-Y-03000011-3-0	B형(L형),300mm*11(마개포함)	158,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	158,350 / 158,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-01-Y-03000022-3-0	B형(L형),300mm*22(마개포함)	172,420	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	344,840 / 344,840	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-01-Y-03000045-3-0	B형(L형),300mm*45(마개포함)	200,570	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	8,022,800 / 8,022,800	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	0 / 0
22	22-01-Y-04000022-3-0	B형(L형),400mm*22(마개포함)	279,750	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	1,119,000 / 1,119,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-01-Y-04000045-3-0	B형(L형),400mm*45(마개포함)	334,290	3 / 3	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	1,002,870 / 1,002,870	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-01-Y-05000045-3-0	B형(L형),500mm*45(마개포함)	510,240	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	510,240 / 510,240	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-02-B-00800080-3-0	B형,80*80mm(마개포함)	56,650	31 / 31	0 / 0	1 / 1	10 / 10	0 / 0	0 / 0	20 / 20
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,756,150 / 1,756,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-02-B-01000080-3-0	B형,100*80mm(마개포함)	66,850	15 / 15	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,002,750 / 1,002,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
27	22-02-B-01000100-3-0	B형,100*100mm(마개포함)	70,370	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	774,070 / 774,070	0 / 0	2 / 2	5 / 5	0 / 0	0 / 0	4 / 4
28	22-02-B-01500080-3-0	B형,150*80mm(마개포함)	95,010	10 / 10	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5
	닥타일이형관,소켓프렌지T형관(BPF)		개	950,100 / 950,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-02-B-01500100-3-0	B형,150*100mm(마개포함)	102,040	14 / 14	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,428,560 / 1,428,560	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2
30	22-02-B-01500150-3-0	B형,150*150mm(마개포함)	117,880	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	707,280 / 707,280	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
31	22-02-B-02000080-3-0	B형,200mm*80mm(마개포함)	128,430	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	770,580 / 770,580	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 3/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-02-B-02000100-3-0	B형, 200mm*100mm(마개포함)	135,470	12 / 12	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	1,625,640 / 1,625,640	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
33	22-02-B-02000150-3-0	B형, 200mm*150mm(마개포함)	153,070	8 / 8	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	1,224,560 / 1,224,560	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-02-B-02000200-3-0	B형, 200*200mm(마개포함)	174,180	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, 소켓프렌지I형관(BPF)		개	870,900 / 870,900	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
35	22-02-B-03000080-3-0	B형, 300mm*80mm(마개포함)	207,610	7 / 7	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5
	닥타일이형관, 소켓프렌지I형관(BPF)		개	1,453,270 / 1,453,270	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-02-B-03000100-3-0	B형, 300mm*100mm(마개포함)	221,690	20 / 20	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5
	닥타일이형관, 소켓프렌지I형관(BPF)		개	4,433,800 / 4,433,800	0 / 0	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0
37	22-02-B-03000150-3-0	B형, 300mm*150mm(마개포함)	244,560	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 소켓프렌지I형관(BPF)		개	1,711,920 / 1,711,920	0 / 0	0 / 0	0 / 0	1 / 1	5 / 5	0 / 0
38	22-02-B-03000200-3-0	B형, 300mm*200mm(마개포함)	269,190	7 / 7	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5
	닥타일이형관, 소켓프렌지I형관(BPF)		개	1,884,330 / 1,884,330	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-02-B-03000250-3-0	B형, 300mm*250mm(마개포함)	302,620	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	605,240 / 605,240	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
40	22-02-B-03000300-3-0	B형, 300mm*300mm(마개포함)	334,290	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 소켓프렌지I형관(BPF)		개	334,290 / 334,290	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-02-B-03500100-3-0	B형, 350*100mm	266,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	266,000 / 266,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
42	22-02-B-04000100-3-0	B형, 400*100mm(마개포함)	321,970	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	321,970 / 321,970	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
43	22-02-B-04000200-3-0	B형, 400*200mm(마개포함)	390,590	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	781,180 / 781,180	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
44	22-02-B-05000200-3-0	B형, 500*200mm(마개포함)	531,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	531,350 / 531,350	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
45	22-04-0-00000080-3-0	압륜, 80mm	10,234	72 / 72	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	닥타일이형관, K.P접합부속		개	736,848 / 736,848	12 / 12	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
46	22-04-0-00000100-3-0	압륜, 100mm	11,974	52 / 52	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40
	닥타일이형관, K.P접합부속		개	622,648 / 622,648	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
47	22-04-0-00000150-3-0	압륜, 150mm	17,222	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	닥타일이형관, K.P접합부속		개	447,772 / 447,772	0 / 0	0 / 0	0 / 0	18 / 18	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 4/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-04-0-00000200-3-0	압륜,200mm	21,696	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	368,832 / 368,832	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-04-0-00000250-3-0	압륜,250mm	30,895	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	154,475 / 154,475	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
50	22-04-0-00000300-3-0	압륜,300mm	37,390	59 / 59	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	닥타일이형관, K.P접합부속		개	2,206,010 / 2,206,010	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-04-0-00000400-3-0	압륜,400mm	41,935	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	83,870 / 83,870	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	22-04-0-00000500-3-0	압륜,500mm	51,580	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	닥타일이형관, K.P접합부속		개	206,320 / 206,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-04-2-00000080-3-0	고무링,80mm	1,548	457 / 457	0 / 0	0 / 0	0 / 0	100 / 100	20 / 20	0 / 0
	닥타일이형관, K.P접합부속		개	707,436 / 707,436	80 / 80	50 / 50	0 / 0	130 / 130	25 / 25	52 / 52
54	22-04-2-00000100-3-0	고무링,100mm	1,739	300 / 300	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	30 / 30
	닥타일이형관, K.P접합부속		개	521,700 / 521,700	100 / 100	50 / 50	50 / 50	0 / 0	20 / 20	0 / 0
55	22-04-2-00000150-3-0	고무링,150mm	2,272	330 / 330	0 / 0	50 / 50	0 / 0	50 / 50	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	749,760 / 749,760	200 / 200	0 / 0	0 / 0	0 / 0	20 / 20	10 / 10
56	22-04-2-00000200-3-0	고무링,200mm	2,945	150 / 150	0 / 0	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	441,750 / 441,750	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-04-2-00000250-3-0	고무링,250mm	3,508	59 / 59	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	206,972 / 206,972	59 / 59	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-04-2-00000300-3-0	고무링,300mm	4,866	160 / 160	0 / 0	0 / 0	0 / 0	50 / 50	20 / 20	0 / 0
	닥타일이형관, K.P접합부속		개	778,560 / 778,560	0 / 0	50 / 50	0 / 0	0 / 0	40 / 40	0 / 0
59	22-04-2-00000350-3-0	고무링,350mm	5,660	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, K.P접합부속		개	16,980 / 16,980	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-04-2-00000400-3-0	고무링,400mm	6,504	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	123,576 / 123,576	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-04-2-00000500-3-0	고무링,500mm	9,792	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	48,960 / 48,960	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-04-3-00240085-3-0	볼트,24*85	1,789	3,760 / 3,760	0 / 0	0 / 0	0 / 0	400 / 400	300 / 300	60 / 60
	닥타일이형관, K.P접합부속		개	6,726,640 / 6,726,640	1,000 / 1,000	100 / 100	1,000 / 1,000	400 / 400	500 / 500	0 / 0
63	22-04-3-00240105-3-0	볼트,24*105	2,161	794 / 794	0 / 0	0 / 0	0 / 0	0 / 0	300 / 300	0 / 0
	닥타일이형관, K.P접합부속		개	1,715,834 / 1,715,834	494 / 494	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 6/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
80	22-07-2-00000080-3-0	80mm	18,620	388 / 388	0 / 0	0 / 0	0 / 0	40 / 40	100 / 100	40 / 40
	닥타일이형관, 이탈방지압륜		개	7,224,560 / 7,224,560	80 / 80	20 / 20	50 / 50	0 / 0	0 / 0	58 / 58
81	22-07-2-00000100-3-0	100mm	19,460	364 / 364	0 / 0	0 / 0	0 / 0	30 / 30	100 / 100	14 / 14
	닥타일이형관, 이탈방지압륜		개	7,083,440 / 7,083,440	50 / 50	30 / 30	90 / 90	20 / 20	30 / 30	0 / 0
82	22-07-2-00000150-3-0	150mm	24,800	243 / 243	0 / 0	0 / 0	0 / 0	10 / 10	100 / 100	20 / 20
	닥타일이형관, 이탈방지압륜		개	6,026,400 / 6,026,400	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	13 / 13
83	22-07-2-00000200-3-0	200mm	32,000	150 / 150	0 / 0	0 / 0	0 / 0	20 / 20	100 / 100	30 / 30
	닥타일이형관, 이탈방지압륜		개	4,800,000 / 4,800,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
84	22-07-2-00000250-3-0	250mm	39,990	0 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	0 / 1,199,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 30	0 / 0
85	22-07-2-00000300-3-0	300mm	46,840	121 / 121	0 / 0	0 / 0	0 / 0	10 / 10	50 / 50	0 / 0
	닥타일이형관, 이탈방지압륜		개	5,667,640 / 5,667,640	50 / 50	0 / 0	0 / 0	0 / 0	10 / 10	1 / 1
86	22-07-2-00000350-3-0	350mm	84,520	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	닥타일이형관, 이탈방지압륜		개	253,560 / 253,560	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
87	22-07-2-00000400-3-0	400mm	91,490	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	365,960 / 365,960	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
88	22-07-2-00000500-3-0	500mm	156,820	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	940,920 / 940,920	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
89	22-07-2-00000800-3-0	800mm	368,480	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	368,480 / 368,480	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
90	22-08-0-00000080-3-0	이음관80mm(마개포함)	32,720	125 / 125	0 / 0	0 / 0	0 / 0	30 / 30	10 / 10	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	4,090,000 / 4,090,000	0 / 0	10 / 10	0 / 0	40 / 40	5 / 5	30 / 30
91	22-08-0-00000100-3-0	이음관100mm(마개포함)	39,760	248 / 248	0 / 0	0 / 0	0 / 0	25 / 25	50 / 50	10 / 10
	닥타일이형관, K.POI음관(BPF)		개	9,860,480 / 9,860,480	38 / 38	10 / 10	50 / 50	25 / 25	25 / 25	15 / 15
92	22-08-0-00000150-3-0	이음관150mm(마개포함)	61,220	207 / 207	0 / 0	0 / 0	0 / 0	30 / 30	50 / 50	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	12,672,540 / 12,672,540	72 / 72	0 / 0	50 / 50	0 / 0	5 / 5	0 / 0
93	22-08-0-00000200-3-0	이음관200mm(마개포함)	82,690	111 / 111	0 / 0	0 / 0	0 / 0	25 / 25	50 / 50	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	9,178,590 / 9,178,590	0 / 0	0 / 0	30 / 30	5 / 5	1 / 1	0 / 0
94	22-08-0-00000250-3-0	이음관250mm(마개포함)	112,600	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	4,278,800 / 4,278,800	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
95	22-08-0-00000300-3-0	이음관300mm(마개포함)	140,750	85 / 85	0 / 0	0 / 0	0 / 0	10 / 10	50 / 50	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	11,963,750 / 11,963,750	0 / 0	0 / 0	0 / 0	10 / 10	15 / 15	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 7/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-08-0-00000350-3-0	350mm	178,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, K.POI음관 (BPF)		개	178,500 / 178,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
97	22-08-0-00000400-3-0	400mm(마개포함)	218,170	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관 (BPF)		개	2,399,870 / 2,399,870	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-08-0-00000500-3-0	500mm(마개포함)	316,700	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	닥타일이형관, K.POI음관 (BPF)		개	950,100 / 950,100	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
99	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	42,825	81 / 81	0 / 0	0 / 0	0 / 0	20 / 20	5 / 5	10 / 10
	닥타일이형관, 1F단관(L650)(BPF)		개	3,468,825 / 3,468,825	0 / 0	10 / 10	0 / 0	20 / 20	2 / 2	14 / 14
100	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	52,105	53 / 63	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	10 / 10
	닥타일이형관, 1F단관(L650)(BPF)		개	2,761,565 / 3,282,615	0 / 0	10 / 10	0 / 0	15 / 15	2 / 12	1 / 1
101	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	81,280	47 / 47	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	5 / 5
	닥타일이형관, 1F단관(L650)(BPF)		개	3,820,160 / 3,820,160	0 / 0	0 / 0	0 / 0	15 / 15	2 / 2	10 / 10
102	22-09-0-06500200-3-0	200*L650 (1F단관)(마개포함)	114,745	35 / 35	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	4,016,075 / 4,016,075	0 / 0	0 / 0	0 / 0	15 / 15	1 / 1	4 / 4
103	22-09-0-06500250-3-0	250*L650 (1F단관)(마개포함)	154,550	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	463,650 / 463,650	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	198,985	35 / 35	0 / 0	0 / 0	0 / 0	10 / 10	5 / 5	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	6,964,475 / 6,964,475	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0
105	22-09-0-06500400-3-0	400*L650 (1F단관)(마개포함)	248,780	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	248,780 / 248,780	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
106	22-10-A-01000080-3-0	A형, 100*80mm(마개포함)	35,890	16 / 16	0 / 0	0 / 0	0 / 0	5 / 5	1 / 1	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	574,240 / 574,240	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5
107	22-10-A-01500080-3-0	A형, 150*80mm(마개포함)	54,190	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	704,470 / 704,470	3 / 3	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
108	22-10-A-01500100-3-0	A형, 150*100mm(마개포함)	54,890	14 / 14	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	768,460 / 768,460	3 / 3	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
109	22-10-A-02000080-3-0	A형, 200*80mm(마개포함)	75,650	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P소켓편락관(BPF)		개	1,513,000 / 1,513,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	22-10-A-02000100-3-0	A형, 200*100mm(마개포함)	77,410	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, K.P소켓편락관(BPF)		개	851,510 / 851,510	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
111	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	79,170	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,108,380 / 1,108,380	4 / 4	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 9/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
128	22-14-0-00000300-3-0	300mm	7,952	29 / 29	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, 타이튼고무링		개	230,608 / 230,608	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
129	22-14-0-00000400-3-0	400mm	11,521	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	34,563 / 34,563	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
130	22-15-0-00000080-3-0	80mm, 기타형(마개포함)	30,960	29 / 29	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1
	닥타일이형관, 플렌지소켓관(BPF)		개	897,840 / 897,840	2 / 2	5 / 5	5 / 5	5 / 5	0 / 0	6 / 6
131	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	36,590	18 / 18	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1
	닥타일이형관, 플렌지소켓관(BPF)		개	658,620 / 658,620	0 / 0	5 / 5	0 / 0	5 / 5	0 / 0	2 / 2
132	22-15-0-00000150-3-0	150mm, 기타형(마개포함)	56,650	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	1,133,000 / 1,133,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
133	22-15-0-00000200-3-0	200mm, 기타형(마개포함)	79,170	4 / 4	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	316,680 / 316,680	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
134	22-15-0-00000300-3-0	300mm, 기타형(마개포함)	138,990	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	138,990 / 138,990	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
135	22-16-0-00000080-3-0	80mm	12,660	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	50,640 / 50,640	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
136	22-16-0-00000100-3-0	마개플렌지 100mm	15,050	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	75,250 / 75,250	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
137	22-17-0-00800040-3-0	80*40mm	11,960	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	35,880 / 35,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
138	22-17-0-00800050-3-0	80*50mm	11,610	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 합플렌지(BPF)		개	174,150 / 174,150	3 / 3	0 / 0	0 / 0	0 / 0	5 / 5	6 / 6
139	22-17-0-01000050-3-0	100*50mm	14,070	6 / 6	0 / 0	1 / 1	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	84,420 / 84,420	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
140	22-19-B-01500080-3-0	B형, 150*80mm	96,760	6 / 6	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P드레인관(BPF)		개	580,560 / 580,560	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
141	22-19-B-02000080-3-0	B형, 200*80mm	123,160	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P드레인관(BPF)		개	615,800 / 615,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
142	22-19-B-03000080-3-0	B형, 300* 80mm(마개포함)	211,130	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, K.P드레인관(BPF)		개	1,055,650 / 1,055,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
143	22-19-B-05000200-3-0	B형, 500*200mm(마개포함)	545,420	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P드레인관(BPF)		개	545,420 / 545,420	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 10/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
144	22-25-1-00000080-3-0	KP형,80mm	14,070	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	98,490 / 98,490	2 / 2	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
145	22-25-1-00000100-3-0	KP형,100mm	17,590	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	35,180 / 35,180	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
146	22-25-1-00000150-3-0	KP형,150mm	24,630	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	172,410 / 172,410	2 / 2	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
147	22-25-1-00000200-3-0	KP형,200mm	42,220	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 캡(BPF)		개	211,100 / 211,100	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
148	22-25-1-00000250-3-0	KP형,250mm	63,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	315,000 / 315,000	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
149	22-25-1-00000500-3-0	KP형,500mm	225,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 캡(BPF)		개	450,400 / 450,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
150	31-01-3-00000080-3-0	소프트형,80mm	178,560	30 / 30	0 / 0	0 / 0	0 / 0	5 / 5	2 / 2	0 / 0
	상수도밸브		개	5,356,800 / 5,356,800	0 / 0	5 / 5	0 / 0	10 / 10	1 / 1	7 / 7
151	31-01-3-00000100-3-0	소프트형,100mm	221,570	53 / 53	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	20 / 20
	상수도밸브		개	11,743,210 / 11,743,210	14 / 14	5 / 5	0 / 0	5 / 5	4 / 4	0 / 0
152	31-01-3-00000150-3-0	소프트형,150mm	437,880	10 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	상수도밸브		개	4,378,800 / 5,254,560	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0
153	31-01-3-00000200-3-0	소프트형,200mm	612,590	21 / 21	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5
	상수도밸브		개	12,864,390 / 12,864,390	0 / 0	0 / 0	0 / 0	5 / 5	1 / 1	0 / 0
154	31-01-3-00000250-3-0	소프트형,250mm	890,070	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	890,070 / 890,070	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
155	31-01-3-00000300-3-0	소프트형,300mm	1,057,870	12 / 12	0 / 0	0 / 0	0 / 0	2 / 2	5 / 5	5 / 5
	상수도밸브		개	12,694,440 / 12,694,440	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
156	31-01-4-00000080-3-0	소프트형(핸들용),80mm	178,560	50 / 50	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1
	상수도밸브		개	8,928,000 / 8,928,000	0 / 0	5 / 5	0 / 0	15 / 15	9 / 9	15 / 15
157	31-01-4-00000100-3-0	소프트형(핸들용),100mm	221,570	34 / 34	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	10 / 10
	상수도밸브		개	7,533,380 / 7,533,380	0 / 0	5 / 5	0 / 0	12 / 12	4 / 4	0 / 0
158	31-01-4-00000150-3-0	소프트형(핸들용),150mm	437,880	16 / 16	0 / 0	0 / 0	0 / 0	2 / 2	5 / 5	0 / 0
	상수도밸브		개	7,006,080 / 7,006,080	0 / 0	0 / 0	0 / 0	3 / 3	3 / 3	3 / 3
159	31-01-4-00000200-3-0	소프트형(핸들용),200mm	612,590	10 / 10	0 / 0	0 / 0	0 / 0	1 / 1	5 / 5	0 / 0
	상수도밸브		개	6,125,900 / 6,125,900	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	3 / 3

자 재 사 용 계 획 서

출력일자: 2023년 11월 11일

출력시간: 09시 12분 57초

페이지: 15/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
224	81-09-6-00150000-3-0	구상흑연주철보호통뚜껑(15mm)	44,237	70 / 70	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0	10 / 10
	수도계량기보호통주철뚜껑		개	3,096,590 / 3,096,590	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
225	81-09-6-00200025-3-0	구상흑연주철보호통뚜껑(20~25mm)	57,508	60 / 60	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	수도계량기보호통주철뚜껑		개	3,450,480 / 3,450,480	10 / 10	0 / 0	0 / 0	10 / 10	20 / 20	10 / 10
226	81-09-6-00250110-4-0	구상흑연주철, Φ25mm×심도1.1m	169,208	300 / 300	20 / 20	20 / 20	20 / 20	20 / 20	50 / 50	20 / 20
	수도계량기보호통		조	50,762,400 / 50,762,400	20 / 20	30 / 30	30 / 30	30 / 30	20 / 20	20 / 20
227	81-09-6-00300000-3-0	구상흑연주철보호통뚜껑(30mm)	68,568	55 / 55	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	수도계량기보호통주철뚜껑		개	3,771,240 / 3,771,240	0 / 0	0 / 0	0 / 0	25 / 25	0 / 0	20 / 20
228	81-09-6-00300110-4-0	구상흑연주철, Φ30mm×심도1.1m	228,929	388 / 388	30 / 30	30 / 30	20 / 20	20 / 20	30 / 30	20 / 20
	수도계량기보호통		조	88,824,452 / 88,824,452	50 / 50	50 / 50	40 / 40	45 / 45	20 / 20	33 / 33
229	81-09-6-00400050-3-0	구상흑연주철보호통뚜껑(40~50mm)	110,594	55 / 55	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	수도계량기보호통주철뚜껑		개	6,082,670 / 6,082,670	0 / 0	0 / 0	0 / 0	35 / 35	0 / 0	10 / 10
230	81-09-6-00400110-4-0	구상흑연주철, Φ40mm×심도1.1m	333,993	216 / 216	10 / 10	10 / 10	10 / 10	10 / 10	30 / 30	10 / 10
	수도계량기보호통		조	72,142,488 / 72,142,488	30 / 30	20 / 20	22 / 22	24 / 24	20 / 20	20 / 20
231	81-09-6-00500110-4-0	구상흑연주철, Φ50mm×심도1.1m	370,489	100 / 100	5 / 5	5 / 5	5 / 5	5 / 5	5 / 5	5 / 5
	수도계량기보호통		조	37,048,900 / 37,048,900	5 / 5	10 / 10	10 / 10	5 / 5	20 / 20	20 / 20
232	81-09-8-00200100-4-0	역지변설치, Φ20mm×심도1.1m	141,761	320 / 320	25 / 25	25 / 25	10 / 10	10 / 10	25 / 25	25 / 25
	수도계량기보호통(역류방지밸브설치형)		조	45,363,520 / 45,363,520	50 / 50	40 / 40	35 / 35	25 / 25	25 / 25	25 / 25
233	81-09-9-00150110-4-0	역지변미설치, Φ15mm×심도1.1m	115,621	340 / 340	0 / 0	20 / 20	30 / 30	30 / 30	30 / 30	40 / 40
	수도계량기보호통(역류방지밸브 미설치)		조	39,311,140 / 39,311,140	50 / 50	20 / 20	30 / 30	30 / 30	30 / 30	30 / 30
234	81-09-9-00200110-4-0	역지변미설치, Φ20mm×심도1.1m	159,000	200 / 200	0 / 0	20 / 20	20 / 20	20 / 20	20 / 20	20 / 20
	수도계량기보호통(역류방지밸브 미설치)		조	31,800,000 / 31,800,000	0 / 0	20 / 20	20 / 20	20 / 20	20 / 20	20 / 20
235	81-10-0-00000080-3-0	스트레이너(80mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	스트레이너		개	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
236	81-10-0-00000100-3-0	스트레이너(100mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	스트레이너		개	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
237	81-10-0-00000150-3-0	스트레이너(150mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	스트레이너		개	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
합 계 (전)				13,739	90	182	191	1,626	1,952	981
				934,061,200	3,084	835	1,699	1,343	1,188	568
합 계 (후)				13,781	90	182	191	1,626	1,952	981
				936,657,710	3,084	835	1,699	1,343	1,230	568