









































# 자 재 사 용 계 획 서

출력일자: 2023년 10월 17일

출력시간: 10시 58분 18초

페이지: 19/29

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
288	22-08-0-00000080-3-0	이음관80mm(마개포함)	32,720	72 / 72	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	2,355,840 / 2,355,840	8 / 8	4 / 4	0 / 0	0 / 0	0 / 0	10 / 10
289	22-08-0-00000100-3-0	이음관100mm(마개포함)	39,760	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	2,385,600 / 2,385,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
290	22-08-0-00000150-3-0	이음관150mm(마개포함)	61,220	83 / 83	10 / 10	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	5,081,260 / 5,081,260	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
291	22-08-0-00000200-3-0	이음관200mm(마개포함)	82,690	70 / 70	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	5,788,300 / 5,788,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
292	22-08-0-00000250-3-0	이음관250mm(마개포함)	112,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	1,126,000 / 1,126,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
293	22-08-0-00000300-3-0	이음관300mm(마개포함)	140,750	85 / 85	0 / 0	0 / 0	10 / 10	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	11,963,750 / 11,963,750	3 / 3	2 / 2	0 / 0	0 / 0	0 / 0	20 / 20
294	22-08-0-00000350-3-0	350mm	179,460	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	897,300 / 897,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
295	22-08-0-00000400-3-0	400mm(마개포함)	218,170	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	10,908,500 / 10,908,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
296	22-08-0-00000450-3-0	450mm	263,910	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	1,319,550 / 1,319,550	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
297	22-08-0-00000500-3-0	500mm(마개포함)	316,700	65 / 65	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	20,585,500 / 20,585,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
298	22-08-0-00000600-3-0	600mm(마개포함)	443,380	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	13,301,400 / 13,301,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
299	22-08-0-00000700-3-0	700mm(마개포함)	722,070	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	21,662,100 / 21,662,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
300	22-08-0-00000800-3-0	800mm	852,980	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	18,765,560 / 18,765,560	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
301	22-08-0-00000900-3-0	900mm	1,054,860	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	10,548,600 / 10,548,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
302	22-08-0-00001000-3-0	1000mm	1,288,310	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관,K.PO이음관(BPF)		개	12,883,100 / 12,883,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
303	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	42,825	57 / 57	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관, 1F 단관(L650)(BPF)		개	2,441,025 / 2,441,025	1 / 1	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1









# 자 재 사 용 계 획 서

출력일자: 2023년 10월 17일

출력시간: 10시 58분 18초

페이지: 24/29

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
368	22-11-A-01500100-3-0	A형, 150*100mm	52,780	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	527,800 / 527,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
369	22-11-A-03000150-3-0	A형, 300*150mm	163,620	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	327,240 / 327,240	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
370	22-11-B-03000150-3-0	B형, 300*150mm	166,440	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관		개	332,880 / 332,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
371	22-12-A-00800090-3-0	A형, 80mm *90(마개포함)	34,830	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	69,660 / 69,660	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1
372	22-12-A-01000090-3-0	A형, 100mm *90(마개포함)	41,870	8 / 8	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	334,960 / 334,960	0 / 0	0 / 0	0 / 0	1 / 1	2 / 2	0 / 0
373	22-12-A-01500090-3-0	A형, 150mm *90	70,370	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	703,700 / 703,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
374	22-12-A-02000090-3-0	A형, 200mm *90	109,080	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	1,090,800 / 1,090,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
375	22-12-A-03000090-3-0	A형, 300mm *90	246,320	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	492,640 / 492,640	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
376	22-12-B-01000090-3-0	B형, 100mm *90	42,930	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	42,930 / 42,930	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
377	22-14-0-00000150-3-0	150mm	4,700	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 타이튼고무링		개	141,000 / 141,000	0 / 0	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0
378	22-14-0-00000200-3-0	200mm	4,835	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	48,350 / 48,350	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
379	22-14-0-00000500-3-0	500mm	22,651	100 / 100	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	2,265,100 / 2,265,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
380	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	36,590	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	365,900 / 365,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
381	22-15-0-00000500-3-0	500mm, 기타형(마개포함)	293,820	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	1,469,100 / 1,469,100	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
382	22-16-0-00000080-3-0	80mm	12,660	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	63,300 / 63,300	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
383	22-16-0-00000100-3-0	마개플렌지 100mm	15,130	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	45,390 / 45,390	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0



# 자 재 사 용 계 획 서

출력일자: 2023년 10월 17일

출력시간: 10시 58분 18초

페이지: 25/29

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
384	22-16-0-00000150-3-0	마개플렌지150mm	25,330	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	25,330 / 25,330	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
385	22-16-0-00000200-3-0	마개플렌지200mm	38,700	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	193,500 / 193,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
386	22-16-0-00000300-3-0	마개플렌지 300mm	84,450	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	84,450 / 84,450	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
387	22-16-0-00000500-3-0	500mm	197,050	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	197,050 / 197,050	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
388	22-16-0-00000600-3-0	600mm	299,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	299,100 / 299,100	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
389	22-16-0-00000700-3-0	700mm	519,380	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	519,380 / 519,380	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
390	22-17-0-00800050-3-0	80*50mm	11,610	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	116,100 / 116,100	0 / 0	1 / 1	0 / 0	0 / 0	7 / 7	1 / 1
391	22-17-0-01000050-3-0	100*50mm	14,070	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	28,140 / 28,140	0 / 0	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0
392	22-19-B-02000100-3-0	B형, 200*100mm(마개포함)	126,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, K.P드레인관(BPF)		개	378,000 / 378,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
393	22-25-1-00000080-3-0	KP형, 80mm	14,070	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	154,770 / 154,770	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	10 / 10
394	22-25-1-00000100-3-0	KP형, 100mm	17,590	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 캡(BPF)		개	193,490 / 193,490	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
395	22-25-1-00000150-3-0	KP형, 150mm	24,500	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, 캡(BPF)		개	73,500 / 73,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
396	22-25-1-00000200-3-0	KP형, 200mm	42,220	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	422,200 / 422,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
397	22-25-1-00000250-3-0	KP형, 250mm	63,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2
	닥타일이형관, 캡(BPF)		개	252,000 / 252,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
398	22-25-1-00000300-3-0	KP형, 300mm	80,930	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	566,510 / 566,510	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
399	22-25-1-00000400-3-0	KP형, 400mm	144,270	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	577,080 / 577,080	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	3 / 3

# 자 재 사 용 계 획 서

출력일자: 2023년 10월 17일

출력시간: 10시 58분 18초

페이지: 26/29

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
400	22-25-1-00000500-3-0	KP형,500mm	225,200	9 / 9	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	2,026,800 / 2,026,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
401	31-01-3-00000080-3-0	소프트형,80mm	178,560	51 / 51	10 / 10	0 / 0	5 / 5	0 / 0	20 / 20	0 / 0
	상수도밸브		개	9,106,560 / 9,106,560	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	15 / 15
402	31-01-3-00000100-3-0	소프트형,100mm	221,570	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브		개	7,754,950 / 7,754,950	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
403	31-01-3-00000150-3-0	소프트형,150mm	437,880	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브		개	15,325,800 / 15,325,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
404	31-01-3-00000200-3-0	소프트형,200mm	612,590	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브		개	21,440,650 / 21,440,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
405	31-01-3-00000250-3-0	소프트형,250mm	890,070	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	상수도밸브		개	5,340,420 / 5,340,420	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
406	31-01-3-00000300-3-0	소프트형,300mm	1,057,870	45 / 45	0 / 0	10 / 10	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브		개	47,604,150 / 47,604,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
407	31-01-3-00000350-3-0	소프트형,350mm	1,541,560	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	상수도밸브		개	4,624,680 / 4,624,680	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
408	31-01-3-00000400-3-0	소프트형,400mm	2,178,780	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	상수도밸브		개	21,787,800 / 21,787,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
409	31-01-3-00000500-3-0	소프트형,500mm	3,479,060	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	상수도밸브		개	34,790,600 / 34,790,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
410	31-01-3-00000600-3-0	소프트형,600mm	6,828,440	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	상수도밸브		개	68,284,400 / 68,284,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
411	31-01-4-00000080-3-0	소프트형(핸들용),80mm	178,560	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	714,240 / 714,240	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
412	31-02-R-00000700-3-0	금속시트형,700mm	5,576,953	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브, 버터플라이밸브		개	5,576,953 / 5,576,953	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
413	31-03-0-00000080-3-0	부단수제수밸브,80mm	2,882,481	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	2,882,481 / 2,882,481	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
414	31-03-0-00000100-3-0	부단수제수밸브,100mm	2,964,924	5 / 5	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2
	상수도밸브		개	14,824,620 / 14,824,620	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
415	31-03-0-00000150-3-0	부단수제수밸브,150mm	3,990,432	3 / 3	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	11,971,296 / 11,971,296	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0



# 자 재 사 용 계 획 서

출력일자: 2023년 10월 17일

출력시간: 10시 58분 18초

페이지: 28/29

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
432	31-03-F-00000400-3-0	다용도소프트실, 400mm	2,649,611	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	상수도밸브		개	5,299,222 / 5,299,222	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
433	31-03-F-00000500-3-0	다용도소프트실, 500mm	3,908,723	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	상수도밸브		개	3,908,723 / 3,908,723	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
434	31-04-Z-00100100-3-0	소프트실체크밸브, 10K*φ 100	480,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	상수도밸브		개	960,000 / 960,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
435	31-05-A-00000080-3-0	급속공기밸브, 80mm	189,115	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 공기밸브		개	3,782,300 / 3,782,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
436	31-05-A-00000100-3-0	급속공기밸브, 100mm	236,671	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 공기밸브		개	4,733,420 / 4,733,420	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
437	31-05-A-00000150-3-0	급속공기밸브, 150mm	552,970	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	상수도밸브, 공기밸브		개	5,529,700 / 5,529,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
438	31-05-A-00000200-3-0	급속공기밸브, 200mm	1,105,940	20 / 20	0 / 0	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0
	상수도밸브, 공기밸브		개	22,118,800 / 22,118,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
439	31-05-Q-00000080-3-0	보수차단밸브일체형, 80mm	443,381	40 / 40	0 / 0	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 공기밸브		개	17,735,240 / 17,735,240	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
440	31-05-Q-00000100-3-0	보수차단밸브일체형, 100mm	518,786	41 / 41	0 / 0	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 공기밸브		개	21,270,226 / 21,270,226	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
441	31-05-Q-00000150-3-0	보수차단밸브일체형, 150mm	1,075,778	40 / 40	0 / 0	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 공기밸브		개	43,031,120 / 43,031,120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
442	31-05-Q-00000200-3-0	보수차단밸브일체형, 200mm	2,443,122	40 / 40	0 / 0	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 공기밸브		개	97,724,880 / 97,724,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
443	31-07-A-00000200-3-0	공기밸브 전용밸브, 200mm	583,082	40 / 40	0 / 0	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0
	상수도밸브, 급속공기밸브		개	23,323,280 / 23,323,280	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
444	32-03-C-00000100-3-0	지상식(일반형), 100mm	850,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	특수용도밸브, 옥외소화전		개	850,000 / 850,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
445	32-03-D-00000100-3-0	지하식, 100mm	630,000	3 / 3	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	특수용도밸브, 옥외소화전		개	1,890,000 / 1,890,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
446	41-01-0-01000648-4-0	제수밸브용, 원형발침, D648mm×H250mm	455,500	48 / 48	15 / 15	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2
	원형철개		조	21,864,000 / 21,864,000	10 / 10	0 / 0	0 / 0	0 / 0	1 / 1	10 / 10
447	41-01-0-03180410-4-0	318×410, 제수밸브 중형철개	279,400	8 / 8	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	원형철개		조	2,235,200 / 2,235,200	0 / 0	1 / 1	0 / 0	3 / 3	0 / 0	1 / 1

# 자 재 사 용 계 획 서

출력일자: 2023년 10월 17일

출력시간: 10시 58분 18초

페이지: 29/29

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
448	41-01-1-01000648-4-0	퇴수밸브용, 원형받침, D648mm×H250mm	455,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	911,000 / 911,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
449	41-01-2-01000648-4-0	소화전용, 원형받침, D648mm×H150mm	411,700	3 / 3	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	1,235,100 / 1,235,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
450	41-01-3-10000648-3-0	밸브실고정형(높이조절용), 부식방지, 재수밸브용	724,700	20 / 20	10 / 10	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	원형철개		조	14,494,000 / 14,494,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
451	41-01-0-00000648-4-0	가변슬로프 공기밸브용 원형받침	517,600	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	3,623,200 / 3,623,200	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	5 / 5
452	81-09-6-00250110-4-0	구상흑연주철, Φ25mm×심도1.1m	169,208	52 / 52	0 / 0	0 / 0	5 / 5	12 / 12	11 / 11	0 / 0
	수도계량기보호통		조	8,798,816 / 8,798,816	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
453	81-09-6-00300110-4-0	구상흑연주철, Φ30mm×심도1.1m	228,929	25 / 25	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	수도계량기보호통		조	5,723,225 / 5,723,225	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
454	81-09-6-00400110-4-0	구상흑연주철, Φ40mm×심도1.1m	333,993	25 / 25	10 / 10	0 / 0	5 / 5	0 / 0	5 / 5	0 / 0
	수도계량기보호통		조	8,349,825 / 8,349,825	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
455	81-09-8-00150080-4-0	역지변설치, Φ15mm×심도0.8m	84,956	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브설치형)		조	2,548,680 / 2,548,680	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0
456	81-09-8-00150110-4-0	역지변설치, Φ15mm×심도1.1m	101,545	71 / 71	0 / 0	0 / 0	10 / 10	0 / 0	16 / 16	0 / 0
	수도계량기보호통(역류방지밸브설치형)		조	7,209,695 / 7,209,695	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	25 / 25
457	81-09-8-00200100-4-0	역지변설치, Φ20mm×심도1.1m	141,761	51 / 51	0 / 0	0 / 0	10 / 10	10 / 10	6 / 6	0 / 0
	수도계량기보호통(역류방지밸브설치형)		조	7,229,811 / 7,229,811	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	25 / 25
458	81-09-9-00150110-4-0	역지변미설치, Φ15mm×심도1.1m	115,621	70 / 70	20 / 20	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브 미설치)		조	8,093,470 / 8,093,470	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
459	81-09-9-00200110-4-0	역지변미설치, Φ20mm×심도1.1m	159,858	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브 미설치)		조	7,992,900 / 7,992,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
<b>합 계 (전)</b>				16,321	715	707	1,316	176	8,740	251
				3,870,662,246	1,107	121	69	724	345	2,050
<b>합 계 (후)</b>				16,327	715	707	1,316	176	8,740	251
				3,896,070,246	1,107	121	69	730	345	2,050