

: 2018/04/12

2018-6032-2-0006-0001					
142~ 14					
()					
		G2B		가	
1	12-01-5-00000200-1-6	(-2)	,200mm*6	7	2,413,040
	(2)			344,720	
2	12-01-5-00000300-1-6	(-2)	,300mm*6	5	2,858,400
	(2)			571,680	
3	12-01-6-00000400-1-6	(-2)	KP,400mm*6m	143	116,725,180
	(2)			816,260	
4	22-01-Y-02000022-3-0	B (L)	,200mm*22(7	521,675
	,K.P (BPF)			74,525	
5	22-01-Y-02000045-3-0	B (L)	,200mm*45(16	1,322,480
	,K.P (BPF)			82,655	
6	22-01-Y-03000022-3-0	B (L)	,300mm*22(7	929,530
	,K.P (BPF)			132,790	
7	22-01-Y-03000045-3-0	B (L)	,300mm*45(11	1,699,170
	,K.P (BPF)			154,470	
8	22-01-Y-04000022-3-0	B (L)	,400mm*22(14	3,016,230
	,K.P (BPF)			215,445	
9	22-01-Y-04000045-3-0	B (L)	,400mm*45(58	14,932,100
	,K.P (BPF)			257,450	
10	22-02-B-02000200-3-0	B	,200*200mm()	2	268,290
	, T (BPF)			134,145	
11	22-02-B-04000150-3-0	B	,400*150mm()	9	2,463,390
	, T (BPF)			273,710	
12	22-02-B-04000200-3-0	B	,400*200mm()	4	1,203,240
	, T (BPF)			300,810	
13	22-02-B-04000400-3-0	B	,400*400mm()	1	420,050
	, T (BPF)			420,050	
14	22-04-0-00000200-3-0		,200mm	52	804,960
	, K.P			15,480	
15	22-04-0-00000300-3-0		,300mm	1	24,750
	, K.P			24,750	
16	22-04-0-00000400-3-0		,400mm	156	4,442,880
	, K.P			28,480	
17	22-04-2-00000200-3-0	10062647	,200mm	52	124,800
	, K.P			2,400	

		G2B		가	
18	22-04-2-00000300-3-0	10062649	,300mm	48	183,360
	, K.P			3,820	
19	22-04-2-00000400-3-0	10062651	,400mm	417	2,155,890
	, K.P			5,170	
20	22-04-2-00000500-3-0	10062653	,500mm	1	7,930
	, K.P			7,930	
21	22-04-3-00240085-3-0	20733182	,24*85	798	885,780
	, K.P			1,110	
22	22-04-3-00240105-3-0		,24*105	4,182	5,415,690
	, K.P			1,295	
23	22-05-0-02000500-3-0		200mm*L500 (2F) ()	4	330,620
	, 2F (BPF)			82,655	
24	22-05-0-03000500-3-0		300mm*L500 (2F) ()	1	145,662
	, 2F (BPF)			145,662	
25	22-05-0-04000500-3-0		400mm*L500 (2F) ()	2	403,518
	, 2F (BPF)			201,759	
26	22-07-2-00000300-3-0		300mm	47	2,666,780
	,			56,740	
27	22-07-2-00000400-3-0		400mm	261	23,751,000
	,			91,000	
28	22-07-2-00000500-3-0		500mm	1	155,980
	,			155,980	
29	22-08-0-00000200-3-0		200mm ()	14	891,590
	,K.P (BPF)			63,685	
30	22-08-0-00000300-3-0		300mm ()	15	1,626,000
	,K.P (BPF)			108,400	
31	22-08-0-00000400-3-0		400mm ()	94	15,793,880
	,K.P (BPF)			168,020	
32	22-09-0-06500200-3-0		200*L650 (1F) ()	6	530,238
	,1F (L650) (BPF)			88,373	
33	22-09-0-06500300-3-0		300*L650 (1F) ()	6	919,500
	,1F (L650) (BPF)			153,250	
34	22-09-0-06500400-3-0		400*L650 (1F) ()	8	1,532,776
	,1F (L650) (BPF)			191,597	
35	22-10-A-05000400-3-0		A ,500*400mm ()	1	258,805
	, KP (BPF)			258,805	
36	31-01-3-00000300-3-0		,300mm	2	1,813,600
				906,800	
37	31-01-3-00000400-3-0		,400mm	1	1,870,550
				1,870,550	
38	31-01-5-00000200-3-0		,200mm	4	3,616,000
				904,000	
39	31-02-D-00000400-3-0		, , 400mm	2	6,930,000
	,			3,465,000	
40	31-03-F-00000300-3-0	20712935	,300mm	2	3,234,000
				1,617,000	

		G2B		가	
41	31-03-F-00000400-3-0	20712937	,400mm	3	7,986,000
				2,662,000	
42	31-05-Q-00000150-3-0	20479903	,150mm	9	9,630,000
				1,070,000	
43	41-01-B-00000648-4-0	20691903	가	7	2,625,000
				375,000	
44	41-01-C-00000648-4-0		가	4	1,500,000
				375,000	
45	41-01-D-00000648-4-0	20691903	가	9	3,375,000
				375,000	
				6,494	254,405,314