

: 2020 04 20
 : 09 08 49
 : 1 / 6

:
 : ()
 : 107-1 4

(2019-7632-2-0004)

: -19831

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		129,730	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			2,075,680 / 2,075,680	0 / 0	0 / 0	1 / 1	0 / 0	15 / 15	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		160,440	23 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			3,690,120 / 3,690,120	0 / 0	0 / 0	3 / 3	5 / 5	15 / 15	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		242,950	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			2,915,400 / 2,915,400	0 / 0	0 / 0	2 / 2	0 / 0	10 / 10	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		325,740	37 / 37	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			12,052,380 / 12,052,380	0 / 0	0 / 0	37 / 37	0 / 0	0 / 0	0 / 0
5	12-01-7-00000300-1-6 (-3) ,3		537,980	157 / 157	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			84,462,860 / 84,462,860	0 / 0	0 / 0	157 / 157	0 / 0	0 / 0	0 / 0
6	22-01-B-00800045-3-0 B ,80mm *45` `		24,840	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			149,040 / 149,040	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
7	22-01-B-01000022-3-0 B ,100mm *22		29,256	10 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			292,560 / 643,632	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 12
8	22-01-B-01000045-3-0 B ,100mm *45		31,464	40 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,258,560 / 1,887,840	0 / 0	0 / 0	40 / 40	0 / 0	0 / 0	0 / 20
9	22-01-Y-01500022-3-0 B (L) ,150mm*22(52,992	20 / 32	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,059,840 / 1,695,744	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 12
10	22-01-Y-01500045-3-0 B (L) ,150mm*45(57,960	36 / 46	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,086,560 / 2,666,160	0 / 0	0 / 0	16 / 16	10 / 10	10 / 10	0 / 10
11	22-01-Y-02000022-3-0 B (L) ,200mm*22(75,900	29 / 29	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,201,100 / 2,201,100	0 / 0	0 / 0	4 / 4	15 / 15	10 / 10	0 / 0
12	22-01-Y-02000045-3-0 B (L) ,200mm*45(84,180	75 / 75	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			6,313,500 / 6,313,500	0 / 0	0 / 0	30 / 30	15 / 15	30 / 30	0 / 0
13	22-01-Y-03000022-3-0 B (L) ,300mm*22(135,240	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,704,800 / 2,704,800	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
14	22-01-Y-03000045-3-0 B (L) ,300mm*45(157,320	47 / 47	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			7,394,040 / 7,394,040	0 / 0	0 / 0	47 / 47	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-02000100-3-0	B ,200mm*100mm(106,260	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,381,380 / 1,381,380	0 / 0	0 / 0	3 / 3	10 / 10	0 / 0
16	22-02-B-02000150-3-0	B ,200mm*150mm(120,060	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			720,360 / 720,360	0 / 0	0 / 0	1 / 1	5 / 5	0 / 0
17	22-02-B-02000200-3-0	B ,200*200mm(136,620	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			956,340 / 956,340	0 / 0	0 / 0	2 / 2	5 / 5	0 / 0
18	22-02-B-03000080-3-0	B ,300mm*80mm(162,840	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			651,360 / 651,360	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
19	22-02-B-03000100-3-0	B ,300mm*100mm(173,880	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,217,160 / 1,217,160	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5
20	22-02-B-03000150-3-0	B ,300mm*150mm(191,820	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,342,740 / 1,342,740	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
21	22-02-B-03000200-3-0	B ,300mm*200mm(211,140	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			2,955,960 / 2,955,960	0 / 0	0 / 0	4 / 4	0 / 0	10 / 10
22	22-02-B-03000300-3-0	B ,300mm*300mm(262,200	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,048,800 / 1,048,800	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
23	22-04-0-00000100-3-0	,100mm	7,810	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			156,200 / 156,200	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
24	22-04-0-00000200-3-0	,200mm	14,050	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			224,800 / 224,800	0 / 0	0 / 0	6 / 6	10 / 10	0 / 0
25	22-04-0-00000300-3-0	,300mm	24,380	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			780,160 / 780,160	0 / 0	0 / 0	32 / 32	0 / 0	0 / 0
26	22-04-2-00000080-3-0	,80mm	1,210	49 / 49	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			59,290 / 59,290	0 / 0	0 / 0	19 / 19	10 / 10	20 / 20
27	22-04-2-00000100-3-0	,100mm	1,350	91 / 91	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			122,850 / 122,850	0 / 0	0 / 0	91 / 91	0 / 0	0 / 0
28	22-04-2-00000150-3-0	,150mm	1,810	69 / 82	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			124,890 / 148,420	0 / 0	0 / 0	49 / 49	0 / 0	20 / 20
29	22-04-2-00000200-3-0	,200mm	2,400	174 / 174	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			417,600 / 417,600	0 / 0	0 / 0	119 / 119	50 / 50	5 / 5
30	22-04-2-00000300-3-0	,300mm	3,820	347 / 347	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,325,540 / 1,325,540	0 / 0	0 / 0	347 / 347	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-3-00240085-3-0	,24*85	1,110	3,303 / 3,303	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		3,666,330 / 3,666,330	0 / 0	0 / 0	3,303 / 3,303	0 / 0	0 / 0	0 / 0
32	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		422,280 / 422,280	0 / 0	0 / 0	2 / 2	0 / 0	10 / 10	0 / 0
33	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	8 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		326,784 / 408,480	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 2
34	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	7 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		433,734 / 557,658	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 2
35	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		1,178,520 / 1,178,520	0 / 0	0 / 0	4 / 4	10 / 10	0 / 0	0 / 0
36	22-05-0-03000500-3-0	300mm*L500 (2F)(148,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		148,350 / 148,350	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
37	22-06-0-00000080-3-0	F ,80mm	620	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		1,860 / 1,860	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
38	22-06-0-00000100-3-0	F ,100mm	840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		8,400 / 8,400	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
39	22-06-0-00000150-3-0	F ,150mm	1,190	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		10,710 / 10,710	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0
40	22-06-0-00000200-3-0	F ,200mm	2,010	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		12,060 / 12,060	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
41	22-06-0-00000300-3-0	F ,300mm	3,390	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		13,560 / 13,560	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
42	22-07-2-00000080-3-0	80mm	21,160	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		402,040 / 402,040	0 / 0	0 / 0	19 / 19	0 / 0	0 / 0	0 / 0
43	22-07-2-00000100-3-0	100mm	23,450	71 / 71	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		1,664,950 / 1,664,950	0 / 0	0 / 0	71 / 71	0 / 0	0 / 0	0 / 0
44	22-07-2-00000150-3-0	150mm	30,220	49 / 62	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		1,480,780 / 1,873,640	0 / 0	0 / 0	49 / 49	0 / 0	0 / 0	0 / 13
45	22-07-2-00000200-3-0	200mm	39,190	153 / 153	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		5,996,070 / 5,996,070	0 / 0	0 / 0	133 / 133	0 / 0	20 / 20	0 / 0
46	22-07-2-00000300-3-0	300mm	56,740	315 / 315	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		17,873,100 / 17,873,100	0 / 0	0 / 0	315 / 315	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-08-0-00000080-3-0	80mm()	25,668	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		154,008 / 154,008	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
48	22-08-0-00000100-3-0	100mm()	31,188	29 / 51	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		904,452 / 1,590,588	0 / 0	0 / 0	29 / 29	0 / 0	0 / 0	0 / 22
49	22-08-0-00000150-3-0	150mm()	48,024	16 / 24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		768,384 / 1,152,576	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0	0 / 8
50	22-08-0-00000200-3-0	200mm()	64,860	57 / 57	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,697,020 / 3,697,020	0 / 0	0 / 0	47 / 47	0 / 0	10 / 10	0 / 0
51	22-08-0-00000300-3-0	300mm()	110,400	119 / 119	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		13,137,600 / 13,137,600	0 / 0	0 / 0	119 / 119	0 / 0	0 / 0	0 / 0
52	22-09-0-06500080-3-0	80*L650 (1F) (33,589	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		403,068 / 403,068	0 / 0	0 / 0	2 / 2	10 / 10	0 / 0	0 / 0
53	22-09-0-06500100-3-0	100*L650 (1F) (40,875	19 / 33	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		776,625 / 1,348,875	0 / 0	0 / 0	19 / 19	0 / 0	0 / 0	0 / 14
54	22-09-0-06500150-3-0	150*L650 (1F) (63,756	22 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,402,632 / 1,912,680	0 / 0	0 / 0	7 / 7	5 / 5	10 / 10	0 / 8
55	22-09-0-06500200-3-0	200*L650 (1F) (90,003	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,170,039 / 1,170,039	0 / 0	0 / 0	8 / 8	5 / 5	0 / 0	0 / 0
56	22-09-0-06500300-3-0	300*L650 (1F) (156,078	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,716,858 / 1,716,858	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0
57	22-10-A-03000200-3-0	A ,300*200mm(110,400	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		662,400 / 662,400	0 / 0	0 / 0	1 / 1	0 / 0	5 / 5	0 / 0
58	22-13-0-01000090-3-0	100mm*90()	49,128	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		589,536 / 589,536	0 / 0	0 / 0	2 / 2	10 / 10	0 / 0	0 / 0
59	22-14-0-00000200-3-0	200mm	3,940	29 / 29	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			114,260 / 114,260	0 / 0	0 / 0	29 / 29	0 / 0	0 / 0	0 / 0
60	22-14-0-00000300-3-0	300mm	6,490	138 / 138	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			895,620 / 895,620	0 / 0	0 / 0	138 / 138	0 / 0	0 / 0	0 / 0
61	22-15-0-00000080-3-0	80mm, (24,288	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		24,288 / 24,288	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
62	22-15-0-00000100-3-0	100mm, (28,704	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		114,816 / 114,816	0 / 0	0 / 0	1 / 1	0 / 0	3 / 3	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-15-0-00000150-3-0	150mm, (44,436	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			177,744 / 177,744	0 / 0	0 / 0	1 / 1	0 / 0	3 / 3	0 / 0
64	22-15-0-00000200-3-0	200mm, (52,425	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			262,125 / 262,125	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3	0 / 0
65	22-15-0-00000300-3-0	300mm, (109,020	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			327,060 / 327,060	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
66	22-19-B-02000100-3-0	B ,200*100mm(100,800	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			705,600 / 705,600	0 / 0	0 / 0	2 / 2	5 / 5	0 / 0	0 / 0
67	22-19-B-03000100-3-0	B ,300*100mm	165,600	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			2,484,000 / 2,484,000	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
68	22-25-I-00000150-3-0	KP ,150mm	19,320	10 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			193,200 / 231,840	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 2
69	22-25-I-00000200-3-0	KP ,200mm	33,120	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			496,800 / 496,800	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
70	22-25-I-00000300-3-0	KP ,300mm	63,480	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			952,200 / 952,200	0 / 0	0 / 0	0 / 0	10 / 10	5 / 5	0 / 0
71	22-27-0-01000300-3-0	100*300MM()	35,230	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			70,460 / 70,460	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
72	31-01-3-00000100-3-0	,100mm	189,200	7 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,324,400 / 2,081,200	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 4
73	31-01-3-00000150-3-0	,150mm	373,100	3 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,119,300 / 1,865,500	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 2
74	31-01-3-00000200-3-0	,200mm	522,700	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,045,400 / 1,045,400	0 / 0	0 / 0	1 / 1	0 / 0	1 / 1	0 / 0
75	31-01-3-00000300-3-0	,300mm	906,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				906,800 / 906,800	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
76	31-03-0-00000200-3-0	,200mm	5,877,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,877,000 / 5,877,000	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
77	31-03-F-00000200-3-0	,200mm	1,016,950	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,016,950 / 1,016,950	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
78	31-03-F-00000300-3-0	,300mm	1,568,160	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,840,800 / 7,840,800	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0

