

: 2019 11 04
 : 18 03 04
 : 1 / 7

: ,
 : ()
 : 999 3 () (2019-7331-2-0008) : -19756

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-5-00000400-1-6 (-2) ,4		1,175,930	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2) ,			1,175,930 / 1,175,930	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
2	12-01-7-00000080-1-6 (-3) ,8		129,730	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			2,075,680 / 2,075,680	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0
3	12-01-7-00000100-1-6 (-3) ,1		160,440	23 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			3,690,120 / 3,690,120	0 / 0	0 / 0	18 / 18	0 / 0	5 / 5	0 / 0
4	12-01-7-00000150-1-6 (-3) ,1		242,950	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			2,915,400 / 2,915,400	0 / 0	0 / 0	9 / 9	0 / 0	3 / 3	0 / 0
5	12-01-7-00000200-1-6 (-3) ,2		325,740	36 / 36	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			11,726,640 / 11,726,640	0 / 0	0 / 0	36 / 36	0 / 0	0 / 0	0 / 0
6	12-01-7-00000300-1-6 (-3) ,3		537,980	256 / 256	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			137,722,880 / 137,722,880	0 / 0	0 / 0	251 / 251	0 / 0	5 / 5	0 / 0
7	22-01-B-00800022-3-0 B ,80mm *22` (23,736	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			118,680 / 118,680	0 / 0	0 / 0	4 / 4	1 / 1	0 / 0	0 / 0
8	22-01-B-00800045-3-0 B ,80mm *45` (24,840	27 / 27	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			670,680 / 670,680	0 / 0	0 / 0	27 / 27	0 / 0	0 / 0	0 / 0
9	22-01-B-01000022-3-0 B ,100mm *22		29,256	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			292,560 / 292,560	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5	0 / 0
10	22-01-B-01000045-3-0 B ,100mm *45		31,464	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			943,920 / 943,920	0 / 0	0 / 0	27 / 27	0 / 0	3 / 3	0 / 0
11	22-01-Y-01500022-3-0 B (L) ,150mm*22(52,992	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			794,880 / 794,880	0 / 0	0 / 0	5 / 5	0 / 0	10 / 10	0 / 0
12	22-01-Y-01500045-3-0 B (L) ,150mm*45(57,960	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,028,600 / 2,028,600	0 / 0	0 / 0	19 / 19	10 / 10	6 / 6	0 / 0
13	22-01-Y-02000022-3-0 B (L) ,200mm*22(75,900	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			379,500 / 379,500	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
14	22-01-Y-02000045-3-0 B (L) ,200mm*45(84,180	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			841,800 / 841,800	0 / 0	0 / 0	8 / 8	0 / 0	2 / 2	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-03000022-3-0	B (L), 300mm*22(135,240	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		3,245,760 / 3,245,760	0 / 0	0 / 0	24 / 24	0 / 0	0 / 0	0 / 0
16	22-01-Y-03000045-3-0	B (L), 300mm*45(157,320	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		9,439,200 / 9,439,200	0 / 0	0 / 0	38 / 38	2 / 2	20 / 20	0 / 0
17	22-02-B-02000080-3-0	B, 200mm*80mm(100,740	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		302,220 / 302,220	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
18	22-02-B-02000100-3-0	B, 200mm*100mm(106,260	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		106,260 / 106,260	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
19	22-02-B-03000080-3-0	B, 300mm*80mm(162,840	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		1,302,720 / 1,302,720	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
20	22-02-B-03000100-3-0	B, 300mm*100mm(173,880	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		2,955,960 / 2,955,960	0 / 0	0 / 0	17 / 17	0 / 0	0 / 0	0 / 0
21	22-02-B-03000150-3-0	B, 300mm*150mm(191,820	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		1,150,920 / 1,150,920	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
22	22-02-B-03000200-3-0	B, 300mm*200mm(211,140	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		422,280 / 422,280	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
23	22-02-B-03000300-3-0	B, 300mm*300mm(262,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		1,311,000 / 1,311,000	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
24	22-04-0-00000080-3-0	, 80mm	6,690	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			26,760 / 26,760	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
25	22-04-0-00000100-3-0	, 100mm	7,810	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			124,960 / 124,960	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0
26	22-04-0-00000150-3-0	, 150mm	11,190	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			55,950 / 55,950	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3	0 / 0
27	22-04-0-00000200-3-0	, 200mm	14,050	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			28,100 / 28,100	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
28	22-04-0-00000250-3-0	, 250mm	20,020	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			40,040 / 40,040	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
29	22-04-0-00000300-3-0	, 300mm	24,380	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			682,640 / 682,640	0 / 0	0 / 0	28 / 28	0 / 0	0 / 0	0 / 0
30	22-04-2-00000080-3-0	, 80mm	1,210	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			60,500 / 60,500	0 / 0	0 / 0	14 / 14	6 / 6	30 / 30	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-2-00000100-3-0	,100mm	1,350	90 / 90	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			121,500 / 121,500	0 / 0	0 / 0	40 / 40	20 / 20	30 / 30
32	22-04-2-00000150-3-0	,150mm	1,810	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			90,500 / 90,500	0 / 0	0 / 0	5 / 5	25 / 25	20 / 20
33	22-04-2-00000200-3-0	,200mm	2,400	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			60,000 / 60,000	0 / 0	0 / 0	3 / 3	15 / 15	7 / 7
34	22-04-2-00000250-3-0	,250mm	2,810	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			5,620 / 5,620	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
35	22-04-2-00000300-3-0	,300mm	3,820	230 / 230	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			878,600 / 878,600	0 / 0	0 / 0	6 / 6	144 / 144	80 / 80
36	22-04-2-00000400-3-0	,400mm	5,170	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			5,170 / 5,170	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
37	22-04-3-00240085-3-0	,24*85	1,110	3,087 / 3,087	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			3,426,570 / 3,426,570	0 / 0	0 / 0	3,087 / 3,087	0 / 0	0 / 0
38	22-04-3-00240105-3-0	,24*105	1,295	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			51,800 / 51,800	0 / 0	0 / 0	40 / 40	0 / 0	0 / 0
39	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			246,330 / 246,330	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
40	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			326,784 / 326,784	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
41	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			309,810 / 309,810	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
42	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			168,360 / 168,360	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
43	22-05-0-03000500-3-0	300mm*L500 (2F)(148,350	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			741,750 / 741,750	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
44	22-06-0-00000080-3-0	F ,80mm	620	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			8,680 / 8,680	0 / 0	0 / 0	14 / 14	0 / 0	0 / 0
45	22-06-0-00000100-3-0	F ,100mm	840	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			33,600 / 33,600	0 / 0	0 / 0	40 / 40	0 / 0	0 / 0
46	22-06-0-00000150-3-0	F ,150mm	1,190	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			5,950 / 5,950	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-06-0-00000200-3-0	F ,200mm	2,010	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			6,030 / 6,030	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
48	22-06-0-00000300-3-0	F ,300mm	3,390	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			20,340 / 20,340	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
49	22-06-0-00000400-3-0	F ,400mm	5,720	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			5,720 / 5,720	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
50	22-07-2-00000080-3-0	80mm	21,160	62 / 62	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,311,920 / 1,311,920	0 / 0	0 / 0	62 / 62	0 / 0	0 / 0
51	22-07-2-00000100-3-0	100mm	23,450	85 / 85	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,993,250 / 1,993,250	0 / 0	0 / 0	72 / 72	0 / 0	13 / 13
52	22-07-2-00000150-3-0	150mm	30,220	95 / 95	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			2,870,900 / 2,870,900	0 / 0	0 / 0	59 / 59	30 / 30	6 / 6
53	22-07-2-00000200-3-0	200mm	39,190	142 / 142	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			5,564,980 / 5,564,980	0 / 0	0 / 0	142 / 142	0 / 0	0 / 0
54	22-07-2-00000300-3-0	300mm	56,740	267 / 267	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			15,149,580 / 15,149,580	0 / 0	0 / 0	267 / 267	0 / 0	0 / 0
55	22-07-2-00000400-3-0	400mm	91,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			364,000 / 364,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
56	22-08-0-00000080-3-0	80mm()	25,668	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			616,032 / 616,032	0 / 0	0 / 0	24 / 24	0 / 0	0 / 0
57	22-08-0-00000100-3-0	100mm()	31,188	72 / 72	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,245,536 / 2,245,536	0 / 0	0 / 0	32 / 32	40 / 40	0 / 0
58	22-08-0-00000150-3-0	150mm()	48,024	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,440,720 / 1,440,720	0 / 0	0 / 0	22 / 22	0 / 0	8 / 8
59	22-08-0-00000200-3-0	200mm()	64,860	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,426,920 / 1,426,920	0 / 0	0 / 0	22 / 22	0 / 0	0 / 0
60	22-08-0-00000300-3-0	300mm()	110,400	124 / 124	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			13,689,600 / 13,689,600	0 / 0	0 / 0	124 / 124	0 / 0	0 / 0
61	22-08-0-00000400-3-0	400mm()	171,258	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			342,516 / 342,516	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
62	22-09-0-06500080-3-0	80*L650 (1F)()	33,589	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			268,712 / 268,712	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-09-0-06500100-3-0	100*L650 (1F) (40,875	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			776,625 / 776,625	0 / 0	0 / 0	17 / 17	0 / 0	2 / 2
64	22-09-0-06500150-3-0	150*L650 (1F) (63,756	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			892,584 / 892,584	0 / 0	0 / 0	8 / 8	0 / 0	6 / 6
65	22-09-0-06500200-3-0	200*L650 (1F) (90,003	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			450,015 / 450,015	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
66	22-09-0-06500300-3-0	300*L650 (1F) (156,078	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,653,326 / 2,653,326	0 / 0	0 / 0	17 / 17	0 / 0	0 / 0
67	22-09-0-06500400-3-0	400*L650 (1F) (195,132	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			195,132 / 195,132	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
68	22-10-A-03000100-3-0	A ,300*100mm(110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			110,400 / 110,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
69	22-10-A-03000200-3-0	A ,300*200mm(110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			110,400 / 110,400	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
70	22-10-A-04000300-3-0	A ,400*300mm(178,020	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			178,020 / 178,020	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
71	22-12-A-01000090-3-0	A ,100mm *90(32,844	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			164,220 / 164,220	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
72	22-12-B-01000090-3-0	B ,100mm *90	33,672	42 / 42	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,414,224 / 1,414,224	0 / 0	0 / 0	10 / 10	2 / 2	30 / 30
73	22-13-0-01000090-3-0	100mm*90()	49,128	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			294,768 / 294,768	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
74	22-14-0-00000100-3-0	100mm	2,320	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			6,960 / 6,960	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
75	22-14-0-00000200-3-0	200mm	3,940	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			23,640 / 23,640	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
76	22-14-0-00000300-3-0	300mm	6,490	183 / 183	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			1,187,670 / 1,187,670	0 / 0	0 / 0	183 / 183	0 / 0	0 / 0
77	22-15-0-00000100-3-0	100mm, (28,704	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			200,928 / 200,928	0 / 0	0 / 0	5 / 5	2 / 2	0 / 0
78	22-15-0-00000150-3-0	150mm, (44,436	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			133,308 / 133,308	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-19-B-03000100-3-0 B ,300*100mm	165,600	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)		828,000 / 828,000	0 / 0	0 / 0	4 / 4	0 / 0	1 / 1	0 / 0
80	22-25-I-00000250-3-0 KP ,250mm	49,680	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		99,360 / 99,360	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
81	22-25-I-00000300-3-0 KP ,300mm	63,480	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		126,960 / 126,960	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
82	31-01-3-00000080-3-0 ,80mm	152,000	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,064,000 / 1,064,000	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
83	31-01-3-00000100-3-0 ,100mm	189,200	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			3,027,200 / 3,027,200	0 / 0	0 / 0	14 / 14	0 / 0	2 / 2	0 / 0
84	31-01-3-00000150-3-0 ,150mm	373,100	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			2,238,600 / 2,238,600	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1	0 / 0
85	31-01-3-00000200-3-0 ,200mm	522,700	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			522,700 / 522,700	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
86	31-01-3-00000300-3-0 ,300mm	906,800	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			5,440,800 / 5,440,800	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
87	31-03-F-00000200-3-0 ,200mm	1,016,950	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			3,050,850 / 3,050,850	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
88	31-03-F-00000300-3-0 ,300mm	1,568,160	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			9,408,960 / 9,408,960	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
89	31-03-G-40000100-3-0 (309,200	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			2,164,400 / 2,164,400	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
90	31-03-G-40000150-3-0 (538,300	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			538,300 / 538,300	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
91	31-04-Z-00100100-3-0 ,10K	480,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,440,000 / 1,440,000	0 / 0	0 / 0	2 / 2	0 / 0	1 / 1	0 / 0
92	31-05-Q-00000080-3-0 ,8	441,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,764,000 / 1,764,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
93	31-05-Q-00000100-3-0 ,1	516,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,032,000 / 1,032,000	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
94	31-12-0-00000100-3-0 ,100mm	409,200	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,227,600 / 1,227,600	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0

: 2019 11 04
: 18 03 04
: 7 / 7

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	41-01-0-01000648-4-0	312,000	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			7,800,000 / 7,800,000	0 / 0	0 / 0	25 / 25	0 / 0	0 / 0	0 / 0
96	41-01-2-03180300-4-0 318x 160	260,400	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			2,083,200 / 2,083,200	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
97	41-01-2-03180410-4-0 318x 410,	277,900	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,111,600 / 1,111,600	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
98	41-01-3-10000648-4-0 (525,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,050,000 / 1,050,000	0 / 0	0 / 0	1 / 1	0 / 0	1 / 1	0 / 0
99	41-01-3-20000648-3-0 (525,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			3,150,000 / 3,150,000	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
()			5,705	0	0	0	0	0	0
			298,391,070	0	0	5,094	301	310	0
()			5,705	0	0	0	0	0	0
			298,391,070	0	0	5,094	301	310	0