

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	22-08-0-00000350-3-0	350mm	138,210	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			276,420 / 276,420	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
128	22-08-0-00000400-3-0	400mm()	161,820	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,K.P (BPF)			809,100 / 809,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
129	22-08-0-00000500-3-0	500mm()	234,900	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,K.P (BPF)			1,174,500 / 1,174,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
130	22-08-0-00000600-3-0	600mm()	328,860	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,K.P (BPF)			1,644,300 / 1,644,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
131	22-09-0-06500080-3-0	80*L650 (1F)(31,763	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,1F (L650)(BPF)			317,630 / 317,630	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
132	22-09-0-06500100-3-0	100*L650 (1F)(38,654	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
	,1F (L650)(BPF)			579,810 / 579,810	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
133	22-09-0-06500150-3-0	150*L650 (1F)(60,291	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
	,1F (L650)(BPF)			904,365 / 904,365	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
134	22-09-0-06500200-3-0	200*L650 (1F)(85,112	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
	,1F (L650)(BPF)			1,276,680 / 1,276,680	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
135	22-09-0-06500250-3-0	250*L650 (1F)(114,631	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,1F (L650)(BPF)			573,155 / 573,155	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
136	22-09-0-06500300-3-0	300*L650 (1F)(147,595	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,1F (L650)(BPF)			1,475,950 / 1,475,950	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
137	22-09-0-06500350-3-0	350*L650 (1F)	154,880	3 / 3	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	,1F (L650)(BPF)			464,640 / 464,640	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
138	22-09-0-06500400-3-0	400*L650 (1F)(176,043	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	,1F (L650)(BPF)			352,086 / 352,086	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
139	22-09-0-06500500-3-0	500*L650 (1F)(253,015	3 / 3	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	,1F (L650)(BPF)			759,045 / 759,045	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
140	22-09-0-06500600-3-0	600*L650 (1F)(338,256	4 / 4	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	,1F (L650)(BPF)			1,353,024 / 1,353,024	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
141	22-10-A-01000080-3-0	A ,100*80mm(26,622	4 / 4	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	, K.P (BPF)			106,488 / 106,488	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
142	22-10-A-01500080-3-0	A ,150*80mm(40,194	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	, K.P (BPF)			200,970 / 200,970	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
207	22-15-0-00000400-3-0	400mm, (145,665	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,	(BPF)		728,325 / 728,325	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
208	22-15-0-00000500-3-0	500mm, (207,915	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		1,039,575 / 1,039,575	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
209	22-15-0-00000600-3-0	600mm, (307,980	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	(BPF)		615,960 / 615,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
210	22-16-0-00000080-3-0	80mm	9,400	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		47,000 / 47,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
211	22-16-0-00000100-3-0	100mm	11,225	10 / 10	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5
	,	(BPF)		112,250 / 112,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
212	22-16-0-00000150-3-0	150mm	17,928	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		89,640 / 89,640	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
213	22-16-0-00000200-3-0	200mm	27,390	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		136,950 / 136,950	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
214	22-16-0-00000250-3-0	250mm	44,110	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		220,550 / 220,550	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
215	22-16-0-00000300-3-0	300mm	62,640	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		313,200 / 313,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
216	22-16-0-00000400-3-0	400mm	90,885	5 / 5	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3
	,	(BPF)		454,425 / 454,425	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
217	22-16-0-00000500-3-0	500mm	146,160	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	(BPF)		730,800 / 730,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
218	22-16-0-00000600-3-0	600mm	190,400	7 / 7	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5
	,	(BPF)		1,332,800 / 1,332,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
219	22-17-0-00800040-3-0	80*40mm	8,875	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	(BPF)		17,750 / 17,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
220	22-17-0-00800050-3-0	80*50mm	8,615	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	,	(BPF)		17,230 / 17,230	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
221	22-17-0-01000040-3-0	100*40mm	10,701	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	(BPF)		21,402 / 21,402	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
222	22-17-0-01000050-3-0	100*50mm	10,440	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	(BPF)		20,880 / 20,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
239	31-01-4-00000200-3-0	(),200	522,700	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				522,700 / 522,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
240	31-01-5-00000080-3-0	,80mm	315,800	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
				631,600 / 631,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
241	31-01-5-00000100-3-0	,100mm	390,000	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
				780,000 / 780,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
242	31-01-5-00000150-3-0	,150mm	695,000	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
				1,390,000 / 1,390,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
243	31-01-5-00000200-3-0	,200mm	904,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				904,000 / 904,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
244	31-01-5-00000250-3-0	,250mm	1,450,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				1,450,000 / 1,450,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
245	31-01-5-00000300-3-0	,300mm	2,127,500	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				2,127,500 / 2,127,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
246	31-01-5-00000350-3-0	,350mm	3,347,000	2 / 2	0 / 0	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0
				6,694,000 / 6,694,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
247	31-01-6-00000080-3-0	(),8	315,800	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
				631,600 / 631,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
248	31-01-6-00000100-3-0	(),1	390,000	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
				780,000 / 780,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
249	31-01-6-00000150-3-0	(),1	695,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				695,000 / 695,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
250	31-01-6-00000200-3-0	(),2	904,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				904,000 / 904,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
251	31-03-0-00000150-3-0	,150mm	3,969,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,969,000 / 3,969,000	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
252	31-03-0-00000200-3-0	,200mm	5,877,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,877,000 / 5,877,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
253	31-03-0-00000250-3-0	,250mm	7,295,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,295,000 / 7,295,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
254	31-03-0-00000300-3-0	,300mm	9,187,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,187,000 / 9,187,000	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
271	31-04-Z-00100100-3-0	,10K	480,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				480,000 / 480,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
272	31-04-Z-00100150-3-0	,10K	981,700	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				981,700 / 981,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
273	31-04-Z-00100200-3-0	,10K	1,154,900	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				1,154,900 / 1,154,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
274	31-05-A-00000080-3-0	,80mm	188,100	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				376,200 / 376,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
275	31-05-A-00000100-3-0	,100mm	235,400	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				470,800 / 470,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
276	31-05-A-00000150-3-0	,150mm	550,000	5 / 5	0 / 0	0 / 0	2 / 2	2 / 2	1 / 1
				2,750,000 / 2,750,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
277	31-05-A-00000200-3-0	,200mm	1,100,000	4 / 4	0 / 0	0 / 0	1 / 1	2 / 2	1 / 1
				4,400,000 / 4,400,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
278	31-05-Q-00000080-3-0	,8	441,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				2,205,000 / 2,205,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
279	31-05-Q-00000100-3-0	,1	516,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				2,580,000 / 2,580,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
280	31-05-Q-00000150-3-0	,1	1,070,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				5,350,000 / 5,350,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
281	31-05-Q-00000200-3-0	,2	2,430,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				12,150,000 / 12,150,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
282	31-12-0-00000100-3-0	,100mm	409,200	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				818,400 / 818,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
283	32-03-C-00000100-3-0	(),100mm	437,500	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				875,000 / 875,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
284	41-01-0-00000648-4-0	, ,	387,000	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
				1,161,000 / 1,161,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
285	41-01-0-01000648-4-0	, ,	295,000	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
				885,000 / 885,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
286	41-01-0-03180410-4-0	318x 410,	277,900	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
				1,389,500 / 1,389,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

: 2018 09 10
: 14 34 00
: 21 / 21

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
319	81-09-8-00200100-4-0	, 20mmx	141,000	140 / 140	0 / 0	20 / 20	20 / 20	20 / 20	30 / 30	50 / 50
	()		19,740,000 / 19,740,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
()			5,007	0	108	1,389	1,405	969	735	
			403,094,577	305	2	93	1	0	0	
()			5,012	0	108	1,389	1,405	969	735	
			403,770,417	305	6	94	1	0	0	