

(2018 ) ( 2018-2064-2-0002 )

: -5399

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
1	11-02-7-07000006-1-0	700A*6t*6.1m	2,085,000	168 / 168	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				350,280,000 / 350,280,000	62 / 62	0 / 0	55 / 55	51 / 51	0 / 0	0 / 0
2	12-01-5-00000200-1-6	( -2 ) ,2	357,050	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )			714,100 / 714,100	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
3	12-01-5-00000300-1-6	( -2 ) ,3	592,180	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )			4,145,260 / 4,145,260	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
4	12-01-6-00000400-1-6	( -2 ) KP,400mm	845,720	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )			845,720 / 845,720	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
5	12-01-6-00000600-1-6	( -2 ) KP,600mm	1,512,070	64 / 64	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )			96,772,480 / 96,772,480	13 / 13	0 / 0	39 / 39	12 / 12	0 / 0	0 / 0
6	21-02-2-07001000-3-0	1 ,D700mm*1.00M	424,000	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	(1 )			7,208,000 / 7,208,000	5 / 5	5 / 5	0 / 0	2 / 2	0 / 0	0 / 0
7	21-02-2-07001500-3-0	1 ,700A*6t*1.5M(	552,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	(1 )			3,312,000 / 3,312,000	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
8	21-02-2-07002000-3-0	1 ,700A*6t*2.0M(	736,000	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	(1 )			6,624,000 / 6,624,000	0 / 0	3 / 3	0 / 0	3 / 3	0 / 0	0 / 0
9	21-02-2-07002500-3-0	1 ,D700mm*2.50M	963,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(1 )			963,000 / 963,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
10	21-02-2-07002600-3-0	1 ,D700mm*2.60M	999,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	(1 )			999,000 / 999,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	21-02-2-07003000-3-0	1 ,700A*6t*3.0M(	1,104,000	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	(1 )			12,144,000 / 12,144,000	0 / 0	3 / 3	0 / 0	3 / 3	0 / 0	0 / 0
12	21-02-2-07004000-3-0	1 ,D700mm*4.00M	1,503,000	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	(1 )			13,527,000 / 13,527,000	0 / 0	3 / 3	3 / 3	0 / 0	0 / 0	0 / 0
13	21-02-2-07005000-3-0	1 ,700A*6t*5.0M(	1,840,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	(1 )			7,360,000 / 7,360,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
14	21-02-4-07002000-3-0	1 ,700A*6t*2.00M	1,266,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	(1 )			3,798,000 / 3,798,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
15	21-03-0-00000700-3-0	700mm ( ,	59,730	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	( ) ,			657,030 / 657,030	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
16	22-01-Y-02000045-3-0	B (L ) ,200mm*45(	85,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		170,800 / 170,800	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
17	22-01-Y-03000011-3-0	B (L ) ,300mm*11(	121,950	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		121,950 / 121,950	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
18	22-01-Y-03000045-3-0	B (L ) ,300mm*45(	159,600	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		638,400 / 638,400	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
19	22-01-Y-04000011-3-0	B (L ) ,400mm*11(	198,800	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		397,600 / 397,600	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
20	22-01-Y-06000011-3-0	B (L ) ,600mm*11(	382,110	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,056,880 / 3,056,880	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
21	22-01-Y-06000045-3-0	B (L ) ,600mm*45(	588,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,176,000 / 1,176,000	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
22	22-02-B-06000100-3-0	B ,600*100mm(	460,700	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, T	(BPF)		921,400 / 921,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-06000400-3-0	B ,600*400mm(	723,570	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		723,570 / 723,570	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
24	22-02-B-06000600-3-0	B ,600*600mm(	929,530	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T	(BPF)		929,530 / 929,530	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
25	22-04-0-00000600-3-0	,600mm	46,790	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0	35 / 35	0 / 0
	, K.P			4,538,630 / 4,538,630	30 / 30	0 / 0	32 / 32	0 / 0	0 / 0	0 / 0
26	22-04-2-00000200-3-0	,200mm	2,400	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			19,200 / 19,200	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
27	22-04-2-00000300-3-0	,300mm	3,820	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			76,400 / 76,400	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
28	22-04-2-00000400-3-0	,400mm	5,170	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			31,020 / 31,020	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
29	22-04-2-00000600-3-0	,600mm	8,810	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0	35 / 35	0 / 0
	, K.P			854,570 / 854,570	30 / 30	0 / 0	32 / 32	0 / 0	0 / 0	0 / 0
30	22-04-3-00240085-3-0	,24*85	1,110	160 / 160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			177,600 / 177,600	0 / 0	0 / 0	160 / 160	0 / 0	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )	
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )	
31	22-04-3-00240105-3-0	,24*105	1,295	1,852 / 1,852	0 / 0	0 / 0	100 / 100	224 / 224	0 / 0	224 / 224
	, K.P			2,398,340 / 2,398,340	0 / 0	224 / 224	732 / 732	224 / 224	124 / 124	0 / 0
32	22-05-0-02000500-3-0	200mm*L500 (2F)(	85,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			85,400 / 85,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
33	22-05-0-03000500-3-0	300mm*L500 (2F)(	150,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			150,500 / 150,500	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
34	22-07-2-00000200-3-0	200mm	39,190	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			313,520 / 313,520	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
35	22-07-2-00000300-3-0	300mm	56,740	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,134,800 / 1,134,800	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
36	22-07-2-00000400-3-0	400mm	91,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			546,000 / 546,000	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
37	22-08-0-00000200-3-0	200mm(	65,800	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			197,400 / 197,400	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
38	22-08-0-00000300-3-0	300mm(	112,000	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			784,000 / 784,000	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
39	22-08-0-00000600-3-0	600mm( )	341,460	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	,K.P (BPF)			8,536,500 / 8,536,500	2 / 2	0 / 0	19 / 19	0 / 0	2 / 2	0 / 0
40	22-09-0-06500200-3-0	200*L650 (1F ) (	91,308	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			91,308 / 91,308	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
41	22-09-0-06500300-3-0	300*L650 (1F ) (	158,340	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			158,340 / 158,340	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
42	22-09-0-06500600-3-0	600*L650 (1F ) (	362,880	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,177,280 / 2,177,280	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
43	22-10-B-06000400-3-0	B ,600*400mm	390,540	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			390,540 / 390,540	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
44	22-14-0-00000300-3-0	300mm	7,270	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			65,430 / 65,430	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0
45	22-15-0-00000600-3-0	600mm, (	307,980	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			307,980 / 307,980	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
46	22-19-B-06000200-3-0	B ,600*200mm(	613,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			613,400 / 613,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
47	2A-01-2-07000011-3-0	1 ,700*11(F1	1,657,000	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, (1 )			41,425,000 / 41,425,000	0 / 0	10 / 10	0 / 0	5 / 5	0 / 0	0 / 0
48	2A-01-2-07000022-3-0	1 ,700*22(F1	1,657,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, (1 )			8,285,000 / 8,285,000	1 / 1	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
49	2A-01-2-07000045-3-0	1 ,700*45(F1	2,994,000	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	, (1 )			35,928,000 / 35,928,000	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
50	2A-06-2-07000600-3-0	1 T	1,509,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	( ) , T (1 )			4,527,000 / 4,527,000	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
51	2A-07-1-07000250-3-0	2 , D700	1,308,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	( ) , (2 )			1,308,000 / 1,308,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	31-01-5-00000200-3-0	,200mm	823,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				823,500 / 823,500	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
53	31-01-5-00000250-3-0	,250mm	1,450,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,450,000 / 1,450,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	31-02-R-00000600-3-0	,600mm	4,596,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			18,384,000 / 18,384,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
55	31-02-R-00000700-3-0	,700mm	5,660,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,			11,320,000 / 11,320,000	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
56	31-03-F-00000300-3-0	,300mm	1,568,160	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,568,160 / 1,568,160	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
57	31-05-Q-00000100-3-0	,1	516,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			516,000 / 516,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	41-01-0-01000648-4-0	, ,	319,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,595,000 / 1,595,000	0 / 0	2 / 2	3 / 3	0 / 0	0 / 0	0 / 0
59	41-01-1-01000648-4-0	, ,	295,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,770,000 / 1,770,000	1 / 1	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
60	41-01-B-00000648-4-0	가	375,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,500,000 / 1,500,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
61	41-01-D-00000648-4-0	가	375,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,250,000 / 2,250,000	3 / 3	0 / 0	1 / 1	2 / 2	0 / 0	0 / 0

: 2018 08 24  
 : 15 56 36  
 : 5 / 5

	가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
		( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
( )		2,745	0	0	100	224	72	277
		673,783,538	151	257	1,236	302	126	0
( )		2,745	0	0	100	224	72	277
		673,783,538	151	257	1,236	302	126	0