

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 2/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|-----------------------|------------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 16 | 22-01-B-00800045-3-0 | B형, 80mm *45` | 25,330 | 24 / 24 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 607,920 / 607,920 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 10 / 10 |
| 17 | 22-01-B-01000022-3-0 | B형, 100mm *22 | 29,840 | 19 / 19 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 | 5 / 5 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 566,960 / 566,960 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 5 / 5 | 0 / 0 |
| 18 | 22-01-B-01000045-3-0 | B형, 100mm *45 | 32,090 | 29 / 29 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 | 5 / 5 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 930,610 / 930,610 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 15 / 15 | 0 / 0 |
| 19 | 22-01-Y-01500022-3-0 | B형(L형), 150mm*22(마개포함) | 54,050 | 8 / 8 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 4 / 4 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 432,400 / 432,400 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 |
| 20 | 22-01-Y-01500045-3-0 | B형(L형), 150mm*45(마개포함) | 59,110 | 30 / 30 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,773,300 / 1,773,300 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 15 / 15 |
| 21 | 22-01-Y-02000022-3-0 | B형(L형), 200mm*22(마개포함) | 77,410 | 20 / 20 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,548,200 / 1,548,200 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| 22 | 22-01-Y-02000045-3-0 | B형(L형), 200mm*45(마개포함) | 85,860 | 35 / 35 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 3,005,100 / 3,005,100 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 5 / 5 | 15 / 15 |
| 23 | 22-01-Y-02500045-3-0 | B형(L형), 250mm*45(마개포함) | 121,050 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 484,200 / 484,200 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| 24 | 22-01-Y-03000022-3-0 | B형(L형), 300mm*22(마개포함) | 137,940 | 20 / 20 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 2,758,800 / 2,758,800 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| 25 | 22-01-Y-03000045-3-0 | B형(L형), 300mm*45(마개포함) | 160,460 | 20 / 20 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 3,209,200 / 3,209,200 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| 26 | 22-01-Y-03500022-3-0 | B형(L형), 350mm*22(마개포함) | 178,760 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 178,760 / 178,760 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 27 | 22-01-Y-03500045-3-0 | B형(L형), 350mm*45(마개포함) | 213,940 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 213,940 / 213,940 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 28 | 22-01-Y-05000045-3-0 | B형(L형), 500mm*45(마개포함) | 408,190 | 9 / 9 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 3,673,710 / 3,673,710 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 29 | 22-01-Y-06000022-3-0 | B형(L형), 600mm*22(마개포함) | 464,490 | 9 / 9 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 5 / 5 | 1 / 1 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 4,180,410 / 4,180,410 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| 30 | 22-01-Y-06000045-3-0 | B형(L형), 600mm*45(마개포함) | 591,170 | 12 / 12 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 8 / 8 | 1 / 1 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 7,094,040 / 7,094,040 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| 31 | 22-02-B-00800080-3-0 | B형, 80*80mm(마개포함) | 48,075 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 384,600 / 384,600 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 4/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|-----------------------|---------------------|-----------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 48 | 22-02-B-07000600-3-0 | B형, 700*600mm(마개포함) | 1,428,630 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 1,428,630 / 1,428,630 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 49 | 22-04-0-00000100-3-0 | 압륜, 100mm | 10,546 | 7 / 7 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 7 / 7 |
| | 닥타일이형관, K.P접합부속 | | 개 | 73,822 / 73,822 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 50 | 22-04-0-00000150-3-0 | 압륜, 150mm | 15,040 | 20 / 20 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P접합부속 | | 개 | 300,800 / 300,800 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| 51 | 22-04-0-00000200-3-0 | 압륜, 200mm | 18,901 | 30 / 30 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P접합부속 | | 개 | 567,030 / 567,030 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 15 / 15 |
| 52 | 22-04-0-00000250-3-0 | 압륜, 250mm | 26,723 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 133,615 / 133,615 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 53 | 22-04-0-00000300-3-0 | 압륜, 300mm | 32,434 | 20 / 20 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P접합부속 | | 개 | 648,680 / 648,680 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| 54 | 22-04-2-00000080-3-0 | 고무링, 80mm | 1,397 | 89 / 89 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 19 / 19 |
| | 닥타일이형관, K.P접합부속 | | 개 | 124,333 / 124,333 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 50 / 50 |
| 55 | 22-04-2-00000100-3-0 | 고무링, 100mm | 1,558 | 63 / 63 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, K.P접합부속 | | 개 | 98,154 / 98,154 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 30 / 30 |
| 56 | 22-04-2-00000150-3-0 | 고무링, 150mm | 2,091 | 95 / 95 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P접합부속 | | 개 | 198,645 / 198,645 | 5 / 5 | 0 / 0 | 5 / 5 | 0 / 0 | 20 / 20 | 55 / 55 |
| 57 | 22-04-2-00000200-3-0 | 고무링, 200mm | 2,764 | 90 / 90 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 25 / 25 |
| | 닥타일이형관, K.P접합부속 | | 개 | 248,760 / 248,760 | 10 / 10 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 45 / 45 |
| 58 | 22-04-2-00000250-3-0 | 고무링, 250mm | 3,247 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 64,940 / 64,940 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| 59 | 22-04-2-00000300-3-0 | 고무링, 300mm | 4,403 | 30 / 30 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P접합부속 | | 개 | 132,090 / 132,090 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 10 / 10 | 5 / 5 |
| 60 | 22-04-2-00000350-3-0 | 고무링, 350mm | 5,318 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 53,180 / 53,180 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 61 | 22-04-2-00000400-3-0 | 고무링, 400mm | 5,931 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 11,862 / 11,862 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 62 | 22-04-2-00000500-3-0 | 고무링, 500mm | 9,098 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 90,980 / 90,980 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 63 | 22-04-2-00000600-3-0 | 고무링, 600mm | 10,114 | 49 / 49 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 40 / 40 | 1 / 1 |
| | 닥타일이형관, K.P접합부속 | | 개 | 495,586 / 495,586 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 | 0 / 0 | 1 / 1 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 5/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 64 | 22-04-2-00000700-3-0 | 고무링,700mm | 13,462 | 9 / 9 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, K.P접합부속 | | 개 | 121,158 / 121,158 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 | 0 / 0 | 1 / 1 |
| 65 | 22-04-3-00240085-3-0 | 볼트,24*85 | 1,620 | 1,780 / 1,780 | 0 / 0 | 0 / 0 | 120 / 120 | 0 / 0 | 0 / 0 | 120 / 120 |
| | 닥타일이형관, K.P접합부속 | | 개 | 2,883,600 / 2,883,600 | 0 / 0 | 0 / 0 | 120 / 120 | 0 / 0 | 600 / 600 | 820 / 820 |
| 66 | 22-04-3-00240105-3-0 | 볼트,24*105 | 1,638 | 1,010 / 1,010 | 0 / 0 | 0 / 0 | 30 / 30 | 0 / 0 | 600 / 600 | 30 / 30 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,654,380 / 1,654,380 | 0 / 0 | 150 / 150 | 170 / 170 | 0 / 0 | 0 / 0 | 30 / 30 |
| 67 | 22-05-0-00800300-3-0 | 80mm*L300 (2F)(마개포함) | 28,290 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 282,900 / 282,900 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 68 | 22-05-0-00800500-3-0 | 80mm*L500 (2F)(마개포함) | 35,890 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 179,450 / 179,450 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 69 | 22-05-0-01000300-3-0 | 100mm*L300 (2F)(마개포함) | 32,426 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 162,130 / 162,130 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 70 | 22-05-0-01000500-3-0 | 100mm*L500 (2F)(마개포함) | 41,660 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 208,300 / 208,300 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 71 | 22-05-0-02000500-3-0 | 200mm*L500 (2F)(마개포함) | 85,860 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 171,720 / 171,720 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 72 | 22-05-0-03000500-3-0 | 300mm*L500 (2F)(마개포함) | 151,310 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 151,310 / 151,310 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 73 | 22-05-0-04000500-3-0 | 400mm*L500 (2F)(마개포함) | 209,580 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 209,580 / 209,580 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 74 | 22-07-2-00000080-3-0 | 80mm | 18,670 | 120 / 120 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 25 / 25 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 2,240,400 / 2,240,400 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 30 / 30 | 55 / 55 |
| 75 | 22-07-2-00000100-3-0 | 100mm | 19,514 | 140 / 140 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 35 / 35 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 2,731,960 / 2,731,960 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 40 / 40 | 55 / 55 |
| 76 | 22-07-2-00000150-3-0 | 150mm | 24,883 | 100 / 100 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 25 / 25 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 2,488,300 / 2,488,300 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 40 / 40 | 25 / 25 |
| 77 | 22-07-2-00000200-3-0 | 200mm | 32,122 | 50 / 50 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,606,100 / 1,606,100 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 30 / 30 | 5 / 5 |
| 78 | 22-07-2-00000250-3-0 | 250mm | 40,155 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 602,325 / 602,325 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 15 / 15 | 0 / 0 |
| 79 | 22-07-2-00000300-3-0 | 300mm | 46,871 | 70 / 70 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 3,280,970 / 3,280,970 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 20 / 20 | 35 / 35 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 6/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|--------------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 80 | 22-07-2-00000350-3-0 | 350mm | 81,400 | 9 / 9 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 732,600 / 732,600 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| 81 | 22-07-2-00000500-3-0 | 500mm | 156,820 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 2,352,300 / 2,352,300 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| 82 | 22-07-2-00000600-3-0 | 600mm | 193,900 | 49 / 49 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 40 / 40 | 1 / 1 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 9,501,100 / 9,501,100 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 | 0 / 0 | 1 / 1 |
| 83 | 22-07-2-00000700-3-0 | 700mm | 280,190 | 9 / 9 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 2,521,710 / 2,521,710 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 | 0 / 0 | 1 / 1 |
| 84 | 22-08-0-00000080-3-0 | 이음관80mm(마개포함) | 26,180 | 43 / 43 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 1,125,740 / 1,125,740 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 20 / 20 | 17 / 17 |
| 85 | 22-08-0-00000100-3-0 | 이음관100mm(마개포함) | 31,810 | 18 / 18 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 572,580 / 572,580 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 10 / 10 | 2 / 2 |
| 86 | 22-08-0-00000150-3-0 | 이음관150mm(마개포함) | 48,980 | 51 / 51 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 12 / 12 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 2,497,980 / 2,497,980 | 0 / 0 | 3 / 3 | 2 / 2 | 0 / 0 | 10 / 10 | 22 / 22 |
| 87 | 22-08-0-00000200-3-0 | 이음관200mm(마개포함) | 66,150 | 28 / 28 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 1,852,200 / 1,852,200 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 10 / 10 | 12 / 12 |
| 88 | 22-08-0-00000250-3-0 | 이음관250mm(마개포함) | 90,080 | 13 / 13 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 1,171,040 / 1,171,040 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 13 / 13 | 0 / 0 |
| 89 | 22-08-0-00000300-3-0 | 이음관300mm(마개포함) | 112,600 | 18 / 18 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 2,026,800 / 2,026,800 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 12 / 12 |
| 90 | 22-08-0-00000350-3-0 | 350mm | 143,570 | 13 / 13 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 1,866,410 / 1,866,410 | 0 / 0 | 1 / 1 | 0 / 0 | 2 / 2 | 0 / 0 | 10 / 10 |
| 91 | 22-08-0-00000400-3-0 | 400mm(마개포함) | 174,530 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 1,047,180 / 1,047,180 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 92 | 22-08-0-00000500-3-0 | 500mm(마개포함) | 253,360 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 2,026,880 / 2,026,880 | 0 / 0 | 3 / 3 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 93 | 22-08-0-00000600-3-0 | 600mm(마개포함) | 354,700 | 19 / 19 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 12 / 12 | 1 / 1 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 6,739,300 / 6,739,300 | 0 / 0 | 0 / 0 | 3 / 3 | 2 / 2 | 0 / 0 | 0 / 0 |
| 94 | 22-08-0-00000700-3-0 | 700mm(마개포함) | 570,780 | 5 / 5 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, K.PO이음관(BPF) | | 개 | 2,853,900 / 2,853,900 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 |
| 95 | 22-09-0-06500080-3-0 | 80*L650 (1F 단관)(마개포함) | 34,256 | 21 / 21 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관, 1F 단관(L650)(BPF) | | 개 | 719,376 / 719,376 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 5 / 5 | 5 / 5 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 7/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|--------------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 96 | 22-09-0-06500100-3-0 | 100*L650 (1F단관)(마개포함) | 41,688 | 28 / 28 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 1,167,264 / 1,167,264 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 3 / 3 | 10 / 10 |
| 97 | 22-09-0-06500150-3-0 | 150*L650 (1F단관)(마개포함) | 65,020 | 13 / 13 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 845,260 / 845,260 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 5 / 5 |
| 98 | 22-09-0-06500200-3-0 | 200*L650 (1F단관)(마개포함) | 91,798 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 458,990 / 458,990 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 99 | 22-09-0-06500250-3-0 | 250*L650 (1F단관)(마개포함) | 123,636 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 247,272 / 247,272 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| 100 | 22-09-0-06500300-3-0 | 300*L650 (1F단관)(마개포함) | 159,190 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 795,950 / 795,950 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| 101 | 22-09-0-06500400-3-0 | 400*L650 (1F단관)(마개포함) | 199,020 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 199,020 / 199,020 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 102 | 22-09-0-06500600-3-0 | 600*L650 (1F단관)(마개포함) | 364,830 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650) (BPF) | | 개 | 1,459,320 / 1,459,320 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 1 / 1 | 0 / 0 |
| 103 | 22-09-0-06500700-3-0 | 700*L650 (1F단관)(마개포함) | 553,924 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650) (BPF) | | 개 | 553,924 / 553,924 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 104 | 22-10-A-01000080-3-0 | A형, 100*80mm(마개포함) | 28,710 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 28,710 / 28,710 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 105 | 22-10-A-01500080-3-0 | A형, 150*80mm(마개포함) | 43,350 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 43,350 / 43,350 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 106 | 22-10-A-01500100-3-0 | A형, 150*100mm(마개포함) | 43,910 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 43,910 / 43,910 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 107 | 22-10-B-02000150-3-0 | B형, 200*150mm(마개포함) | 57,700 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 57,700 / 57,700 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 108 | 22-11-A-01000080-3-0 | A형, 100*80mm | 26,460 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, 플렌지편락관(BPF) | | 개 | 79,380 / 79,380 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 109 | 22-12-A-00800090-3-0 | A형, 80mm *90(마개포함) | 27,860 | 13 / 13 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 362,180 / 362,180 | 9 / 9 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 110 | 22-12-A-01000090-3-0 | A형, 100mm *90(마개포함) | 33,490 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 6 / 6 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 200,940 / 200,940 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 111 | 22-15-0-00000080-3-0 | 80mm, 기타형(마개포함) | 24,770 | 11 / 11 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 272,470 / 272,470 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 2 / 2 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 8/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|-----------------|---------|-------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 112 | 22-15-0-00000100-3-0 | 100mm,기타형(마개포함) | 29,270 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 234,160 / 234,160 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 2 / 2 |
| 113 | 22-15-0-00000150-3-0 | 150mm,기타형(마개포함) | 45,320 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 226,600 / 226,600 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 114 | 22-15-0-00000200-3-0 | 200mm,기타형(마개포함) | 63,340 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 190,020 / 190,020 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 115 | 22-15-0-00000250-3-0 | 250mm,기타형(마개포함) | 85,860 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 171,720 / 171,720 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 116 | 22-15-0-00000300-3-0 | 300mm,기타형(마개포함) | 111,190 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 555,950 / 555,950 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 117 | 22-15-0-00000500-3-0 | 500mm,기타형(마개포함) | 235,060 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 235,060 / 235,060 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 118 | 22-16-0-00000080-3-0 | 80mm | 10,130 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 101,300 / 101,300 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 119 | 22-16-0-00000100-3-0 | 마개플렌지 100mm | 12,100 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 121,000 / 121,000 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 120 | 22-16-0-00000250-3-0 | 마개플렌지250mm | 47,570 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 95,140 / 95,140 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 121 | 22-16-0-00000600-3-0 | 600mm | 239,280 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 478,560 / 478,560 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 |
| 122 | 22-17-0-01000050-3-0 | 100*50mm | 11,260 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 함플렌지(BPF) | | 개 | 56,300 / 56,300 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 123 | 22-25-1-00000080-3-0 | KP형,80mm | 11,260 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| | 닥타일이형관, 캡(BPF) | | 개 | 45,040 / 45,040 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 124 | 22-25-1-00000100-3-0 | KP형,100mm | 14,070 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 140,700 / 140,700 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 125 | 22-25-1-00000150-3-0 | KP형,150mm | 19,700 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 캡(BPF) | | 개 | 98,500 / 98,500 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 126 | 22-25-1-00000200-3-0 | KP형,200mm | 33,780 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 캡(BPF) | | 개 | 168,900 / 168,900 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 127 | 22-25-1-00000250-3-0 | KP형,250mm | 50,670 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 50,670 / 50,670 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 9/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|-------------------|-----------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 128 | 22-25-1-00000300-3-0 | KP형,300mm | 64,740 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, 캡(BPF) | | 개 | 388,440 / 388,440 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 | 0 / 0 |
| 129 | 22-25-1-00000600-3-0 | KP형,600mm | 261,800 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 261,800 / 261,800 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 130 | 22-25-1-00000700-3-0 | KP형,700mm | 447,280 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 447,280 / 447,280 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 131 | 31-01-3-00000080-3-0 | 소프트형,80mm | 137,538 | 17 / 17 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 6 / 6 |
| | 상수도밸브 | | 개 | 2,338,146 / 2,338,146 | 0 / 0 | 0 / 0 | 1 / 1 | 3 / 3 | 6 / 6 | 0 / 0 |
| 132 | 31-01-3-00000100-3-0 | 소프트형,100mm | 171,219 | 32 / 32 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 상수도밸브 | | 개 | 5,479,008 / 5,479,008 | 0 / 0 | 0 / 0 | 5 / 5 | 3 / 3 | 4 / 4 | 5 / 5 |
| 133 | 31-01-3-00000150-3-0 | 소프트형,150mm | 337,613 | 5 / 5 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 상수도밸브 | | 개 | 1,688,065 / 1,688,065 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 2 / 2 | 0 / 0 |
| 134 | 31-01-3-00000200-3-0 | 소프트형,200mm | 473,040 | 3 / 3 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 상수도밸브 | | 개 | 1,419,120 / 1,419,120 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 135 | 31-01-3-00000300-3-0 | 소프트형,300mm | 820,607 | 3 / 3 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 상수도밸브 | | 개 | 2,461,821 / 2,461,821 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 136 | 31-01-4-00000080-3-0 | 소프트형(핸들용),80mm | 137,538 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 137,538 / 137,538 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 137 | 31-01-4-00000100-3-0 | 소프트형(핸들용),100mm | 171,219 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 684,876 / 684,876 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 | 1 / 1 |
| 138 | 31-01-5-00000080-3-0 | 스텐레스형,80mm | 291,566 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 291,566 / 291,566 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| 139 | 31-03-0-00000200-3-0 | 부단수제수밸브,200mm | 5,908,735 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 11,817,470 / 11,817,470 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 140 | 31-03-0-00000250-3-0 | 부단수제수밸브,250mm | 7,334,393 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 7,334,393 / 7,334,393 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 141 | 31-03-0-00000300-3-0 | 부단수제수밸브,300mm | 9,236,609 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 9,236,609 / 9,236,609 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 142 | 31-03-5-00000200-3-0 | 부단수소프트실제수밸브 200mm | 5,834,000 | 0 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 밸브,상수도 밸브,기타제수변,일반식 | | 개 | 0 / 5,834,000 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 1 | 0 / 0 | 0 / 0 |
| 143 | 31-03-F-00000100-3-0 | 다용도소프트실,100mm | 716,649 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 1,433,298 / 1,433,298 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 1 / 1 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 10/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|----------------------------|-----------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 144 | 31-03-F-00000150-3-0 | 다용도소프트실, 150mm | 842,836 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 3,371,344 / 3,371,344 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 | 1 / 1 |
| 145 | 31-05-A-00000080-3-0 | 급속공기밸브, 80mm | 189,115 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 상수도밸브, 공기밸브 | | 개 | 189,115 / 189,115 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 146 | 31-05-A-00000100-3-0 | 급속공기밸브, 100mm | 236,671 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브, 공기밸브 | | 개 | 1,183,355 / 1,183,355 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 147 | 31-05-Q-00000080-3-0 | 보수차단밸브일체형, 80mm | 443,381 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 상수도밸브, 공기밸브 | | 개 | 443,381 / 443,381 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 148 | 31-05-Q-00000100-3-0 | 보수차단밸브일체형, 100mm | 518,786 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 상수도밸브, 공기밸브 | | 개 | 2,075,144 / 2,075,144 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |
| 149 | 31-05-Q-00000150-3-0 | 보수차단밸브일체형, 150mm | 1,075,778 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브, 공기밸브 | | 개 | 2,151,556 / 2,151,556 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 |
| 150 | 31-12-0-00000100-3-0 | 수직 불타입, 100mm | 411,409 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 822,818 / 822,818 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 151 | 32-03-C-00000100-3-0 | 지상식(일반형), 100mm | 546,270 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 특수용도밸브, 옥외소화전 | | 개 | 546,270 / 546,270 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 152 | 32-03-D-00000100-3-0 | 지하식, 100mm | 281,960 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 특수용도밸브, 옥외소화전 | | 개 | 845,880 / 845,880 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| 153 | 41-01-0-01000648-4-0 | 제수밸브용, 원형받침, D648mm×H250mm | 239,210 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 원형철개 | | 조 | 3,348,940 / 3,348,940 | 1 / 1 | 0 / 0 | 0 / 0 | 5 / 5 | 3 / 3 | 0 / 0 |
| 154 | 41-01-0-03180410-4-0 | 318×410, 제수밸브 중형철개 | 279,400 | 13 / 13 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 원형철개 | | 조 | 3,632,200 / 3,632,200 | 3 / 3 | 0 / 0 | 0 / 0 | 4 / 4 | 3 / 3 | 0 / 0 |
| 155 | 41-01-1-01000648-4-0 | 퇴수밸브용, 원형받침, D648mm×H250mm | 239,210 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 3 / 3 |
| | 원형철개 | | 조 | 1,196,050 / 1,196,050 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| 156 | 41-01-2-01000648-4-0 | 소화전용, 원형받침, D648mm×H150mm | 244,191 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 원형철개 | | 조 | 732,573 / 732,573 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 157 | 41-01-2-20000648-3-0 | 밸브실고정형, 부식방지, 공기밸브용 | 397,133 | 7 / 7 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 원형철개 | | 조 | 2,779,931 / 2,779,931 | 2 / 2 | 1 / 1 | 0 / 0 | 3 / 3 | 0 / 0 | 0 / 0 |
| 158 | 41-01-3-20000648-3-0 | 밸브실고정형(높이조절용), 부식방지, 공기밸브용 | 527,835 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 원형철개 | | 조 | 527,835 / 527,835 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 159 | 81-09-6-00250110-4-0 | 구상흑연주철, Φ25mm×심도1.1m | 136,734 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 수도계량기보호통 | | 조 | 2,051,010 / 2,051,010 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2022년 10월 12일

출력시간: 11시 16분 18초

페이지: 11/11

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----------------|----------------------|----------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 160 | 81-09-6-00300110-4-0 | 구상흑연주철, Φ30mm×심도1.1m | 177,955 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 수도계량기보호통 | | 조 | 889,775 / 889,775 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 161 | 81-09-6-00400110-4-0 | 구상흑연주철, Φ40mm×심도1.1m | 269,447 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 수도계량기보호통 | | 조 | 1,616,682 / 1,616,682 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| 162 | 81-09-6-00500110-4-0 | 구상흑연주철, Φ50mm×심도1.1m | 299,609 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 수도계량기보호통 | | 조 | 299,609 / 299,609 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 163 | 81-09-8-00150110-4-0 | 역지변설치, Φ15mm×심도1.1m | 101,545 | 330 / 330 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 40 / 40 |
| | 수도계량기보호통(역류방지밸브설치형) | | 조 | 33,509,850 / 33,509,850 | 20 / 20 | 50 / 50 | 60 / 60 | 50 / 50 | 90 / 90 | 10 / 10 |
| 164 | 81-09-8-00200080-4-0 | 역지변설치, Φ20mm×심도0.8m | 124,669 | 40 / 40 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 수도계량기보호통(역류방지밸브설치형) | | 조 | 4,986,760 / 4,986,760 | 0 / 0 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 165 | 81-09-8-00200100-4-0 | 역지변설치, Φ20mm×심도1.1m | 141,761 | 85 / 85 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 수도계량기보호통(역류방지밸브설치형) | | 조 | 12,049,685 / 12,049,685 | 0 / 0 | 30 / 30 | 25 / 25 | 0 / 0 | 30 / 30 | 0 / 0 |
| 166 | 81-09-9-00150110-4-0 | 역지변미설치, Φ15mm×심도1.1m | 115,000 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 30 / 30 |
| | 수도계량기보호통(역류방지밸브 미설치) | | 조 | 3,450,000 / 3,450,000 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 합 계 (전) | | | | 5,423 | 0 | 0 | 294 | 0 | 739 | 630 |
| | | | | 293,946,355 | 115 | 307 | 544 | 89 | 1,248 | 1,457 |
| 합 계 (후) | | | | 5,424 | 0 | 0 | 294 | 0 | 739 | 630 |
| | | | | 299,780,355 | 115 | 307 | 544 | 90 | 1,248 | 1,457 |