

: 2019 12 02  
 : 10 08 00  
 : 1 / 5

: ,  
 : ( )  
 : ~

( 2019-7332-2-0005 )

: -24974

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
1	12-01-6-00000400-1-6	( -2 )KP,400mm	827,580	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )	,		827,580 / 827,580	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-6-00000600-1-6	( -2 )KP,600mm	1,527,380	95 / 95	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )	,		145,101,100 / 145,101,100	0 / 0	41 / 41	54 / 54	0 / 0	0 / 0	0 / 0
3	12-01-6-00000800-1-6	( -2 )KP,800mm	2,428,520	95 / 95	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2 )	,		230,709,400 / 230,709,400	0 / 0	95 / 95	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000200-1-6	( -3 ) ,2	325,740	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 )	,		977,220 / 977,220	0 / 0	1 / 1	2 / 2	0 / 0	0 / 0	0 / 0
5	12-01-7-00000300-1-6	( -3 ) ,3	537,980	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 )	,		8,069,700 / 8,069,700	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0
6	22-01-Y-02000045-3-0	B (L ) ,200mm*45(	84,180	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,010,160 / 1,010,160	0 / 0	4 / 4	8 / 8	0 / 0	0 / 0	0 / 0
7	22-01-Y-03000022-3-0	B (L ) ,300mm*22(	135,240	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,081,920 / 1,081,920	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0
8	22-01-Y-03000045-3-0	B (L ) ,300mm*45(	157,320	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,517,120 / 2,517,120	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-Y-04000045-3-0	B (L ) ,400mm*45(	262,200	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,048,800 / 1,048,800	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
10	22-01-Y-06000022-3-0	B (L ) ,600mm*22(	455,400	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		9,108,000 / 9,108,000	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-Y-06000045-3-0	B (L ) ,600mm*45(	579,600	12 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		6,955,200 / 9,273,600	0 / 0	12 / 12	0 / 0	0 / 0	0 / 0	0 / 4
12	22-01-Y-08000022-3-0	B (L ) ,800mm*22	767,250	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		7,672,500 / 7,672,500	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
13	22-01-Y-08000045-3-0	B (L ) ,800mm*45	1,202,500	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,810,000 / 4,810,000	0 / 0	2 / 2	0 / 0	2 / 2	0 / 0	0 / 0
14	22-02-B-02000100-3-0	B ,200mm*100mm(	106,260	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		106,260 / 106,260	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
15	22-02-B-03000100-3-0	B ,300mm*100mm(	173,880	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			347,760 / 347,760	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
16	22-02-B-06000100-3-0	B ,600*100mm(	469,200	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			2,815,200 / 2,815,200	0 / 0	4 / 4	0 / 0	2 / 2	0 / 0
17	22-02-B-06000300-3-0	B ,600*300mm(	651,360	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,954,080 / 1,954,080	0 / 0	1 / 1	0 / 0	1 / 1	1 / 1
18	22-02-B-06000400-3-0	B ,600*400mm(	723,570	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,447,140 / 1,447,140	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
19	22-02-B-08000300-3-0	B ,800*300mm	1,157,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			5,785,000 / 5,785,000	0 / 0	3 / 3	0 / 0	0 / 0	2 / 2
20	22-02-B-08000600-3-0	B ,800*600mm	1,865,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,865,500 / 1,865,500	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
21	22-02-B-08000800-3-0	B ,800*800mm	1,971,880	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T ( BPF)			3,943,760 / 3,943,760	0 / 0	1 / 1	0 / 0	0 / 0	1 / 1
22	22-04-0-00000200-3-0	,200mm	14,050	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			56,200 / 56,200	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
23	22-04-0-00000600-3-0	,600mm	45,930	94 / 94	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			4,317,420 / 4,317,420	0 / 0	94 / 94	0 / 0	0 / 0	0 / 0
24	22-04-0-00000800-3-0	,800mm	81,920	65 / 65	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			5,324,800 / 5,324,800	0 / 0	49 / 49	0 / 0	16 / 16	0 / 0
25	22-04-2-00000200-3-0	,200mm	2,400	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			9,600 / 9,600	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
26	22-04-2-00000300-3-0	,300mm	3,820	102 / 102	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			389,640 / 389,640	0 / 0	102 / 102	0 / 0	0 / 0	0 / 0
27	22-04-2-00000400-3-0	,400mm	5,170	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			103,400 / 103,400	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
28	22-04-2-00000600-3-0	,600mm	8,810	224 / 224	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,973,440 / 1,973,440	0 / 0	224 / 224	0 / 0	0 / 0	0 / 0
29	22-04-2-00000800-3-0	,800mm	14,530	85 / 85	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,235,050 / 1,235,050	0 / 0	85 / 85	0 / 0	0 / 0	0 / 0
30	22-04-3-00240085-3-0	,24*85	1,110	672 / 672	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			745,920 / 745,920	0 / 0	672 / 672	0 / 0	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
31	22-04-3-00240105-3-0	,24*105	1,295	3,336 / 3,336	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		4,320,120 / 4,320,120	0 / 0	3,336 / 3,336	0 / 0	0 / 0	0 / 0
32	22-04-3-00270125-3-0	,27*125	1,818	1,700 / 1,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		3,090,600 / 3,090,600	0 / 0	1,700 / 1,700	0 / 0	0 / 0	0 / 0
33	22-05-0-02000500-3-0	200mm*L500 (2F)(	84,180	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		168,360 / 168,360	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
34	22-05-0-03000500-3-0	300mm*L500 (2F)(	148,350	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		445,050 / 445,050	0 / 0	2 / 2	0 / 0	1 / 1	0 / 0
35	22-05-0-04000500-3-0	400mm*L500 (2F)(	205,482	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		410,964 / 410,964	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
36	22-07-2-00000200-3-0	200mm	39,190	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		391,900 / 391,900	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
37	22-07-2-00000300-3-0	300mm	56,740	102 / 102	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		5,787,480 / 5,787,480	0 / 0	102 / 102	0 / 0	0 / 0	0 / 0
38	22-07-2-00000400-3-0	400mm	91,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		1,820,000 / 1,820,000	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
39	22-07-2-00000600-3-0	600mm	192,860	130 / 130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		25,071,800 / 25,071,800	0 / 0	130 / 130	0 / 0	0 / 0	0 / 0
40	22-07-2-00000800-3-0	800mm	366,510	66 / 66	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		24,189,660 / 24,189,660	0 / 0	36 / 36	0 / 0	30 / 30	0 / 0
41	22-08-0-00000200-3-0	200mm(	64,860	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		259,440 / 259,440	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
42	22-08-0-00000300-3-0	300mm(	110,400	36 / 36	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		3,974,400 / 3,974,400	0 / 0	36 / 36	0 / 0	0 / 0	0 / 0
43	22-08-0-00000400-3-0	400mm( )	171,120	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		1,368,960 / 1,368,960	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
44	22-08-0-00000600-3-0	600mm( )	347,760	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		17,388,000 / 17,388,000	0 / 0	45 / 45	0 / 0	0 / 0	5 / 5
45	22-08-0-00000800-3-0	800mm	656,500	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		9,191,000 / 9,191,000	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0
46	22-09-0-06500200-3-0	200*L650 (1F ) (	90,003	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,1F (L650) (BPF)		180,006 / 180,006	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
47	22-09-0-06500300-3-0	300*L650 (1F ) (	156,078	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			1,248,624 / 1,248,624	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0
48	22-09-0-06500400-3-0	400*L650 (1F ) (	195,132	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			390,264 / 390,264	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
49	22-09-0-06500600-3-0	600*L650 (1F ) (	357,696	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,146,176 / 2,146,176	0 / 0	2 / 2	0 / 0	0 / 0	4 / 4	0 / 0
50	22-09-0-06500800-3-0	800*L650 (1F )	682,330	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 1F (L650) (BPF)			1,364,660 / 1,364,660	0 / 0	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0
51	22-10-A-03000200-3-0	A ,300*200mm(	110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			110,400 / 110,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
52	22-10-A-08000600-3-0	A ,800*600mm(BPF)	771,340	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			2,314,020 / 2,314,020	0 / 0	1 / 1	0 / 0	1 / 1	1 / 1	0 / 0
53	22-14-0-00000200-3-0	200mm	3,940	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			3,940 / 3,940	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
54	22-14-0-00000300-3-0	300mm	6,490	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			97,350 / 97,350	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0
55	22-15-0-00000300-3-0	300mm, (	92,035	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			184,070 / 184,070	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
56	22-19-B-06000200-3-0	B ,600*200mm(	604,440	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			2,417,760 / 2,417,760	0 / 0	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
57	31-01-3-00000100-3-0	,100mm	189,200	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				189,200 / 189,200	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
58	31-01-3-00000200-3-0	,200mm	522,700	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,568,100 / 1,568,100	0 / 0	0 / 0	1 / 1	2 / 2	0 / 0	0 / 0
59	31-01-3-00000300-3-0	,300mm	906,800	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,254,400 / 7,254,400	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0
60	31-01-5-00000200-3-0	,200mm	823,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,647,000 / 1,647,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
61	31-02-D-00000400-3-0	, , 40	3,465,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			6,930,000 / 6,930,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
62	31-02-D-00000600-3-0	, , 60	6,567,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			6,567,000 / 6,567,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

: 2019 12 02  
: 10 08 00  
: 5 / 5

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
63	31-05-Q-00000100-3-0	,1	516,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,096,000 / 3,096,000	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
64	41-01-2-10000648-3-0	,	395,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,950,000 / 3,950,000	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
65	41-01-2-10000648-4-0	,	395,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,370,000 / 2,370,000	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
66	41-01-2-20000648-3-0	,	395,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				790,000 / 790,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
67	41-01-3-10000648-3-0	(	525,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				525,000 / 525,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
( )				7,158	0	0	0	0	0
				595,530,574	0	7,007	78	56	17
( )				7,162	0	0	0	0	0
				597,848,974	0	7,007	78	56	17