

: 2019 12 05
 : 18 17 30
 : 1 / 9

: ,
 : ()
 :

() (2019-7600-0-0001)

: -21515

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		133,650	80 / 80	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
	(3) ,			10,692,000 / 10,692,000	20 / 20	20 / 20	0 / 0	20 / 20	0 / 0	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		165,390	70 / 70	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	(3) ,			11,577,300 / 11,577,300	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		250,040	102 / 102	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0
	(3) ,			25,504,080 / 25,504,080	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		335,010	160 / 160	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	(3) ,			53,601,600 / 53,601,600	0 / 0	0 / 0	0 / 0	60 / 60	70 / 70	0 / 0
5	12-01-7-00000300-1-6 (-3) ,3		553,360	44 / 44	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	(3) ,			24,347,840 / 24,347,840	0 / 0	0 / 0	0 / 0	14 / 14	0 / 0	0 / 0
6	22-01-B-00800022-3-0 B ,80mm *22` (23,736	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			23,736 / 23,736	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
7	22-01-B-00800045-3-0 B ,80mm *45` (20,970	80 / 80	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,677,600 / 1,677,600	25 / 25	0 / 0	10 / 10	4 / 4	11 / 11	0 / 0
8	22-01-B-01000022-3-0 B ,100mm *22		29,256	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			29,256 / 29,256	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-B-01000045-3-0 B ,100mm *45		26,562	50,000 / 50,000	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,328,100,000 / 1,328,100,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
10	22-01-Y-01500022-3-0 B (L) ,150mm*22(52,992	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			264,960 / 264,960	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-Y-01500045-3-0 B (L) ,150mm*45(48,930	75 / 75	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			3,669,750 / 3,669,750	0 / 0	0 / 0	0 / 0	21 / 21	24 / 24	0 / 0
12	22-01-Y-02000022-3-0 B (L) ,200mm*22(75,900	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			759,000 / 759,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
13	22-01-Y-02000045-3-0 B (L) ,200mm*45(71,065	130 / 130	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			9,238,450 / 9,238,450	0 / 0	0 / 0	0 / 0	40 / 40	60 / 60	0 / 0
14	22-01-Y-03000045-3-0 B (L) ,300mm*45(132,810	70 / 70	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			9,296,700 / 9,296,700	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-05-0-03000500-3-0	300mm*L500 (2F)(125,237	7 / 7	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	, 2F (BPF)			876,659 / 876,659	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
48	22-06-0-00000080-3-0	F ,80mm	620	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	,			18,600 / 18,600	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
49	22-06-0-00000100-3-0	F ,100mm	840	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			16,800 / 16,800	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
50	22-06-0-00000200-3-0	F ,200mm	2,010	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			20,100 / 20,100	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
51	22-07-2-00000080-3-0	80mm	21,160	217 / 217	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,			4,591,720 / 4,591,720	130 / 130	0 / 0	15 / 15	12 / 12	10 / 10
52	22-07-2-00000100-3-0	100mm	23,450	155 / 155	0 / 0	0 / 0	150 / 150	0 / 0	0 / 0
	,			3,634,750 / 3,634,750	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
53	22-07-2-00000150-3-0	150mm	30,220	295 / 295	0 / 0	0 / 0	150 / 150	0 / 0	0 / 0
	,			8,914,900 / 8,914,900	0 / 0	0 / 0	0 / 0	85 / 85	60 / 60
54	22-07-2-00000200-3-0	200mm	39,190	390 / 390	0 / 0	0 / 0	150 / 150	0 / 0	0 / 0
	,			15,284,100 / 15,284,100	0 / 0	0 / 0	0 / 0	100 / 100	140 / 140
55	22-07-2-00000300-3-0	300mm	56,740	150 / 150	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			8,511,000 / 8,511,000	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
56	22-07-2-00000500-3-0	500mm	155,980	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			623,920 / 623,920	1 / 1	0 / 0	0 / 0	0 / 0	3 / 3
57	22-08-0-00000080-3-0	80mm()	21,669	70 / 70	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
	,K.P (BPF)			1,516,830 / 1,516,830	30 / 30	0 / 0	10 / 10	0 / 0	0 / 0
58	22-08-0-00000100-3-0	100mm()	26,329	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,K.P (BPF)			1,316,450 / 1,316,450	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-08-0-00000150-3-0	150mm()	48,720	92 / 92	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,K.P (BPF)			4,482,240 / 4,482,240	0 / 0	0 / 0	0 / 0	32 / 32	10 / 10
60	22-08-0-00000200-3-0	200mm()	54,755	160 / 160	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,K.P (BPF)			8,760,800 / 8,760,800	0 / 0	0 / 0	0 / 0	60 / 60	50 / 50
61	22-08-0-00000300-3-0	300mm()	112,000	30 / 30	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
	,K.P (BPF)			3,360,000 / 3,360,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-09-0-06500080-3-0	80*L650 (1F) (34,076	22 / 22	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,1F (L650) (BPF)			749,672 / 749,672	0 / 0	0 / 0	0 / 0	2 / 2	10 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-09-0-06500100-3-0	100*L650 (1F) (41,468	22 / 22	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	,1F (L650) (BPF)			912,296 / 912,296	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
64	22-09-0-06500150-3-0	150*L650 (1F) (64,680	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	,1F (L650) (BPF)			1,293,600 / 1,293,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	22-09-0-06500200-3-0	200*L650 (1F) (75,981	30 / 30	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	,1F (L650) (BPF)			2,279,430 / 2,279,430	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0
66	22-09-0-06500300-3-0	300*L650 (1F) (158,340	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,1F (L650) (BPF)			1,583,400 / 1,583,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
67	22-10-A-01000080-3-0	A ,100*80mm(28,152	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	, K.P (BPF)			563,040 / 563,040	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-10-A-01500080-3-0	A ,150*80mm(42,504	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			255,024 / 255,024	1 / 1	0 / 0	0 / 0	0 / 0	5 / 5
69	22-10-A-02000080-3-0	A ,200*80mm(59,340	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			593,400 / 593,400	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
70	22-10-A-02000100-3-0	A ,200*100mm(60,720	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			364,320 / 364,320	1 / 1	0 / 0	0 / 0	0 / 0	5 / 5
71	22-10-A-02000150-3-0	A ,200*150mm(62,100	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			372,600 / 372,600	0 / 0	0 / 0	0 / 0	1 / 1	5 / 5
72	22-10-A-03000100-3-0	A ,300*100mm(110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			110,400 / 110,400	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
73	22-10-A-03000200-3-0	A ,300*200mm(110,400	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			331,200 / 331,200	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
74	22-10-A-05000300-3-0	A ,500*300mm(295,320	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			295,320 / 295,320	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
75	22-10-B-05000400-3-0	B ,500*400mm	250,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			250,600 / 250,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
76	22-11-A-01000080-3-0	A ,100*80mm	21,902	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, (BPF)			43,804 / 43,804	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
77	22-11-A-03000200-3-0	A ,300*200mm	142,140	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			142,140 / 142,140	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
78	22-11-A-05000300-3-0	A ,500*300MM	271,680	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			271,680 / 271,680	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-12-A-00800090-3-0 A ,80mm *90(27,324	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		81,972 / 81,972	1 / 1	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
80	22-12-A-01000090-3-0 A ,100mm *90(32,844	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		492,660 / 492,660	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	22-13-0-01000090-3-0 100mm*90()	49,128	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		49,128 / 49,128	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
82	22-14-0-00000080-3-0 80mm	1,710	47 / 47	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
	, (BPF)		80,370 / 80,370	10 / 10	0 / 0	0 / 0	10 / 10	7 / 7	0 / 0
83	22-14-0-00000100-3-0 100mm	2,320	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	, (BPF)		116,000 / 116,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
84	22-14-0-00000150-3-0 150mm	3,840	60 / 60	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
	, (BPF)		230,400 / 230,400	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
85	22-14-0-00000200-3-0 200mm	3,940	130 / 130	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	, (BPF)		512,200 / 512,200	0 / 0	0 / 0	0 / 0	40 / 40	60 / 60	0 / 0
86	22-14-0-00000300-3-0 300mm	6,490	39 / 39	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
	, (BPF)		253,110 / 253,110	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
87	22-15-0-00000080-3-0 80mm, (20,504	6 / 6	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	, (BPF)		123,024 / 123,024	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
88	22-15-0-00000100-3-0 100mm, (24,232	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	, (BPF)		242,320 / 242,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
89	22-15-0-00000150-3-0 150mm, (37,513	12 / 12	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	, (BPF)		450,156 / 450,156	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
90	22-15-0-00000200-3-0 200mm, (52,425	12 / 12	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	, (BPF)		629,100 / 629,100	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
91	22-15-0-00000300-3-0 300mm, (92,035	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	, (BPF)		460,175 / 460,175	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
92	22-17-0-00800050-3-0 80*50mm	9,108	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		18,216 / 18,216	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
93	22-19-0-02000100-3-0 A , 200mm*100mm	93,840	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)		563,040 / 563,040	0 / 0	0 / 0	0 / 0	1 / 1	5 / 5	0 / 0
94	22-19-B-01500080-3-0 B ,150*80mm	75,900	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)		151,800 / 151,800	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	31-04-Z-00100080-3-0	,10K	329,100	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				658,200 / 658,200	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
112	31-04-Z-00200100-3-0	(357,800	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,504,600 / 2,504,600	2 / 2	0 / 0	0 / 0	0 / 0	5 / 5
113	31-05-Q-00000080-3-0	,8	441,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				441,000 / 441,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
114	31-05-Q-00000100-3-0	,1	516,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				516,000 / 516,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
115	32-03-D-00000100-3-0	,100mm	301,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				301,400 / 301,400	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
116	41-01-0-01000648-4-0	,,	315,000	23 / 23	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
				7,245,000 / 7,245,000	0 / 0	0 / 0	0 / 0	2 / 2	1 / 1
117	41-01-0-03180300-4-0	318x 160,	260,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				520,800 / 520,800	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
118	41-01-0-03180410-4-0	318x 410,	277,900	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				1,389,500 / 1,389,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
119	41-01-1-01000648-4-0	,,	310,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				310,000 / 310,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
120	41-01-1-03180560-4-0	318x 560,	299,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				598,800 / 598,800	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
121	41-01-2-01000648-4-0	,,D6	307,000	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
				1,535,000 / 1,535,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
122	41-01-2-03180410-4-0	318x 410,	277,900	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				277,900 / 277,900	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
123	41-01-3-10000648-3-0	(525,000	32 / 32	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
				16,800,000 / 16,800,000	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
124	41-01-3-10000648-4-0	(525,000	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
				2,625,000 / 2,625,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
125	41-01-3-20000648-3-0	(525,000	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
				2,625,000 / 2,625,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
126	41-05-0-00000648-4-0		297,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				891,000 / 891,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0

: 2019 12 05
 : 18 17 30
 : 9 / 9

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	81-09-6-00400050-3-0	91,200	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,824,000 / 1,824,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
()			59,615	0	0	4,630	6	5	91
			1,686,407,317	373	20	155	1,733	1,630	1,022
()			59,615	0	0	4,630	6	5	91
			1,686,407,317	373	20	155	1,733	1,630	1,022