



: 2018 11 20  
 : 08 27 16  
 : 2 / 10

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
15	22-02-B-01500100-3-0 B ,150*100mm(	81,638	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		81,638 / 81,638	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
16	22-02-B-02000080-3-0 B ,200mm*80mm(	102,200	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		306,600 / 306,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
17	22-02-B-02000100-3-0 B ,200mm*100mm(	108,382	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		108,382 / 108,382	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-02000150-3-0 B ,200mm*150mm(	122,457	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		122,457 / 122,457	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-02-B-03000150-3-0 B ,300mm*150mm(	195,650	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		195,650 / 195,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-02-B-03000200-3-0 B ,300mm*200mm(	215,356	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		215,356 / 215,356	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-03000300-3-0 B ,300mm*300mm(	267,436	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, T (BPF)		267,436 / 267,436	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-04-0-00000080-3-0 ,80mm	7,912	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, K.P		221,536 / 221,536	10 / 10	6 / 6	0 / 0	0 / 0	2 / 2	0 / 0
23	22-04-0-00000100-3-0 ,100mm	9,189	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, K.P		229,725 / 229,725	10 / 10	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
24	22-04-0-00000150-3-0 ,150mm	13,110	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, K.P		288,420 / 288,420	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
25	22-04-0-00000200-3-0 ,200mm	16,478	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, K.P		494,340 / 494,340	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
26	22-04-0-00000250-3-0 ,250mm	23,285	12 / 12	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
	, K.P		279,420 / 279,420	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
27	22-04-0-00000300-3-0 ,300mm	26,250	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, K.P		787,500 / 787,500	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
28	22-04-0-00000600-3-0 ,600mm	49,867	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		149,601 / 149,601	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	2 / 2
29	22-04-2-00000080-3-0 ,80mm	1,216	135 / 135	0 / 0	0 / 0	0 / 0	5 / 5	10 / 10	10 / 10
	, K.P		164,160 / 164,160	10 / 10	45 / 45	0 / 0	0 / 0	19 / 19	36 / 36
30	22-04-2-00000100-3-0 ,100mm	1,357	85 / 85	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
	, K.P		115,345 / 115,345	10 / 10	15 / 15	10 / 10	0 / 0	20 / 20	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
31	22-04-2-00000150-3-0	,150mm	1,819	83 / 83	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	, K.P			150,977 / 150,977	10 / 10	10 / 10	10 / 10	0 / 0	11 / 11
32	22-04-2-00000200-3-0	,200mm	2,412	120 / 120	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	, K.P			289,440 / 289,440	10 / 10	10 / 10	10 / 10	0 / 0	27 / 27
33	22-04-2-00000250-3-0	,250mm	2,825	17 / 17	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	, K.P			48,025 / 48,025	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
34	22-04-2-00000300-3-0	,300mm	3,840	56 / 56	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	, K.P			215,040 / 215,040	10 / 10	0 / 0	10 / 10	0 / 0	6 / 6
35	22-04-2-00000400-3-0	,400mm	5,197	3 / 3	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	, K.P			15,591 / 15,591	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-2-00000500-3-0	,500mm	7,972	20 / 20	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	, K.P			159,440 / 159,440	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
37	22-04-2-00000600-3-0	,600mm	8,857	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			44,285 / 44,285	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
38	22-04-3-00240085-3-0	,24*85	1,115	2,080 / 2,080	0 / 0	0 / 0	0 / 0	200 / 200	300 / 300
	, K.P			2,319,200 / 2,319,200	200 / 200	300 / 300	200 / 200	0 / 0	100 / 100
39	22-04-3-00240105-3-0	,24*105	1,301	162 / 162	0 / 0	0 / 0	0 / 0	50 / 50	50 / 50
	, K.P			210,762 / 210,762	0 / 0	0 / 0	0 / 0	0 / 0	42 / 42
40	22-05-0-00800500-3-0	80mm*L500 (2F)(	34,738	23 / 23	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			798,974 / 798,974	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
41	22-05-0-01000300-3-0	100mm*L300 (2F)(	32,256	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			967,680 / 967,680	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
42	22-05-0-01000500-3-0	100mm*L500 (2F)(	41,663	13 / 13	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			541,619 / 541,619	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
43	22-05-0-01500500-3-0	150mm*L500 (2F)(	61,167	3 / 3	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			183,501 / 183,501	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
44	22-05-0-02000500-3-0	200mm*L500 (2F)(	83,101	3 / 3	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			249,303 / 249,303	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
45	22-05-0-03000500-3-0	300mm*L500 (2F)(	146,448	4 / 4	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			585,792 / 585,792	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
46	22-05-0-05000500-3-0	500mm*500mm(	285,453	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, 2F (BPF)			570,906 / 570,906	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0



		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
63	22-08-0-00000600-3-0	600mm( )	354,705	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		709,410 / 709,410	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
64	22-09-0-06500080-3-0	80*L650 (1F ) (	34,260	53 / 53	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	,1F	(L650) (BPF)		1,815,780 / 1,815,780	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
65	22-09-0-06500100-3-0	100*L650 (1F ) (	41,691	55 / 55	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	,1F	(L650) (BPF)		2,293,005 / 2,293,005	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
66	22-09-0-06500150-3-0	150*L650 (1F ) (	65,029	31 / 31	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	,1F	(L650) (BPF)		2,015,899 / 2,015,899	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
67	22-09-0-06500200-3-0	200*L650 (1F ) (	91,801	36 / 36	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	,1F	(L650) (BPF)		3,304,836 / 3,304,836	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1
68	22-09-0-06500250-3-0	250*L650 (1F ) (	119,665	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,1F	(L650) (BPF)		598,325 / 598,325	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
69	22-09-0-06500300-3-0	300*L650 (1F ) (	159,195	30 / 30	0 / 0	0 / 0	0 / 0	20 / 20	10 / 10
	,1F	(L650) (BPF)		4,775,850 / 4,775,850	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	22-09-0-06500400-3-0	400*L650 (1F ) (	199,028	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,990,280 / 1,990,280	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
71	22-09-0-06500500-3-0	500*L650 (1F ) (	272,897	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,1F	(L650) (BPF)		1,364,485 / 1,364,485	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	22-09-0-06500600-3-0	600*L650 (1F ) (	364,839	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		729,678 / 729,678	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
73	22-15-0-00000080-3-0	80mm, (	23,976	45 / 45	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3
	,	(BPF)		1,078,920 / 1,078,920	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
74	22-15-0-00000100-3-0	100mm, (	28,336	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3
	,	(BPF)		283,360 / 283,360	0 / 0	1 / 1	0 / 0	0 / 0	4 / 4
75	22-15-0-00000150-3-0	150mm, (	43,866	7 / 7	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3
	,	(BPF)		307,062 / 307,062	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
76	22-15-0-00000200-3-0	200mm, (	61,304	31 / 31	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3
	,	(BPF)		1,900,424 / 1,900,424	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
77	22-15-0-00000250-3-0	250mm, (	80,034	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		800,340 / 800,340	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
78	22-15-0-00000300-3-0	300mm, (	103,651	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3
	,	(BPF)		1,036,510 / 1,036,510	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
79	22-15-0-00000400-3-0	400mm, (	164,684	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,646,840 / 1,646,840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
80	22-15-0-00000500-3-0	500mm, (	209,037	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	(BPF)		418,074 / 418,074	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	31-01-3-00000080-3-0	,80mm	152,820	57 / 57	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5
				8,710,740 / 8,710,740	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2	30 / 30
82	31-01-3-00000100-3-0	,100mm	190,221	160 / 160	0 / 0	0 / 0	0 / 0	7 / 7	5 / 5	12 / 12
				30,435,360 / 30,435,360	12 / 12	10 / 10	0 / 0	0 / 0	24 / 24	90 / 90
83	31-01-3-00000150-3-0	,150mm	375,114	13 / 13	0 / 0	0 / 0	0 / 0	7 / 7	5 / 5	0 / 0
				4,876,482 / 4,876,482	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
84	31-01-3-00000200-3-0	,200mm	525,522	19 / 19	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	10 / 10
				9,984,918 / 9,984,918	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
85	31-01-3-00000250-3-0	,250mm	766,416	6 / 6	0 / 0	0 / 0	0 / 0	1 / 1	2 / 2	0 / 0
				4,598,496 / 4,598,496	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
86	31-01-3-00000300-3-0	,300mm	911,696	13 / 13	0 / 0	0 / 0	0 / 0	3 / 3	2 / 2	0 / 0
				11,852,048 / 11,852,048	0 / 0	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0
87	31-01-3-00000500-3-0	,500mm	3,005,944	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				3,005,944 / 3,005,944	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
88	31-01-4-00000080-3-0	( ),80mm	152,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				760,000 / 760,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
89	31-01-4-00000100-3-0	( ),100	190,221	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				380,442 / 380,442	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
90	31-01-4-00000150-3-0	( ),150	375,114	15 / 15	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				5,626,710 / 5,626,710	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	13 / 13
91	31-01-4-00000200-3-0	( ),200	525,522	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				1,051,044 / 1,051,044	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
92	31-01-4-00000250-3-0	( ),250	766,416	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				1,532,832 / 1,532,832	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
93	31-01-4-00000300-3-0	( ),300	911,696	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				1,823,392 / 1,823,392	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
94	31-01-5-00000080-3-0	,80mm	317,505	14 / 14	0 / 0	0 / 0	0 / 0	2 / 2	5 / 5	0 / 0
				4,445,070 / 4,445,070	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	5 / 5







: 2018 11 20  
 : 08 27 16  
 : 9 / 10

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
127	31-05-A-00000100-3-0	,100mm	236,671	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				236,671 / 236,671	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
128	31-05-A-00000150-3-0	,150mm	552,970	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				552,970 / 552,970	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
129	31-05-A-00000200-3-0	,200mm	1,105,940	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				1,105,940 / 1,105,940	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
130	31-05-Q-00000080-3-0	,8	443,381	9 / 9	0 / 0	0 / 0	3 / 3	3 / 3	0 / 0
				3,990,429 / 3,990,429	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
131	31-05-Q-00000100-3-0	,1	518,786	8 / 8	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3
				4,150,288 / 4,150,288	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
132	31-05-Q-00000150-3-0	,1	1,075,778	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
				2,151,556 / 2,151,556	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
133	31-18-c-00000900-3-0	SSC13,	27,400,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		BFV		27,400,000 / 27,400,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
134	32-03-D-00000100-3-0	,100mm	289,300	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,786,000 / 5,786,000	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
135	41-01-0-00000648-4-0	, ,	387,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,870,000 / 3,870,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
136	41-01-0-01000648-4-0	, ,	295,000	170 / 170	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				50,150,000 / 50,150,000	0 / 0	0 / 0	80 / 80	0 / 0	90 / 90
137	41-01-0-03180410-4-0	318x 410,	277,900	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,781,200 / 7,781,200	0 / 0	0 / 0	18 / 18	0 / 0	10 / 10
138	41-01-0-03180560-4-0	318x 560,	299,400	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,491,000 / 4,491,000	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
139	41-01-2-01000648-4-0	, ,D6	307,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,140,000 / 6,140,000	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
140	41-01-2-10000648-3-0	, ,	395,000	160 / 160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				63,200,000 / 63,200,000	0 / 0	0 / 0	0 / 0	160 / 160	0 / 0
141	41-01-2-10000648-4-0	, ,	395,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,950,000 / 3,950,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
142	41-01-2-20000648-3-0	, ,	395,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,950,000 / 3,950,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0

: 2018 11 20  
 : 08 27 16  
 : 10 / 10

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )	
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )	
143	41-01-B-00000648-4-0	가	375,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				3,750,000 / 3,750,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	
144	41-01-B-10000648-4-0	가	419,600	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				1,258,800 / 1,258,800	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	
145	41-01-C-00000648-4-0	가	375,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				1,125,000 / 1,125,000	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	
146	41-01-D-00000648-4-0	가	375,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				1,875,000 / 1,875,000	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	
147	41-05-0-00000648-4-0		297,000	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				4,455,000 / 4,455,000	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15	
148	81-02-0-00001000-3-0	(100mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
		( )		0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
149	81-05-0-00000150-3-0	150mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
150	81-06-0-00000150-3-0	150mm*750mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
		A		0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
151	81-07-0-00000150-3-0	150mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
		(DR)		0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
152	81-08-0-00000080-4-0	M20*80mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
				0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	
( )				5,126	6	7	4	821	595	676
				599,842,572	382	460	375	233	547	1,020
( )				5,156	6	7	4	821	595	676
				600,905,162	382	460	375	233	547	1,050