

자 재 사 용 계 획 서

출력일자: 2021년 06월 30일

출력시간: 11시 16분 10초

페이지: 2/10

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
16	22-01-B-01000022-3-0	B형, 100mm *22	29,840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	298,400 / 298,400	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
17	22-01-B-01000045-3-0	B형, 100mm *45	32,090	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	1,219,420 / 1,219,420	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-01-Y-01500022-3-0	B형(L형), 150mm*22(마개포함)	54,050	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	2,702,500 / 2,702,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
19	22-01-Y-01500045-3-0	B형(L형), 150mm*45(마개포함)	59,110	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	591,100 / 591,100	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
20	22-01-Y-02000022-3-0	B형(L형), 200mm*22(마개포함)	77,410	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	3,870,500 / 3,870,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
21	22-01-Y-02000045-3-0	B형(L형), 200mm*45(마개포함)	85,860	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	4,293,000 / 4,293,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
22	22-01-Y-03000045-3-0	B형(L형), 300mm*45(마개포함)	160,460	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	8,023,000 / 8,023,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
23	22-01-Y-04000022-3-0	B형(L형), 400mm*22(마개포함)	223,800	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	닥타일이형관, K.P소켓곡관(BPF)		개	2,685,600 / 2,685,600	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
24	22-01-Y-04000045-3-0	B형(L형), 400mm*45(마개포함)	267,430	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	닥타일이형관, K.P소켓곡관(BPF)		개	3,209,160 / 3,209,160	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
25	22-02-B-00800080-3-0	B형, 80*80mm(마개포함)	45,320	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	2,266,000 / 2,266,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
26	22-02-B-01000080-3-0	B형, 100*80mm(마개포함)	53,480	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	106,960 / 106,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
27	22-02-B-01500080-3-0	B형, 150*80mm(마개포함)	79,380	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	317,520 / 317,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
28	22-02-B-01500100-3-0	B형, 150*100mm(마개포함)	81,630	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	163,260 / 163,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-02-B-01500150-3-0	B형, 150*150mm(마개포함)	94,300	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	4,715,000 / 4,715,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
30	22-02-B-02000100-3-0	B형, 200mm*100mm(마개포함)	108,380	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	216,760 / 216,760	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
31	22-02-B-03000100-3-0	B형, 300mm*100mm(마개포함)	177,350	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	1,773,500 / 1,773,500	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 06월 30일

출력시간: 11시 16분 10초

페이지: 4/10

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-04-2-00000400-3-0	고무링,400mm	5,931	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	닥타일이형관, K.P접합부속		개	225,378 / 225,378	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
49	22-04-2-00000500-3-0	고무링,500mm	9,098	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	18,196 / 18,196	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
50	22-04-2-00000700-3-0	고무링,700mm	13,462	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12
	닥타일이형관, K.P접합부속		개	161,544 / 161,544	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-04-3-00240085-3-0	볼트,24*85	1,337	1,218 / 1,218	0 / 0	0 / 0	0 / 0	200 / 200	140 / 140	228 / 228
	닥타일이형관, K.P접합부속		개	1,628,466 / 1,628,466	0 / 0	500 / 500	0 / 0	0 / 0	0 / 0	150 / 150
52	22-04-3-00240105-3-0	볼트,24*105	1,638	572 / 572	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	272 / 272
	닥타일이형관, K.P접합부속		개	936,936 / 936,936	0 / 0	300 / 300	0 / 0	0 / 0	0 / 0	0 / 0
53	22-05-0-00800300-3-0	80mm*L300 (2F)(마개포함)	28,290	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	282,900 / 282,900	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
54	22-05-0-00800500-3-0	80mm*L500 (2F)(마개포함)	35,890	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	358,900 / 358,900	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
55	22-05-0-01000300-3-0	100mm*L300 (2F)(마개포함)	32,426	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 2F단관(BPF)		개	389,112 / 389,112	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
56	22-05-0-01000500-3-0	100mm*L500 (2F)(마개포함)	41,660	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 2F단관(BPF)		개	499,920 / 499,920	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
57	22-05-0-01500300-3-0	150mm*L300 (2F)(마개포함)	48,952	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	489,520 / 489,520	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
58	22-05-0-01500500-3-0	150mm*L500 (2F)(마개포함)	63,190	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	631,900 / 631,900	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
59	22-05-0-02000500-3-0	200mm*L500 (2F)(마개포함)	85,860	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	429,300 / 429,300	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
60	22-05-0-04000300-3-0	400mm*L300 (2F)(마개포함)	162,458	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	닥타일이형관, 2F단관(BPF)		개	324,916 / 324,916	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-07-2-00000080-3-0	80mm	20,090	70 / 70	0 / 0	0 / 0	30 / 30	0 / 0	10 / 10	30 / 30
	닥타일이형관, 이탈방지압륜		개	1,406,300 / 1,406,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-07-2-00000100-3-0	100mm	20,950	80 / 80	0 / 0	0 / 0	20 / 20	0 / 0	30 / 30	30 / 30
	닥타일이형관, 이탈방지압륜		개	1,676,000 / 1,676,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
63	22-07-2-00000150-3-0	150mm	26,670	50 / 50	0 / 0	0 / 0	20 / 20	0 / 0	10 / 10	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,333,500 / 1,333,500	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 06월 30일

출력시간: 11시 16분 10초

페이지: 7/10

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-11-B-01000080-3-0	B형, 100*80mm	26,180	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, 플렌지편락관(BPF)		개	78,540 / 78,540	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
97	22-12-A-00800090-3-0	A형, 80mm *90(마개포함)	29,106	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	116,424 / 116,424	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-13-0-01000090-3-0	100mm*90(마개포함)	50,100	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	닥타일이형관, 소화전 곡관(BPF)		개	801,600 / 801,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
99	22-14-0-00000150-3-0	150mm	4,700	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	94,000 / 94,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
100	22-15-0-00000080-3-0	80mm, 기타형(마개포함)	24,770	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, 플렌지소켓관(BPF)		개	74,310 / 74,310	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
101	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	29,270	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	1,463,500 / 1,463,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
102	22-15-0-00000150-3-0	150mm, 기타형(마개포함)	45,320	55 / 55	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	2,492,600 / 2,492,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	55 / 55
103	22-15-0-00000200-3-0	200mm, 기타형(마개포함)	63,340	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	3,167,000 / 3,167,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
104	22-15-0-00000300-3-0	300mm, 기타형(마개포함)	111,190	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	5,559,500 / 5,559,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
105	22-16-0-00000080-3-0	80mm	10,130	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	101,300 / 101,300	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
106	22-16-0-00000100-3-0	마개플렌지 100mm	12,100	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 마개플렌지(BPF)		개	181,500 / 181,500	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
107	22-16-0-00000150-3-0	마개플렌지 150mm	20,260	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	60,780 / 60,780	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
108	22-16-0-00000200-3-0	마개플렌지 200mm	30,960	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	61,920 / 61,920	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
109	22-16-0-00000300-3-0	마개플렌지 300mm	67,560	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	135,120 / 135,120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	22-16-0-00000400-3-0	400mm	102,750	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, 마개플렌지(BPF)		개	308,250 / 308,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
111	22-16-0-00000700-3-0	700mm	410,560	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	2,052,800 / 2,052,800	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 06월 30일

출력시간: 11시 16분 10초

페이지: 9/10

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
128	31-05-A-00000200-3-0	급속공기밸브,200mm	1,105,940	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	3,317,820 / 3,317,820	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
129	31-05-Q-00000080-3-0	보수차단밸브일체형,80mm	443,381	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	1,330,143 / 1,330,143	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
130	31-05-Q-00000100-3-0	보수차단밸브일체형,100mm	518,786	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	2,075,144 / 2,075,144	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0
131	31-05-Q-00000150-3-0	보수차단밸브일체형,150mm	1,075,778	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	2,151,556 / 2,151,556	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
132	31-05-Q-00000200-3-0	보수차단밸브일체형,200mm	2,443,122	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	7,329,366 / 7,329,366	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
133	31-12-0-00000100-3-0	수직 불타입,100mm	411,409	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	822,818 / 822,818	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
134	32-03-C-00000100-3-0	지상식(일반형),100mm	546,270	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	특수용도밸브, 옥외소화전		개	2,731,350 / 2,731,350	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
135	32-03-D-00000100-3-0	지하식,100mm	281,960	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	특수용도밸브, 옥외소화전		개	563,920 / 563,920	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
136	41-01-0-01000648-4-0	제수밸브용,원형받침,0648mm×H250mm	274,775	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	2,747,750 / 2,747,750	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
137	41-01-0-03180410-4-0	318×410, 제수밸브보호통	279,400	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	제수밸브보호통		조	3,352,800 / 3,352,800	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
138	41-01-2-10000648-3-0	밸브실고정형,부식방지,제수밸브용	395,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	원형철개		조	395,000 / 395,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
139	41-01-2-10000648-4-0	밸브실고정형,부식방지,퇴수밸브용	397,133	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	397,133 / 397,133	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
140	41-01-2-20000648-3-0	밸브실고정형,부식방지,공기밸브용	397,133	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	794,266 / 794,266	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
141	41-01-3-10000648-3-0	밸브실고정형(높이조절용),부식방지,제수밸브용	520,294	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	원형철개		조	5,202,940 / 5,202,940	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
142	41-01-3-20000648-3-0	밸브실고정형(높이조절용),부식방지,공기밸브용	527,835	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	1,055,670 / 1,055,670	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
143	41-01-C-00000648-4-0	가변슬로프 퇴수밸브용 원형받침	377,025	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	1,885,125 / 1,885,125	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 06월 30일

출력시간: 11시 16분 10초

페이지: 10/10

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
144	81-09-6-00250110-4-0	구상흑연주철, Φ25mm×심도1.1m	136,734	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	수도계량기보호통		조	4,375,488 / 4,375,488	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
145	81-09-6-00300110-4-0	구상흑연주철, Φ30mm×심도1.1m	177,955	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통		조	3,559,100 / 3,559,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
146	81-09-6-00400110-4-0	구상흑연주철, Φ40mm×심도1.1m	269,447	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	수도계량기보호통		조	6,736,175 / 6,736,175	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
147	81-09-6-00500110-4-0	구상흑연주철, Φ50mm×심도1.1m	299,609	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통		조	1,498,045 / 1,498,045	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
148	81-09-8-00150110-4-0	역지변설치, Φ15mm×심도1.1m	101,545	60 / 60	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10
	수도계량기보호통(역류방지밸브설치형)		조	6,092,700 / 6,092,700	10 / 10	0 / 0	10 / 10	20 / 20	0 / 0	0 / 0
149	81-09-8-00200100-4-0	역지변설치, Φ20mm×심도1.1m	141,761	85 / 85	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10
	수도계량기보호통(역류방지밸브설치형)		조	12,049,685 / 12,049,685	10 / 10	0 / 0	10 / 10	30 / 30	0 / 0	15 / 15
합 계 (전)				4,526	2	20	124	253	408	858
				348,735,096	247	1,085	95	154	182	1,098
합 계 (후)				4,526	2	20	124	253	408	858
				348,735,096	247	1,085	95	154	182	1,098