

: 2020 03 11
 : 18 03 33
 : 1 / 7

: ,
 : ()
 : 999 3 () (2019-7331-2-0008)

: -3935

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-5-00000400-1-6 (-2) ,4		1,175,930	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2) ,			1,175,930 / 1,175,930	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
2	12-01-7-00000080-1-6 (-3) ,8		129,730	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			2,075,680 / 2,075,680	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0
3	12-01-7-00000100-1-6 (-3) ,1		160,440	23 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			3,690,120 / 3,690,120	0 / 0	0 / 0	18 / 18	0 / 0	5 / 5	0 / 0
4	12-01-7-00000150-1-6 (-3) ,1		242,950	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			2,915,400 / 2,915,400	0 / 0	0 / 0	9 / 9	0 / 0	3 / 3	0 / 0
5	12-01-7-00000200-1-6 (-3) ,2		325,740	43 / 43	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
	(3) ,			14,006,820 / 14,006,820	0 / 0	0 / 0	36 / 36	0 / 0	0 / 0	0 / 0
6	12-01-7-00000300-1-6 (-3) ,3		537,980	256 / 256	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			137,722,880 / 137,722,880	0 / 0	0 / 0	251 / 251	0 / 0	5 / 5	0 / 0
7	22-01-B-00800022-3-0 B ,80mm *22` (23,736	10 / 10	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			237,360 / 237,360	0 / 0	0 / 0	4 / 4	1 / 1	0 / 0	0 / 0
8	22-01-B-00800045-3-0 B ,80mm *45` (24,840	27 / 27	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			670,680 / 670,680	0 / 0	0 / 0	27 / 27	0 / 0	0 / 0	0 / 0
9	22-01-B-01000022-3-0 B ,100mm *22		29,256	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			292,560 / 292,560	0 / 0	0 / 0	5 / 5	0 / 0	5 / 5	0 / 0
10	22-01-B-01000045-3-0 B ,100mm *45		31,464	40 / 40	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,258,560 / 1,258,560	0 / 0	0 / 0	27 / 27	0 / 0	3 / 3	0 / 0
11	22-01-Y-01500022-3-0 B (L) ,150mm*22(52,992	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			794,880 / 794,880	0 / 0	0 / 0	5 / 5	0 / 0	10 / 10	0 / 0
12	22-01-Y-01500045-3-0 B (L) ,150mm*45(57,960	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,028,600 / 2,028,600	0 / 0	0 / 0	19 / 19	10 / 10	6 / 6	0 / 0
13	22-01-Y-02000022-3-0 B (L) ,200mm*22(75,900	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			379,500 / 379,500	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
14	22-01-Y-02000045-3-0 B (L) ,200mm*45(84,180	12 / 12	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,010,160 / 1,010,160	0 / 0	0 / 0	8 / 8	0 / 0	2 / 2	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-03000022-3-0	B (L), 300mm*22(135,240	30 / 30	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,057,200 / 4,057,200	0 / 0	0 / 0	24 / 24	0 / 0	0 / 0	0 / 0
16	22-01-Y-03000045-3-0	B (L), 300mm*45(157,320	80 / 80	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		12,585,600 / 12,585,600	0 / 0	0 / 0	38 / 38	2 / 2	20 / 20	0 / 0
17	22-02-B-01000080-3-0	B, 100*80mm(52,440	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,	T (BPF)		52,440 / 52,440	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-01500080-3-0	B, 150*80mm(74,520	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,	T (BPF)		74,520 / 74,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-02-B-02000080-3-0	B, 200mm*80mm(100,740	4 / 4	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,	T (BPF)		402,960 / 402,960	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
20	22-02-B-02000100-3-0	B, 200mm*100mm(106,260	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		106,260 / 106,260	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
21	22-02-B-03000080-3-0	B, 300mm*80mm(162,840	9 / 9	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		1,465,560 / 1,465,560	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
22	22-02-B-03000100-3-0	B, 300mm*100mm(173,880	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		2,955,960 / 2,955,960	0 / 0	0 / 0	17 / 17	0 / 0	0 / 0	0 / 0
23	22-02-B-03000150-3-0	B, 300mm*150mm(191,820	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		1,150,920 / 1,150,920	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
24	22-02-B-03000200-3-0	B, 300mm*200mm(211,140	3 / 3	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,	T (BPF)		633,420 / 633,420	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
25	22-02-B-03000300-3-0	B, 300mm*300mm(262,200	6 / 6	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		1,573,200 / 1,573,200	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
26	22-04-0-00000080-3-0	, 80mm	6,690	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			26,760 / 26,760	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
27	22-04-0-00000100-3-0	, 100mm	7,810	35 / 35	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			273,350 / 273,350	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0
28	22-04-0-00000150-3-0	, 150mm	11,190	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			55,950 / 55,950	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3	0 / 0
29	22-04-0-00000200-3-0	, 200mm	14,050	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			28,100 / 28,100	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
30	22-04-0-00000250-3-0	, 250mm	20,020	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			40,040 / 40,040	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-0-00000300-3-0	,300mm	24,380	35 / 35	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			853,300 / 853,300	0 / 0	0 / 0	28 / 28	0 / 0	0 / 0
32	22-04-2-00000080-3-0	,80mm	1,210	80 / 80	10 / 10	0 / 0	20 / 20	0 / 0	0 / 0
	, K.P			96,800 / 96,800	0 / 0	0 / 0	14 / 14	6 / 6	30 / 30
33	22-04-2-00000100-3-0	,100mm	1,350	120 / 120	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			162,000 / 162,000	0 / 0	0 / 0	40 / 40	20 / 20	30 / 30
34	22-04-2-00000150-3-0	,150mm	1,810	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			90,500 / 90,500	0 / 0	0 / 0	5 / 5	25 / 25	20 / 20
35	22-04-2-00000200-3-0	,200mm	2,400	55 / 55	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
	, K.P			132,000 / 132,000	0 / 0	0 / 0	3 / 3	15 / 15	7 / 7
36	22-04-2-00000250-3-0	,250mm	2,810	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			5,620 / 5,620	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
37	22-04-2-00000300-3-0	,300mm	3,820	360 / 360	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			1,375,200 / 1,375,200	0 / 0	0 / 0	6 / 6	144 / 144	110 / 110
38	22-04-2-00000400-3-0	,400mm	5,170	4 / 4	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	, K.P			20,680 / 20,680	0 / 0	0 / 0	1 / 1	0 / 0	1 / 1
39	22-04-3-00240085-3-0	,24*85	1,110	3,600 / 3,600	213 / 213	0 / 0	300 / 300	0 / 0	0 / 0
	, K.P			3,996,000 / 3,996,000	0 / 0	0 / 0	3,087 / 3,087	0 / 0	0 / 0
40	22-04-3-00240105-3-0	,24*105	1,295	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			51,800 / 51,800	0 / 0	0 / 0	40 / 40	0 / 0	0 / 0
41	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			246,330 / 246,330	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
42	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			326,784 / 326,784	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
43	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			309,810 / 309,810	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
44	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			168,360 / 168,360	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
45	22-05-0-03000500-3-0	300mm*L500 (2F)(148,350	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			741,750 / 741,750	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
46	22-06-0-00000080-3-0	F ,80mm	620	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			8,680 / 8,680	0 / 0	0 / 0	14 / 14	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-06-0-00000100-3-0	F ,100mm	840	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			33,600 / 33,600	0 / 0	0 / 0	40 / 40	0 / 0	0 / 0	0 / 0
48	22-06-0-00000150-3-0	F ,150mm	1,190	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			5,950 / 5,950	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
49	22-06-0-00000200-3-0	F ,200mm	2,010	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			6,030 / 6,030	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
50	22-06-0-00000300-3-0	F ,300mm	3,390	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			20,340 / 20,340	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
51	22-06-0-00000400-3-0	F ,400mm	5,720	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			5,720 / 5,720	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
52	22-07-2-00000080-3-0	80mm	21,160	62 / 62	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,311,920 / 1,311,920	0 / 0	0 / 0	62 / 62	0 / 0	0 / 0	0 / 0
53	22-07-2-00000100-3-0	100mm	23,450	100 / 100	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			2,345,000 / 2,345,000	0 / 0	0 / 0	72 / 72	0 / 0	13 / 13	0 / 0
54	22-07-2-00000150-3-0	150mm	30,220	95 / 95	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			2,870,900 / 2,870,900	0 / 0	0 / 0	59 / 59	30 / 30	6 / 6	0 / 0
55	22-07-2-00000200-3-0	200mm	39,190	142 / 142	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			5,564,980 / 5,564,980	0 / 0	0 / 0	142 / 142	0 / 0	0 / 0	0 / 0
56	22-07-2-00000300-3-0	300mm	56,740	360 / 360	93 / 93	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			20,426,400 / 20,426,400	0 / 0	0 / 0	267 / 267	0 / 0	0 / 0	0 / 0
57	22-07-2-00000400-3-0	400mm	91,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			364,000 / 364,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
58	22-08-0-00000080-3-0	80mm()	25,668	41 / 33	3 / 3	0 / 0	8 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,052,388 / 847,044	0 / 0	0 / 0	24 / 24	6 / 6	0 / 0	0 / 0
59	22-08-0-00000100-3-0	100mm()	31,188	72 / 72	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,245,536 / 2,245,536	0 / 0	0 / 0	32 / 32	40 / 40	0 / 0	0 / 0
60	22-08-0-00000150-3-0	150mm()	48,024	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,440,720 / 1,440,720	0 / 0	0 / 0	22 / 22	0 / 0	8 / 8	0 / 0
61	22-08-0-00000200-3-0	200mm()	64,860	22 / 30	0 / 0	0 / 0	0 / 8	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			1,426,920 / 1,945,800	0 / 0	0 / 0	22 / 22	0 / 0	0 / 0	0 / 0
62	22-08-0-00000300-3-0	300mm()	110,400	124 / 124	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			13,689,600 / 13,689,600	0 / 0	0 / 0	124 / 124	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-08-0-00000400-3-0	400mm()	171,258	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		342,516 / 342,516	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
64	22-09-0-06500080-3-0	80*L650 (1F) (33,589	12 / 12	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,1F	(L650)(BPF)		403,068 / 403,068	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
65	22-09-0-06500100-3-0	100*L650 (1F) (40,875	24 / 24	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650)(BPF)		981,000 / 981,000	0 / 0	0 / 0	17 / 17	0 / 0	2 / 2
66	22-09-0-06500150-3-0	150*L650 (1F) (63,756	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650)(BPF)		892,584 / 892,584	0 / 0	0 / 0	8 / 8	0 / 0	6 / 6
67	22-09-0-06500200-3-0	200*L650 (1F) (90,003	7 / 7	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,1F	(L650)(BPF)		630,021 / 630,021	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
68	22-09-0-06500300-3-0	300*L650 (1F) (156,078	24 / 24	5 / 5	0 / 0	2 / 2	0 / 0	0 / 0
	,1F	(L650)(BPF)		3,745,872 / 3,745,872	0 / 0	0 / 0	17 / 17	0 / 0	0 / 0
69	22-09-0-06500400-3-0	400*L650 (1F) (195,132	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650)(BPF)		195,132 / 195,132	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
70	22-10-A-01500100-3-0	A ,150*100mm(43,056	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, K.P	(BPF)		43,056 / 43,056	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	22-10-A-03000100-3-0	A ,300*100mm(110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		110,400 / 110,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
72	22-10-A-03000200-3-0	A ,300*200mm(110,400	2 / 2	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		220,800 / 220,800	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
73	22-10-A-04000150-3-0	A ,400*150mm(191,800	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, K.P	(BPF)		191,800 / 191,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-10-A-04000300-3-0	A ,400*300mm(178,020	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		178,020 / 178,020	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
75	22-12-A-01000090-3-0	A ,100mm *90(32,844	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		164,220 / 164,220	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
76	22-12-B-01000090-3-0	B ,100mm *90	33,672	42 / 42	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		1,414,224 / 1,414,224	0 / 0	0 / 0	10 / 10	2 / 2	30 / 30
77	22-13-0-01000090-3-0	100mm*90()	49,128	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		294,768 / 294,768	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
78	22-14-0-00000080-3-0	80mm	1,710	8 / 8	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
	,			13,680 / 13,680	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-14-0-00000100-3-0	100mm	2,320	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			6,960 / 6,960	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
80	22-14-0-00000200-3-0	200mm	3,940	30 / 30	0 / 0	0 / 0	24 / 24	0 / 0	0 / 0
	,			118,200 / 118,200	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
81	22-14-0-00000300-3-0	300mm	6,490	200 / 200	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,298,000 / 1,298,000	0 / 0	0 / 0	183 / 183	0 / 0	0 / 0
82	22-15-0-00000100-3-0	100mm, (28,704	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		200,928 / 200,928	0 / 0	0 / 0	5 / 5	2 / 2	0 / 0
83	22-15-0-00000150-3-0	150mm, (44,436	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		133,308 / 133,308	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
84	22-19-B-03000100-3-0	B ,300*100mm	165,600	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	K.P (BPF)		828,000 / 828,000	0 / 0	0 / 0	4 / 4	0 / 0	1 / 1
85	22-25-I-00000250-3-0	KP ,250mm	49,680	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		99,360 / 99,360	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
86	22-25-I-00000300-3-0	KP ,300mm	63,480	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		126,960 / 126,960	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
87	22-25-I-00000400-3-0	KP ,400mm	113,160	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	(BPF)		113,160 / 113,160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
88	31-01-3-00000080-3-0	,80mm	152,000	7,000 / 7,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,064,000,000 / 1,064,000,000	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
89	31-01-3-00000100-3-0	,100mm	189,200	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,027,200 / 3,027,200	0 / 0	0 / 0	14 / 14	0 / 0	2 / 2
90	31-01-3-00000150-3-0	,150mm	373,100	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,238,600 / 2,238,600	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1
91	31-01-3-00000200-3-0	,200mm	522,700	2 / 2	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
				1,045,400 / 1,045,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
92	31-01-3-00000300-3-0	,300mm	906,800	9 / 9	2 / 2	0 / 0	1 / 1	0 / 0	0 / 0
				8,161,200 / 8,161,200	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
93	31-03-F-00000100-3-0	,100mm	712,800	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
				2,851,200 / 2,851,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
94	31-03-F-00000150-3-0	,150mm	838,310	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				838,310 / 838,310	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	31-03-F-00000200-3-0	,200mm	1,016,950	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,050,850 / 3,050,850	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
96	31-03-F-00000300-3-0	,300mm	1,568,160	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				9,408,960 / 9,408,960	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
97	31-03-G-40000100-3-0	(309,200	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,164,400 / 2,164,400	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
98	31-03-G-40000150-3-0	(538,300	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				538,300 / 538,300	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
99	31-04-Z-00100100-3-0	,10K	480,000	7 / 7	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
				3,360,000 / 3,360,000	0 / 0	0 / 0	2 / 2	0 / 0	1 / 1
100	31-05-Q-00000080-3-0	,8	441,000	6 / 6	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
				2,646,000 / 2,646,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
101	31-05-Q-00000100-3-0	,1	516,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,032,000 / 1,032,000	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
102	31-12-0-00000100-3-0	,100mm	409,200	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,227,600 / 1,227,600	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
103	41-01-0-01000648-4-0	, ,	312,000	30 / 30	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
				9,360,000 / 9,360,000	0 / 0	0 / 0	25 / 25	0 / 0	0 / 0
104	41-01-2-03180300-4-0	318x 160	260,400	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,083,200 / 2,083,200	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
105	41-01-2-03180410-4-0	318x 410,	277,900	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,111,600 / 1,111,600	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
106	41-01-3-10000648-4-0	(525,000	8 / 8	5 / 5	0 / 0	1 / 1	0 / 0	0 / 0
				4,200,000 / 4,200,000	0 / 0	0 / 0	1 / 1	0 / 0	1 / 1
107	41-01-3-20000648-3-0	(525,000	7 / 7	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				3,675,000 / 3,675,000	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
()				13,739	570	0	434	0	0
()				1,393,902,845	0	0	5,094	307	341
()				13,739	570	0	434	0	0
()				1,394,216,381	0	0	5,094	307	341