

: 2020 04 13
 : 10 53 24
 : 1 / 5

: ,
 : ()
 : 244 5

(2019-7631-2-0004)

: -5548

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		129,730	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			259,460 / 259,460	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		160,440	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			1,123,080 / 1,123,080	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		242,950	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			23,566,150 / 23,566,150	0 / 0	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		325,740	308 / 308	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			100,327,920 / 100,327,920	0 / 0	308 / 308	0 / 0	0 / 0	0 / 0	0 / 0
5	22-01-B-00800045-3-0 B ,80mm *45`		24,840	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			943,920 / 943,920	0 / 0	18 / 18	0 / 0	0 / 0	0 / 0	20 / 20
6	22-01-B-01000045-3-0 B ,100mm *45		31,464	120 / 120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			3,775,680 / 3,775,680	0 / 0	90 / 90	0 / 0	0 / 0	0 / 0	30 / 30
7	22-01-Y-01500045-3-0 B (L) ,150mm*45(57,960	130 / 130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			7,534,800 / 7,534,800	0 / 0	60 / 60	0 / 0	0 / 0	0 / 0	70 / 70
8	22-01-Y-02000022-3-0 B (L) ,200mm*22(75,900	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			151,800 / 151,800	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-Y-02000045-3-0 B (L) ,200mm*45(84,180	130 / 130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			10,943,400 / 10,943,400	0 / 0	130 / 130	0 / 0	0 / 0	0 / 0	0 / 0
10	22-02-B-01000100-3-0 B ,100*100mm(55,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			110,400 / 110,400	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
11	22-02-B-01500080-3-0 B ,150*80mm(74,520	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			372,600 / 372,600	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
12	22-02-B-01500100-3-0 B ,150*100mm(80,040	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,040,520 / 1,040,520	0 / 0	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0
13	22-02-B-01500150-3-0 B ,150*150mm(92,460	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			92,460 / 92,460	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
14	22-02-B-02000080-3-0 B ,200mm*80mm(100,740	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			906,660 / 906,660	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-02000100-3-0	B ,200mm*100mm(106,260	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		3,187,800 / 3,187,800	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	10 / 10
16	22-02-B-02000150-3-0	B ,200mm*150mm(120,060	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		2,281,140 / 2,281,140	0 / 0	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0
17	22-02-B-02000200-3-0	B ,200*200mm(136,620	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		546,480 / 546,480	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-03000200-3-0	B ,300mm*200mm(211,140	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		211,140 / 211,140	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
19	22-04-0-00000080-3-0	,80mm	6,690	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		26,760 / 26,760	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
20	22-04-0-00000100-3-0	,100mm	7,810	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		7,810 / 7,810	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
21	22-04-0-00000150-3-0	,150mm	11,190	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		156,660 / 156,660	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0
22	22-04-0-00000200-3-0	,200mm	14,050	48 / 48	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		674,400 / 674,400	0 / 0	48 / 48	0 / 0	0 / 0	0 / 0	0 / 0
23	22-04-2-00000080-3-0	,80mm	1,210	95 / 95	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		114,950 / 114,950	0 / 0	65 / 65	0 / 0	0 / 0	0 / 0	30 / 30
24	22-04-2-00000100-3-0	,100mm	1,350	315 / 315	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		425,250 / 425,250	0 / 0	265 / 265	0 / 0	0 / 0	0 / 0	50 / 50
25	22-04-2-00000150-3-0	,150mm	1,810	349 / 349	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		631,690 / 631,690	0 / 0	249 / 249	0 / 0	0 / 0	0 / 0	100 / 100
26	22-04-2-00000200-3-0	,200mm	2,400	606 / 606	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		1,454,400 / 1,454,400	0 / 0	606 / 606	0 / 0	0 / 0	0 / 0	0 / 0
27	22-04-2-00000300-3-0	,300mm	3,820	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		26,740 / 26,740	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
28	22-04-3-00240085-3-0	,24*85	1,110	5,558 / 5,558	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		6,169,380 / 6,169,380	0 / 0	5,058 / 5,058	0 / 0	0 / 0	0 / 0	500 / 500
29	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		598,230 / 598,230	0 / 0	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0
30	22-05-0-01000300-3-0	100mm*L300 (2F)(31,795	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		476,925 / 476,925	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,674,768 / 1,674,768	0 / 0	41 / 41	0 / 0	0 / 0	0 / 0
32	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			867,468 / 867,468	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0
33	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			336,720 / 336,720	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
34	22-07-2-00000080-3-0	80mm	21,160	81 / 81	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,713,960 / 1,713,960	0 / 0	61 / 61	0 / 0	0 / 0	20 / 20
35	22-07-2-00000100-3-0	100mm	23,450	304 / 304	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			7,128,800 / 7,128,800	0 / 0	264 / 264	0 / 0	0 / 0	40 / 40
36	22-07-2-00000150-3-0	150mm	30,220	335 / 335	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			10,123,700 / 10,123,700	0 / 0	235 / 235	0 / 0	0 / 0	100 / 100
37	22-07-2-00000200-3-0	200mm	39,190	558 / 558	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			21,868,020 / 21,868,020	0 / 0	558 / 558	0 / 0	0 / 0	0 / 0
38	22-07-2-00000300-3-0	300mm	56,740	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			397,180 / 397,180	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
39	22-08-0-00000080-3-0	80mm()	25,668	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			718,704 / 718,704	0 / 0	18 / 18	0 / 0	0 / 0	10 / 10
40	22-08-0-00000100-3-0	100mm(31,188	90 / 90	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,806,920 / 2,806,920	0 / 0	80 / 80	0 / 0	0 / 0	10 / 10
41	22-08-0-00000150-3-0	150mm(48,024	83 / 83	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			3,985,992 / 3,985,992	0 / 0	83 / 83	0 / 0	0 / 0	0 / 0
42	22-08-0-00000200-3-0	200mm(64,860	198 / 198	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			12,842,280 / 12,842,280	0 / 0	198 / 198	0 / 0	0 / 0	0 / 0
43	22-08-0-00000300-3-0	300mm(110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			110,400 / 110,400	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
44	22-09-0-06500080-3-0	80*L650 (1F) (33,589	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			268,712 / 268,712	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
45	22-09-0-06500100-3-0	100*L650 (1F) (40,875	63 / 63	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,575,125 / 2,575,125	0 / 0	43 / 43	0 / 0	0 / 0	20 / 20
46	22-09-0-06500150-3-0	150*L650 (1F) (63,756	34 / 34	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,167,704 / 2,167,704	0 / 0	24 / 24	0 / 0	0 / 0	10 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-09-0-06500200-3-0	200*L650 (1F) (90,003	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,160,072 / 2,160,072	0 / 0	24 / 24	0 / 0	0 / 0	0 / 0
48	22-10-A-01000080-3-0	A ,100*80mm(28,152	13 / 18	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			365,976 / 506,736	0 / 0	13 / 13	0 / 0	0 / 0	0 / 5
49	22-10-A-01500080-3-0	A ,150*80mm(42,504	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			0 / 212,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5
50	22-10-A-02000100-3-0	A ,200*100mm(60,720	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			607,200 / 607,200	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
51	22-10-B-03000200-3-0	B ,300*200mm	104,880	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			209,760 / 209,760	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
52	22-12-A-01000090-3-0	A ,100mm *90(32,844	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			426,972 / 426,972	0 / 0	13 / 13	0 / 0	0 / 0	0 / 0
53	22-14-0-00000100-3-0	100mm	2,320	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			4,640 / 4,640	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
54	22-14-0-00000150-3-0	150mm	3,840	96 / 96	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			368,640 / 368,640	0 / 0	96 / 96	0 / 0	0 / 0	0 / 0
55	22-14-0-00000200-3-0	200mm	3,940	308 / 308	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,213,520 / 1,213,520	0 / 0	308 / 308	0 / 0	0 / 0	0 / 0
56	22-17-0-00800050-3-0	80*50mm	9,108	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			36,432 / 36,432	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
57	22-19-B-01500080-3-0	B ,150*80mm	75,900	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			75,900 / 75,900	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
58	22-19-B-01500100-3-0	B ,150*100mm	80,040	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			80,040 / 80,040	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
59	22-19-B-02000100-3-0	B ,200*100mm(100,800	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			1,310,400 / 1,310,400	0 / 0	13 / 13	0 / 0	0 / 0	0 / 0
60	22-25-I-00000150-3-0	KP ,150mm	19,320	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			115,920 / 115,920	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
61	22-25-I-00000200-3-0	KP ,200mm	33,120	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			331,200 / 331,200	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
62	31-01-3-00000080-3-0	,80mm	152,000	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,128,000 / 2,128,000	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	31-01-3-00000100-3-0	,100mm	189,200	39 / 39	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,378,800 / 7,378,800	0 / 0	39 / 39	0 / 0	0 / 0	0 / 0
64	31-01-3-00000150-3-0	,150mm	373,100	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,223,400 / 5,223,400	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0
65	31-01-3-00000200-3-0	,200mm	522,700	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,136,200 / 3,136,200	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
66	31-03-F-00000150-3-0	,150mm	838,310	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,676,620 / 1,676,620	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
67	31-03-F-00000200-3-0	,200mm	1,016,950	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				8,135,600 / 8,135,600	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
68	31-04-Z-00100080-3-0	,10K	329,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				329,100 / 329,100	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
69	31-05-Q-00000080-3-0	,8	441,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				882,000 / 882,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
70	31-12-0-00000100-3-0	,100mm	409,200	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,138,000 / 6,138,000	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
71	32-03-D-00000100-3-0	,100mm	301,400	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,521,000 / 4,521,000	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
72	41-01-2-01000648-4-0	, ,D6	335,000	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,025,000 / 5,025,000	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
73	41-01-3-10000648-3-0	(525,000	82 / 82	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				43,050,000 / 43,050,000	0 / 0	82 / 82	0 / 0	0 / 0	0 / 0
74	41-01-3-10000648-4-0	(525,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				525,000 / 525,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
75	41-01-D-00000648-4-0	가	375,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				750,000 / 750,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
()				10,515	0	0	0	0	0
()				333,930,450	0	9,495	0	0	1,020
()				10,525	0	0	0	0	0
()				334,283,730	0	9,495	0	0	1,030