

: 2020 06 17  
 : 10 45 44  
 : 1 / 6

: ,  
 : ( )  
 : 244 5

( 2019-7631-2-0004 )

: -8783

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
1	12-01-7-00000080-1-6 ( -3 ) ,8		129,730	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			259,460 / 259,460	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-7-00000100-1-6 ( -3 ) ,1		160,440	9 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			1,443,960 / 2,406,600	0 / 0	7 / 7	0 / 0	0 / 0	0 / 6	2 / 2
3	12-01-7-00000150-1-6 ( -3 ) ,1		242,950	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			23,566,150 / 23,566,150	0 / 0	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000200-1-6 ( -3 ) ,2		325,740	308 / 314	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3 ) ,			100,327,920 / 102,282,360	0 / 0	308 / 308	0 / 0	0 / 0	0 / 6	0 / 0
5	22-01-B-00800045-3-0 B ,80mm *45`		24,840	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			943,920 / 943,920	0 / 0	18 / 18	0 / 0	0 / 0	0 / 0	20 / 20
6	22-01-B-01000045-3-0 B ,100mm *45		31,464	130 / 130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			4,090,320 / 4,090,320	0 / 0	90 / 90	0 / 0	0 / 0	0 / 0	40 / 40
7	22-01-Y-01500045-3-0 B (L ) ,150mm*45(		57,960	146 / 146	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			8,462,160 / 8,462,160	0 / 0	60 / 60	0 / 0	0 / 0	16 / 16	70 / 70
8	22-01-Y-02000022-3-0 B (L ) ,200mm*22(		75,900	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			151,800 / 151,800	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-Y-02000045-3-0 B (L ) ,200mm*45(		84,180	230 / 230	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			19,361,400 / 19,361,400	0 / 0	130 / 130	0 / 0	0 / 0	0 / 0	100 / 100
10	22-02-B-01000100-3-0 B ,100*100mm(		55,200	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			220,800 / 220,800	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2
11	22-02-B-01500080-3-0 B ,150*80mm(		74,520	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			372,600 / 372,600	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
12	22-02-B-01500100-3-0 B ,150*100mm(		80,040	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,040,520 / 1,040,520	0 / 0	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0
13	22-02-B-01500150-3-0 B ,150*150mm(		92,460	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			92,460 / 92,460	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
14	22-02-B-02000080-3-0 B ,200mm*80mm(		100,740	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)			906,660 / 906,660	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
15	22-02-B-02000100-3-0	B ,200mm*100mm(	106,260	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		3,187,800 / 3,187,800	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	10 / 10
16	22-02-B-02000150-3-0	B ,200mm*150mm(	120,060	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		2,281,140 / 2,281,140	0 / 0	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0
17	22-02-B-02000200-3-0	B ,200*200mm(	136,620	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		546,480 / 546,480	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-03000200-3-0	B ,300mm*200mm(	211,140	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, T (BPF)		211,140 / 211,140	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
19	22-04-0-00000080-3-0	,80mm	6,690	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		33,450 / 33,450	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1
20	22-04-0-00000100-3-0	,100mm	7,810	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		7,810 / 7,810	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
21	22-04-0-00000150-3-0	,150mm	11,190	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		156,660 / 156,660	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0
22	22-04-0-00000200-3-0	,200mm	14,050	48 / 48	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		674,400 / 674,400	0 / 0	48 / 48	0 / 0	0 / 0	0 / 0	0 / 0
23	22-04-2-00000080-3-0	,80mm	1,210	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		117,370 / 117,370	0 / 0	65 / 65	0 / 0	0 / 0	2 / 2	30 / 30
24	22-04-2-00000100-3-0	,100mm	1,350	345 / 345	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		465,750 / 465,750	0 / 0	265 / 265	0 / 0	0 / 0	0 / 0	80 / 80
25	22-04-2-00000150-3-0	,150mm	1,810	373 / 373	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		675,130 / 675,130	0 / 0	249 / 249	0 / 0	0 / 0	24 / 24	100 / 100
26	22-04-2-00000200-3-0	,200mm	2,400	606 / 606	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		1,454,400 / 1,454,400	0 / 0	606 / 606	0 / 0	0 / 0	0 / 0	0 / 0
27	22-04-2-00000300-3-0	,300mm	3,820	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		26,740 / 26,740	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
28	22-04-3-00240085-3-0	,24*85	1,110	5,658 / 5,658	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		6,280,380 / 6,280,380	0 / 0	5,058 / 5,058	0 / 0	0 / 0	0 / 0	600 / 600
29	22-05-0-00800500-3-0	80mm*L500 (2F)(	35,190	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		598,230 / 598,230	0 / 0	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0
30	22-05-0-01000300-3-0	100mm*L300 (2F)(	31,795	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		476,925 / 476,925	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
31	22-05-0-01000500-3-0	100mm*L500 (2F)(	40,848	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,674,768 / 1,674,768	0 / 0	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0
32	22-05-0-01500500-3-0	150mm*L500 (2F)(	61,962	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			867,468 / 867,468	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0
33	22-05-0-02000500-3-0	200mm*L500 (2F)(	84,180	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			336,720 / 336,720	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
34	22-07-2-00000080-3-0	80mm	21,160	81 / 81	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			1,713,960 / 1,713,960	0 / 0	61 / 61	0 / 0	0 / 0	0 / 0	20 / 20
35	22-07-2-00000100-3-0	100mm	23,450	334 / 334	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			7,832,300 / 7,832,300	0 / 0	264 / 264	0 / 0	0 / 0	0 / 0	70 / 70
36	22-07-2-00000150-3-0	150mm	30,220	367 / 367	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			11,090,740 / 11,090,740	0 / 0	235 / 235	0 / 0	0 / 0	32 / 32	100 / 100
37	22-07-2-00000200-3-0	200mm	39,190	558 / 558	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			21,868,020 / 21,868,020	0 / 0	558 / 558	0 / 0	0 / 0	0 / 0	0 / 0
38	22-07-2-00000300-3-0	300mm	56,740	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			397,180 / 397,180	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
39	22-08-0-00000080-3-0	80mm( )	25,668	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			718,704 / 718,704	0 / 0	18 / 18	0 / 0	0 / 0	0 / 0	10 / 10
40	22-08-0-00000100-3-0	100mm(	31,188	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			3,118,800 / 3,118,800	0 / 0	80 / 80	0 / 0	0 / 0	0 / 0	20 / 20
41	22-08-0-00000150-3-0	150mm(	48,024	83 / 83	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			3,985,992 / 3,985,992	0 / 0	83 / 83	0 / 0	0 / 0	0 / 0	0 / 0
42	22-08-0-00000200-3-0	200mm(	64,860	198 / 198	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			12,842,280 / 12,842,280	0 / 0	198 / 198	0 / 0	0 / 0	0 / 0	0 / 0
43	22-08-0-00000300-3-0	300mm(	110,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			110,400 / 110,400	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
44	22-09-0-06500080-3-0	80*L650 (1F ) (	33,589	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			403,068 / 403,068	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0	4 / 4
45	22-09-0-06500100-3-0	100*L650 (1F ) (	40,875	73 / 73	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,983,875 / 2,983,875	0 / 0	43 / 43	0 / 0	0 / 0	0 / 0	30 / 30
46	22-09-0-06500150-3-0	150*L650 (1F ) (	63,756	34 / 34	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			2,167,704 / 2,167,704	0 / 0	24 / 24	0 / 0	0 / 0	0 / 0	10 / 10



		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
63	22-25-I-00000100-3-0 KP ,100mm	14,000	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		210,000 / 210,000	0 / 0	0 / 0	0 / 0	2 / 2	3 / 3	10 / 10
64	22-25-I-00000150-3-0 KP ,150mm	19,320	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		154,560 / 154,560	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0	2 / 2
65	22-25-I-00000200-3-0 KP ,200mm	33,120	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		331,200 / 331,200	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
66	31-01-3-00000080-3-0 ,80mm	152,000	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			2,128,000 / 2,128,000	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0
67	31-01-3-00000100-3-0 ,100mm	189,200	39 / 39	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			7,378,800 / 7,378,800	0 / 0	39 / 39	0 / 0	0 / 0	0 / 0	0 / 0
68	31-01-3-00000150-3-0 ,150mm	373,100	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			5,223,400 / 5,223,400	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0
69	31-01-3-00000200-3-0 ,200mm	522,700	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			3,136,200 / 3,136,200	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0
70	31-03-F-00000150-3-0 ,150mm	838,310	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			1,676,620 / 1,676,620	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
71	31-03-F-00000200-3-0 ,200mm	1,016,950	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			8,135,600 / 8,135,600	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0
72	31-04-Z-00100080-3-0 ,10K	329,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			329,100 / 329,100	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
73	31-05-Q-00000080-3-0 ,8	441,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			882,000 / 882,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
74	31-12-0-00000100-3-0 ,100mm	409,200	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			6,547,200 / 6,547,200	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	1 / 1
75	32-03-D-00000100-3-0 ,100mm	301,400	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			4,822,400 / 4,822,400	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	1 / 1
76	41-01-2-01000648-4-0 ,D6	335,000	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			5,360,000 / 5,360,000	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	1 / 1
77	41-01-3-10000648-3-0 (	525,000	82 / 82	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			43,050,000 / 43,050,000	0 / 0	82 / 82	0 / 0	0 / 0	0 / 0	0 / 0
78	41-01-3-10000648-4-0 (	525,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
			525,000 / 525,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

: 2020 06 17  
 : 10 45 44  
 : 6 / 6

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
79	41-01-D-00000648-4-0	가	375,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				750,000 / 750,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
( )				10,921	0	0	0	0	0
				348,461,478	0	9,495	0	2	77
( )				10,933	0	0	0	0	0
				351,378,558	0	9,495	0	2	89