

: 2019 02 14
 : 10 36 46
 : 1 / 9

: ,
 : ()
 : ~

(2018-6032-2-0002)

: -36039

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-6-00000600-1-6 (-2)KP,600mm	1,566,530	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(2)		3,133,060 / 3,133,060	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
2	12-01-6-00000700-1-6 (-2)KP,700mm	1,950,730	155 / 155	0 / 0	0 / 0	155 / 155	0 / 0	0 / 0	0 / 0
	(2)		302,363,150 / 302,363,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
3	12-01-7-00000100-1-6 (-3) ,1	165,390	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)		165,390 / 165,390	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
4	12-01-7-00000150-1-6 (-3) ,1	250,040	2 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3)		500,080 / 25,004,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 100
5	12-01-7-00000200-1-6 (-3) ,2	323,550	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	(3)		647,100 / 647,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
6	12-01-7-00000250-1-6 (-3) ,2	424,480	2 / 7	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	(3)		848,960 / 2,971,360	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5
7	12-01-7-00000300-1-6 (-3) ,3	534,380	128 / 128	0 / 0	0 / 0	8 / 8	0 / 0	35 / 35	0 / 0
	(3)		68,400,640 / 68,400,640	5 / 5	0 / 0	0 / 0	80 / 80	0 / 0	0 / 0
8	22-01-Y-01500022-3-0 B (L) ,150mm*22(53,760	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		268,800 / 268,800	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
9	22-01-Y-01500045-3-0 B (L) ,150mm*45(56,910	9 / 59	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
	,K.P (BPF)		512,190 / 3,357,690	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 50
10	22-01-Y-02000045-3-0 B (L) ,200mm*45(82,655	6 / 6	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		495,930 / 495,930	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-Y-02500022-3-0 B (L) ,250mm*22(102,980	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		514,900 / 514,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
12	22-01-Y-02500045-3-0 B (L) ,250mm*45(116,530	9 / 24	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		1,048,770 / 2,796,720	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 20
13	22-01-Y-03000011-3-0 B (L) ,300mm*11(121,950	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		609,750 / 609,750	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
14	22-01-Y-03000022-3-0 B (L) ,300mm*22(132,790	18 / 18	0 / 0	0 / 0	4 / 4	0 / 0	4 / 4	0 / 0
	,K.P (BPF)		2,390,220 / 2,390,220	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-02-B-07000100-3-0	B ,700*100mm(656,370	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	, T (BPF)			1,312,740 / 1,312,740	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
32	22-02-B-07000200-3-0	B ,700*200mm(763,290	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	, T (BPF)			3,053,160 / 3,053,160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
33	22-02-B-07000300-3-0	B ,700*300mm(891,000	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	, T (BPF)			3,564,000 / 3,564,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-04-0-00000200-3-0	,200mm	14,610	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	, K.P			58,440 / 58,440	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
35	22-04-0-00000250-3-0	,250mm	20,730	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
	, K.P			82,920 / 82,920	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-0-00000300-3-0	,300mm	23,440	50 / 50	0 / 0	0 / 0	30 / 30	0 / 0	20 / 20	0 / 0
	, K.P			1,172,000 / 1,172,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
37	22-04-0-00000700-3-0	,700mm	66,800	200 / 200	0 / 0	0 / 0	200 / 200	0 / 0	0 / 0	0 / 0
	, K.P			13,360,000 / 13,360,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
38	22-04-0-00000800-3-0	,800mm	73,080	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	, K.P			146,160 / 146,160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000150-3-0	,150mm	1,810	25 / 75	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	, K.P			45,250 / 135,750	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 50
40	22-04-2-00000200-3-0	,200mm	2,400	8 / 8	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
	, K.P			19,200 / 19,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-04-2-00000250-3-0	,250mm	2,810	10 / 30	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	, K.P			28,100 / 84,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 20
42	22-04-2-00000300-3-0	,300mm	3,820	190 / 190	0 / 0	0 / 0	50 / 50	0 / 0	30 / 30	0 / 0
	, K.P			725,800 / 725,800	30 / 30	0 / 0	0 / 0	50 / 50	30 / 30	0 / 0
43	22-04-2-00000600-3-0	,600mm	8,810	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			193,820 / 193,820	0 / 0	0 / 0	20 / 20	2 / 2	0 / 0	0 / 0
44	22-04-2-00000700-3-0	,700mm	12,590	330 / 330	0 / 0	0 / 0	330 / 330	0 / 0	0 / 0	0 / 0
	, K.P			4,154,700 / 4,154,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
45	22-04-2-00000800-3-0	,800mm	14,530	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	, K.P			29,060 / 29,060	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
46	22-04-3-00240085-3-0	,24*85	1,110	1,300 / 1,300	0 / 0	0 / 0	400 / 400	0 / 0	400 / 400	0 / 0
	, K.P			1,443,000 / 1,443,000	100 / 100	0 / 0	0 / 0	400 / 400	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-04-3-00240105-3-0	,24*105	1,295	5,308 / 5,808	0 / 0	0 / 0	5,000 / 5,000	0 / 0	0 / 0
		, K.P		6,873,860 / 7,521,360	0 / 0	0 / 0	280 / 280	28 / 28	0 / 0
48	22-04-3-00270125-3-0	,27*125	1,818	40 / 40	0 / 0	0 / 0	40 / 40	0 / 0	0 / 0
		, K.P		72,720 / 72,720	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-05-0-01500500-3-0	150mm*L500 (2F)(52,308	0 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		0 / 156,924	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3
50	22-05-0-02000500-3-0	200mm*L500 (2F)(82,655	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
		, 2F (BPF)		165,310 / 165,310	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-05-0-02500500-3-0	250mm*L500 (2F)(112,058	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
		, 2F (BPF)		112,058 / 112,058	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	22-05-0-03000500-3-0	300mm*L500 (2F)(145,662	11 / 11	0 / 0	0 / 0	8 / 8	0 / 0	3 / 3
		, 2F (BPF)		1,602,282 / 1,602,282	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-05-0-07000500-3-0	700mm*500mm(527,175	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
		, 2F (BPF)		1,581,525 / 1,581,525	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-06-0-00000080-3-0	F ,80mm	620	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
		,		3,100 / 3,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-06-0-00000150-3-0	F ,150mm	1,190	11 / 11	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
		,		13,090 / 13,090	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
56	22-06-0-00000200-3-0	F ,200mm	2,010	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
		,		4,020 / 4,020	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-06-0-00000250-3-0	F ,250mm	2,790	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
		,		5,580 / 5,580	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-06-0-00000300-3-0	F ,300mm	3,390	15 / 15	0 / 0	0 / 0	10 / 10	0 / 0	5 / 5
		,		50,850 / 50,850	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-06-0-00000700-3-0	F ,700mm	17,430	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
		,		69,720 / 69,720	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-06-0-00000800-3-0	F ,800mm	22,770	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
		,		45,540 / 45,540	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-07-2-00000080-3-0	80mm	21,160	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
		,		105,800 / 105,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-07-2-00000100-3-0	100mm	23,450	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		93,800 / 93,800	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-07-2-00000150-3-0	150mm	30,220	539 / 584	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,			16,288,580 / 17,648,480	10 / 10	0 / 0	0 / 0	520 / 520	0 / 0
64	22-07-2-00000200-3-0	200mm	39,190	8 / 8	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
	,			313,520 / 313,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	22-07-2-00000250-3-0	250mm	48,580	15 / 30	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,			728,700 / 1,457,400	0 / 0	0 / 0	0 / 0	0 / 0	5 / 20
66	22-07-2-00000300-3-0	300mm	56,740	180 / 180	0 / 0	0 / 0	30 / 30	0 / 0	30 / 30
	,			10,213,200 / 10,213,200	10 / 10	0 / 0	0 / 0	50 / 50	30 / 30
67	22-07-2-00000400-3-0	400mm	91,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			91,000 / 91,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
68	22-07-2-00000600-3-0	600mm	192,860	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			4,242,920 / 4,242,920	0 / 0	0 / 0	20 / 20	2 / 2	0 / 0
69	22-07-2-00000700-3-0	700mm	278,690	135 / 135	0 / 0	0 / 0	130 / 130	0 / 0	0 / 0
	,			37,623,150 / 37,623,150	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
70	22-07-2-00000800-3-0	800mm	366,510	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,			733,020 / 733,020	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	22-08-0-00000100-3-0	100mm(31,640	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			158,200 / 158,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
72	22-08-0-00000150-3-0	150mm(47,154	9 / 14	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	,K.P (BPF)			424,386 / 660,156	0 / 0	0 / 0	0 / 0	0 / 0	5 / 10
73	22-08-0-00000200-3-0	200mm(63,685	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,K.P (BPF)			254,740 / 254,740	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-08-0-00000250-3-0	250mm(86,720	4 / 14	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,K.P (BPF)			346,880 / 1,214,080	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10
75	22-08-0-00000300-3-0	300mm(108,400	85 / 85	0 / 0	0 / 0	20 / 20	0 / 0	30 / 30
	,K.P (BPF)			9,214,000 / 9,214,000	10 / 10	0 / 0	0 / 0	20 / 20	0 / 0
76	22-08-0-00000600-3-0	600mm()	352,800	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			2,116,800 / 2,116,800	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
77	22-08-0-00000700-3-0	700mm()	507,870	60 / 60	0 / 0	0 / 0	60 / 60	0 / 0	0 / 0
	,K.P (BPF)			30,472,200 / 30,472,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
78	22-09-0-06500150-3-0	150*L650 (1F) (62,601	12 / 17	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F (L650) (BPF)			751,212 / 1,064,217	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-09-0-06500200-3-0	200*L650 (1F) (88,373	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,1F (L650) (BPF)			176,746 / 176,746	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
80	22-09-0-06500250-3-0	250*L650 (1F) (119,023	2 / 4	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,1F (L650) (BPF)			238,046 / 476,092	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2
81	22-09-0-06500300-3-0	300*L650 (1F) (153,250	24 / 24	0 / 0	0 / 0	10 / 10	0 / 0	5 / 5
	,1F (L650) (BPF)			3,678,000 / 3,678,000	4 / 4	0 / 0	0 / 0	5 / 5	0 / 0
82	22-09-0-06500600-3-0	600*L650 (1F) (362,880	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F (L650) (BPF)			725,760 / 725,760	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
83	22-09-0-06500700-3-0	700*L650 (1F) (492,871	7 / 7	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,1F (L650) (BPF)			3,450,097 / 3,450,097	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
84	22-09-0-06500800-3-0	800*L650 (1F)	623,551	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, 1F (L650) (BPF)			623,551 / 623,551	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-10-A-03000150-3-0	A ,300*150mm(109,755	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, K.P (BPF)			219,510 / 219,510	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
86	22-10-A-03000250-3-0	A ,300*250mm(105,690	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	, K.P (BPF)			739,830 / 739,830	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
87	22-10-A-08000700-3-0	A ,800*700mm	630,630	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,K.P			630,630 / 630,630	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
88	22-11-A-02000150-3-0	A ,200*150mm	57,420	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			172,260 / 172,260	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
89	22-11-A-03000250-3-0	(BPF)A ,300*250mm	105,705	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,			105,705 / 105,705	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
90	22-14-0-00000200-3-0	200mm	4,420	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,			8,840 / 8,840	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
91	22-14-0-00000250-3-0	250mm	6,160	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,			12,320 / 12,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
92	22-14-0-00000300-3-0	300mm	7,270	123 / 123	0 / 0	0 / 0	8 / 8	0 / 0	35 / 35
	,			894,210 / 894,210	20 / 20	0 / 0	0 / 0	60 / 60	0 / 0
93	22-15-0-00000150-3-0	150mm, (37,513	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			412,643 / 412,643	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
94	22-15-0-00000700-3-0	700mm, (431,340	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, (BPF)			431,340 / 431,340	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	31-03-F-00000250-3-0	,250mm	1,397,000	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 1,397,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
112	31-03-F-00000300-3-0	,300mm	1,617,000	11 / 11	0 / 0	0 / 0	7 / 7	0 / 0	2 / 2
				17,787,000 / 17,787,000	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
113	31-05-Q-00000080-3-0	,8	441,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				882,000 / 882,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
114	31-05-Q-00000100-3-0	,1	516,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				516,000 / 516,000	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
115	31-05-Q-00000150-3-0	,1	1,070,000	4 / 4	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
				4,280,000 / 4,280,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
116	31-05-Q-00000200-3-0	,2	2,430,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				2,430,000 / 2,430,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
117	41-01-0-00000648-4-0	, ,	387,000	5 / 5	0 / 0	0 / 0	2 / 2	0 / 0	3 / 3
				1,935,000 / 1,935,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
118	41-01-0-01000648-4-0	, ,	295,000	16 / 31	0 / 0	0 / 0	6 / 6	0 / 0	3 / 3
				4,720,000 / 9,145,000	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
119	41-01-1-00000648-4-0	, ,	387,000	5 / 5	0 / 0	0 / 0	2 / 2	0 / 0	2 / 2
				1,935,000 / 1,935,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
120	41-01-1-01000648-4-0	, ,	295,000	5 / 5	0 / 0	0 / 0	4 / 4	0 / 0	1 / 1
				1,475,000 / 1,475,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
121	41-01-2-01000648-4-0	, ,D6	307,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,535,000 / 1,535,000	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
122	41-01-2-03180410-4-0	318x 410,	277,900	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,389,500 / 1,389,500	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
123	41-01-D-00000648-4-0	가	375,000	6 / 6	0 / 0	0 / 0	3 / 3	0 / 0	1 / 1
				2,250,000 / 2,250,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
124	41-01-D-10000648-4-0	가	419,600	3 / 3	0 / 0	0 / 0	2 / 2	0 / 0	1 / 1
				1,258,800 / 1,258,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

: 2019 02 14
 : 10 36 46
 : 9 / 9

	가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
		(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
()		9,529	0	0	6,758	0	678	13
		750,820,511	200	6	348	1,313	107	106
()		10,382	0	0	6,758	0	678	13
		797,329,576	200	6	348	1,313	107	959