

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 1/13

예산과목 : 구축물, 시설비

단위사업 : 장기사용 배급수관 정비

공사명 : 2021년 종로, 성북 관내 상수도공사(개량) (2021-6032-0-0001)

문서번호: 시설관리과-2166

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------------|-----------------------|-----------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 1 | 12-01-6-00000400-1-6 | (에폭시-2중)KP,400mm*6m | 844,410 | 39 / 39 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 38 / 38 | 0 / 0 |
| | (2중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 32,931,990 / 32,931,990 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 2 | 12-01-6-00000600-1-6 | (에폭시-2중)KP,600mm*6m | 1,553,000 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | (2중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 7,765,000 / 7,765,000 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 |
| 3 | 12-01-7-0000080-1-6 | (에폭시-3중)타이튼,80mm*6m | 132,510 | 165 / 165 | 0 / 0 | 0 / 0 | 0 / 0 | 11 / 11 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 21,864,150 / 21,864,150 | 10 / 10 | 100 / 100 | 0 / 0 | 0 / 0 | 34 / 34 | 10 / 10 |
| 4 | 12-01-7-00000100-1-6 | (에폭시-3중)타이튼,100mm*6m | 163,770 | 170 / 170 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 23 / 23 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 27,840,900 / 27,840,900 | 10 / 10 | 17 / 17 | 30 / 30 | 10 / 10 | 30 / 30 | 50 / 50 |
| 5 | 12-01-7-00000150-1-6 | (에폭시-3중)타이튼,150mm*6m | 248,130 | 326 / 326 | 0 / 0 | 0 / 0 | 0 / 0 | 26 / 26 | 0 / 0 | 80 / 80 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 80,890,380 / 80,890,380 | 10 / 10 | 160 / 160 | 20 / 20 | 0 / 0 | 30 / 30 | 0 / 0 |
| 6 | 12-01-7-00000200-1-6 | (에폭시-3중)타이튼,200mm*6m | 332,680 | 195 / 195 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 27 / 27 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 64,872,600 / 64,872,600 | 10 / 10 | 0 / 0 | 30 / 30 | 0 / 0 | 105 / 105 | 20 / 20 |
| 7 | 12-01-7-00000300-1-6 | (에폭시-3중)타이튼,300mm*6m | 549,430 | 155 / 155 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 85,161,650 / 85,161,650 | 10 / 10 | 0 / 0 | 20 / 20 | 70 / 70 | 14 / 14 | 40 / 40 |
| 8 | 12-01-B-00000150-1-6 | (에폭시-3중)KP,150mm*6m | 241,500 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 241,500 / 241,500 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 9 | 22-01-B-00800022-3-0 | B형,80mm *22``(마개포함) | 24,210 | 6 / 16 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 10 | 2 / 2 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 145,260 / 387,360 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 10 | 22-01-B-00800045-3-0 | B형,80mm *45`` | 25,330 | 197 / 197 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 25 / 25 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 4,990,010 / 4,990,010 | 20 / 20 | 30 / 30 | 0 / 0 | 30 / 30 | 72 / 72 | 20 / 20 |
| 11 | 22-01-B-01000022-3-0 | B형,100mm *22 | 29,840 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 746,000 / 746,000 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 20 / 20 | 0 / 0 |
| 12 | 22-01-B-01000045-3-0 | B형,100mm *45 | 32,090 | 175 / 175 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 5,615,750 / 5,615,750 | 20 / 20 | 9 / 9 | 50 / 50 | 30 / 30 | 46 / 46 | 0 / 0 |
| 13 | 22-01-B-01000090-3-0 | B형,100mm *90(마개포함) | 38,425 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 384,250 / 384,250 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 14 | 22-01-Y-01500022-3-0 | B형(L형),150mm*22(마개포함) | 54,050 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 2,702,500 / 2,702,500 | 0 / 0 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 | 0 / 0 |
| 15 | 22-01-Y-01500045-3-0 | B형(L형),150mm*45(마개포함) | 59,110 | 205 / 205 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 25 / 25 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 12,117,550 / 12,117,550 | 20 / 20 | 10 / 10 | 0 / 0 | 0 / 0 | 70 / 70 | 50 / 50 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 2/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------|-----------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 16 | 22-01-Y-02000022-3-0 | B형(L형),200mm*22(마개포함) | 77,410 | 9 / 9 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 696,690 / 696,690 | 9 / 9 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 17 | 22-01-Y-02000045-3-0 | B형(L형),200mm*45(마개포함) | 85,860 | 244 / 244 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 14 / 14 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 20,949,840 / 20,949,840 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 170 / 170 | 30 / 30 |
| 18 | 22-01-Y-02500022-3-0 | B형(L형),250mm*22(마개포함) | 106,970 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 106,970 / 106,970 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 19 | 22-01-Y-02500045-3-0 | B형(L형),250mm*45(마개포함) | 121,050 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 726,300 / 726,300 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 |
| 20 | 22-01-Y-03000011-3-0 | B형(L형),300mm*11(마개포함) | 126,680 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 253,360 / 253,360 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 21 | 22-01-Y-03000022-3-0 | B형(L형),300mm*22(마개포함) | 137,940 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 1,931,160 / 1,931,160 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 22 | 22-01-Y-03000045-3-0 | B형(L형),300mm*45(마개포함) | 160,460 | 107 / 107 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 17,169,220 / 17,169,220 | 0 / 0 | 15 / 15 | 0 / 0 | 0 / 0 | 56 / 56 | 30 / 30 |
| 23 | 22-01-Y-04000045-3-0 | B형(L형),400mm*45(마개포함) | 267,430 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 14 / 14 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 3,744,020 / 3,744,020 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 24 | 22-01-Y-06000011-3-0 | B형(L형),600mm*11(마개포함) | 396,930 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 1,984,650 / 1,984,650 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 25 | 22-01-Y-06000022-3-0 | B형(L형),600mm*22(마개포함) | 464,490 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 2,322,450 / 2,322,450 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 26 | 22-01-Y-06000045-3-0 | B형(L형),600mm*45(마개포함) | 591,170 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 2,955,850 / 2,955,850 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 27 | 22-02-B-00800080-3-0 | B형,80*80mm(마개포함) | 45,320 | 12 / 12 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관,소켓프렌지T형관(BPF) | | 개 | 543,840 / 543,840 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 28 | 22-02-B-01000080-3-0 | B형,100*80mm(마개포함) | 53,480 | 22 / 22 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관,소켓프렌지T형관(BPF) | | 개 | 1,176,560 / 1,176,560 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| 29 | 22-02-B-01000100-3-0 | B형,100*100mm(마개포함) | 56,300 | 33 / 33 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관,소켓프렌지T형관(BPF) | | 개 | 1,857,900 / 1,857,900 | 20 / 20 | 1 / 1 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| 30 | 22-02-B-01500080-3-0 | B형,150*80mm(마개포함) | 76,000 | 12 / 12 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관,소켓프렌지T형관(BPF) | | 개 | 912,000 / 912,000 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 31 | 22-02-B-01500100-3-0 | B형,150*100mm(마개포함) | 81,630 | 25 / 25 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관,소켓프렌지T형관(BPF) | | 개 | 2,040,750 / 2,040,750 | 0 / 0 | 11 / 11 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 3/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|-----------------------|-----------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 32 | 22-02-B-01500150-3-0 | B형, 150*150mm(마개포함) | 94,300 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,414,500 / 1,414,500 | 0 / 0 | 3 / 3 | 1 / 1 | 0 / 0 | 10 / 10 | 0 / 0 |
| 33 | 22-02-B-02000080-3-0 | B형, 200mm*80mm(마개포함) | 102,750 | 16 / 16 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,644,000 / 1,644,000 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 15 / 15 | 0 / 0 |
| 34 | 22-02-B-02000100-3-0 | B형, 200mm*100mm(마개포함) | 108,380 | 24 / 24 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 7 / 7 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 2,601,120 / 2,601,120 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 17 / 17 | 0 / 0 |
| 35 | 22-02-B-02000150-3-0 | B형, 200mm*150mm(마개포함) | 122,450 | 16 / 16 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,959,200 / 1,959,200 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 15 / 15 | 0 / 0 |
| 36 | 22-02-B-02000200-3-0 | B형, 200*200mm(마개포함) | 139,340 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,950,760 / 1,950,760 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 12 / 12 | 0 / 0 |
| 37 | 22-02-B-03000100-3-0 | B형, 300mm*100mm(마개포함) | 177,350 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 5,320,500 / 5,320,500 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 20 / 20 | 0 / 0 |
| 38 | 22-02-B-03000150-3-0 | B형, 300mm*150mm(마개포함) | 195,650 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 5,869,500 / 5,869,500 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 20 / 20 | 0 / 0 |
| 39 | 22-02-B-03000200-3-0 | B형, 300mm*200mm(마개포함) | 215,350 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 215,350 / 215,350 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 40 | 22-02-B-03000300-3-0 | B형, 300mm*300mm(마개포함) | 267,430 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 8,022,900 / 8,022,900 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 20 / 20 | 0 / 0 |
| 41 | 22-02-B-04000300-3-0 | B형, 400*300mm(마개포함) | 380,040 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 380,040 / 380,040 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| 42 | 22-02-B-05000200-3-0 | B형, 500*200mm(마개포함) | 425,080 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,700,320 / 1,700,320 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 43 | 22-02-B-06000300-3-0 | B형, 600*300mm(마개포함) | 664,360 | 22 / 22 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 14,615,920 / 14,615,920 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 0 / 0 |
| 44 | 22-04-0-00000080-3-0 | 압륜, 80mm | 8,244 | 96 / 96 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 791,424 / 791,424 | 30 / 30 | 10 / 10 | 0 / 0 | 0 / 0 | 56 / 56 | 0 / 0 |
| 45 | 22-04-0-00000100-3-0 | 압륜, 100mm | 9,621 | 114 / 114 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 20 / 20 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,096,794 / 1,096,794 | 0 / 0 | 40 / 40 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 |
| 46 | 22-04-0-00000150-3-0 | 압륜, 150mm | 13,753 | 104 / 104 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,430,312 / 1,430,312 | 0 / 0 | 50 / 50 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 |
| 47 | 22-04-0-00000200-3-0 | 압륜, 200mm | 17,292 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 259,380 / 259,380 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 15 / 15 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 4/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------|-----------------------|--------|-------------------------|-----------|-----------|---------------|------------|---------------|---------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 48 | 22-04-0-00000300-3-0 | 압륜,300mm | 30,011 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 240,088 / 240,088 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 8 / 8 | 0 / 0 |
| 49 | 22-04-0-00000400-3-0 | 압륜,400mm | 33,811 | 86 / 86 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 32 / 32 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 2,907,746 / 2,907,746 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 |
| 50 | 22-04-2-00000080-3-0 | 고무링,80mm | 1,397 | 365 / 365 | 0 / 0 | 0 / 0 | 0 / 0 | 16 / 16 | 0 / 0 | 20 / 20 |
| | 닥타일이형관, K.P접합부속 | | 개 | 509,905 / 509,905 | 30 / 30 | 100 / 100 | 2 / 2 | 0 / 0 | 165 / 165 | 32 / 32 |
| 51 | 22-04-2-00000100-3-0 | 고무링,100mm | 1,558 | 588 / 588 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 30 / 30 |
| | 닥타일이형관, K.P접합부속 | | 개 | 916,104 / 916,104 | 130 / 130 | 80 / 80 | 50 / 50 | 40 / 40 | 157 / 157 | 100 / 100 |
| 52 | 22-04-2-00000150-3-0 | 고무링,150mm | 2,091 | 588 / 588 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 | 35 / 35 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,229,508 / 1,229,508 | 30 / 30 | 70 / 70 | 0 / 0 | 103 / 103 | 180 / 180 | 120 / 120 |
| 53 | 22-04-2-00000200-3-0 | 고무링,200mm | 2,764 | 567 / 567 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 12 / 12 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,567,188 / 1,567,188 | 30 / 30 | 0 / 0 | 30 / 30 | 10 / 10 | 365 / 365 | 100 / 100 |
| 54 | 22-04-2-00000250-3-0 | 고무링,250mm | 3,247 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| | 닥타일이형관, K.P접합부속 | | 개 | 16,235 / 16,235 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| 55 | 22-04-2-00000300-3-0 | 고무링,300mm | 4,403 | 361 / 361 | 0 / 0 | 0 / 0 | 0 / 0 | 6 / 6 | 20 / 20 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,589,483 / 1,589,483 | 30 / 30 | 5 / 5 | 20 / 20 | 0 / 0 | 230 / 230 | 50 / 50 |
| 56 | 22-04-2-00000400-3-0 | 고무링,400mm | 5,931 | 112 / 112 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 74 / 74 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 664,272 / 664,272 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 30 / 30 |
| 57 | 22-04-2-00000600-3-0 | 고무링,600mm | 10,114 | 43 / 43 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 13 / 13 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 434,902 / 434,902 | 0 / 0 | 0 / 0 | 0 / 0 | 30 / 30 | 0 / 0 | 0 / 0 |
| 58 | 22-04-3-00240085-3-0 | 볼트,24*85 | 1,337 | 8,816 / 8,816 | 160 / 160 | 0 / 0 | 0 / 0 | 400 / 400 | 136 / 136 | 120 / 120 |
| | 닥타일이형관, K.P접합부속 | | 개 | 11,786,992 / 11,786,992 | 900 / 900 | 500 / 500 | 1,000 / 1,000 | 500 / 500 | 3,900 / 3,900 | 1,200 / 1,200 |
| 59 | 22-04-3-00240105-3-0 | 볼트,24*105 | 1,638 | 1,526 / 1,526 | 0 / 0 | 0 / 0 | 0 / 0 | 40 / 40 | 690 / 690 | 182 / 182 |
| | 닥타일이형관, K.P접합부속 | | 개 | 2,499,588 / 2,499,588 | 50 / 50 | 40 / 40 | 300 / 300 | 24 / 24 | 100 / 100 | 100 / 100 |
| 60 | 22-05-0-00800500-3-0 | 80mm*L500 (2F)(마개포함) | 35,890 | 38 / 38 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 1,363,820 / 1,363,820 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 16 / 16 | 10 / 10 |
| 61 | 22-05-0-01000300-3-0 | 100mm*L300 (2F)(마개포함) | 32,426 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 129,704 / 129,704 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 62 | 22-05-0-01000500-3-0 | 100mm*L500 (2F)(마개포함) | 41,660 | 44 / 44 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 1,833,040 / 1,833,040 | 10 / 10 | 7 / 7 | 0 / 0 | 0 / 0 | 1 / 1 | 20 / 20 |
| 63 | 22-05-0-01500500-3-0 | 150mm*L500 (2F)(마개포함) | 63,190 | 40 / 40 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 1 / 1 | 1 / 1 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 2,527,600 / 2,527,600 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 21 / 21 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 5/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------|-----------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 64 | 22-05-0-02000500-3-0 | 200mm*L500 (2F)(마개포함) | 85,860 | 27 / 27 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 2,318,220 / 2,318,220 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 20 / 20 |
| 65 | 22-05-0-03000500-3-0 | 300mm*L500 (2F)(마개포함) | 151,310 | 63 / 63 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 9,532,530 / 9,532,530 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 2 / 2 | 50 / 50 |
| 66 | 22-06-0-0000080-3-0 | F 고무링 ,80mm | 880 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 8,800 / 8,800 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 3 / 3 |
| 67 | 22-06-0-00000100-3-0 | F 고무링 ,100mm | 1,034 | 32 / 32 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 5 / 5 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 33,088 / 33,088 | 0 / 0 | 15 / 15 | 0 / 0 | 0 / 0 | 3 / 3 | 4 / 4 |
| 68 | 22-06-0-00000150-3-0 | F 고무링 ,150mm | 1,551 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 12,408 / 12,408 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 1 / 1 |
| 69 | 22-06-0-00000200-3-0 | F 고무링 ,200mm | 2,020 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 12,120 / 12,120 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 |
| 70 | 22-06-0-00000250-3-0 | F 고무링 ,250mm | 2,800 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 2,800 / 2,800 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 71 | 22-06-0-00000300-3-0 | F 고무링 ,300mm | 3,400 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 3,400 / 3,400 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 72 | 22-07-2-0000080-3-0 | 80mm | 20,090 | 345 / 345 | 0 / 0 | 0 / 0 | 0 / 0 | 6 / 6 | 0 / 0 | 8 / 8 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 6,931,050 / 6,931,050 | 50 / 50 | 50 / 50 | 20 / 20 | 22 / 22 | 109 / 109 | 80 / 80 |
| 73 | 22-07-2-00000100-3-0 | 100mm | 20,950 | 543 / 543 | 1 / 1 | 0 / 0 | 0 / 0 | 30 / 30 | 21 / 21 | 10 / 10 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 11,375,850 / 11,375,850 | 50 / 50 | 34 / 34 | 130 / 130 | 40 / 40 | 127 / 127 | 100 / 100 |
| 74 | 22-07-2-00000150-3-0 | 150mm | 26,670 | 659 / 659 | 50 / 50 | 0 / 0 | 30 / 30 | 0 / 0 | 25 / 25 | 20 / 20 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 17,575,530 / 17,575,530 | 35 / 35 | 7 / 7 | 20 / 20 | 120 / 120 | 152 / 152 | 200 / 200 |
| 75 | 22-07-2-00000200-3-0 | 200mm | 34,140 | 436 / 436 | 0 / 0 | 0 / 0 | 0 / 0 | 16 / 16 | 20 / 20 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 14,885,040 / 14,885,040 | 50 / 50 | 0 / 0 | 0 / 0 | 55 / 55 | 295 / 295 | 0 / 0 |
| 76 | 22-07-2-00000250-3-0 | 250mm | 48,840 | 302 / 302 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 14,749,680 / 14,749,680 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 100 / 100 | 200 / 200 |
| 77 | 22-07-2-00000300-3-0 | 300mm | 49,510 | 406 / 406 | 2 / 2 | 0 / 0 | 0 / 0 | 4 / 4 | 19 / 19 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 20,101,060 / 20,101,060 | 20 / 20 | 20 / 20 | 0 / 0 | 20 / 20 | 221 / 221 | 100 / 100 |
| 78 | 22-07-2-00000400-3-0 | 400mm | 91,490 | 46 / 46 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 40 / 40 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 4,208,540 / 4,208,540 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| 79 | 22-07-2-00000500-3-0 | 500mm | 156,820 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 627,280 / 627,280 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 7/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|--------------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 96 | 22-09-0-06500600-3-0 | 600*L650 (1F단관)(마개포함) | 364,830 | 7 / 7 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650) (BPF) | | 개 | 2,553,810 / 2,553,810 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 97 | 22-10-A-01000080-3-0 | A형, 100*80mm(마개포함) | 28,710 | 6 / 6 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 172,260 / 172,260 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 98 | 22-10-A-01500080-3-0 | A형, 150*80mm(마개포함) | 43,350 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 86,700 / 86,700 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 99 | 22-10-A-01500100-3-0 | A형, 150*100mm(마개포함) | 43,910 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 219,550 / 219,550 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 |
| 100 | 22-10-A-02000080-3-0 | A형, 200*80mm(마개포함) | 60,520 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 121,040 / 121,040 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 101 | 22-10-A-02000100-3-0 | A형, 200*100mm(마개포함) | 61,930 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 61,930 / 61,930 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 102 | 22-10-A-02000150-3-0 | A형, 200*150mm(마개포함) | 63,340 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 126,680 / 126,680 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 103 | 22-10-A-02500200-3-0 | A형, 250*200mm(마개포함) | 84,450 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 168,900 / 168,900 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 104 | 22-10-A-03000150-3-0 | A형, 300*150mm(마개포함) | 114,010 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 456,040 / 456,040 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 1 / 1 | 0 / 0 |
| 105 | 22-10-A-03000250-3-0 | A형, 300*250mm(마개포함) | 109,780 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 109,780 / 109,780 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 106 | 22-10-A-04000300-3-0 | A형, 400*300mm(마개포함) | 180,600 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 180,600 / 180,600 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 107 | 22-10-A-06000300-3-0 | A형, 600*300mm | 433,520 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관 | | 개 | 433,520 / 433,520 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 108 | 22-10-B-01000080-3-0 | B형, 100*80mm(마개포함) | 25,330 | 2 / 2 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 50,660 / 50,660 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 109 | 22-10-B-01500100-3-0 | B형, 150*100mm | 40,250 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 40,250 / 40,250 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 110 | 22-10-B-02500150-3-0 | B형, 250*150mm | 81,630 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관 | | 개 | 81,630 / 81,630 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 111 | 22-10-B-02500200-3-0 | B형, 250*200mm | 78,820 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관 | | 개 | 157,640 / 157,640 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 8/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|-----------------------|---------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 112 | 22-10-B-03000150-3-0 | B형, 300*150mm | 108,380 | 3 / 3 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 325,140 / 325,140 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 |
| 113 | 22-10-C-01000080-3-0 | C형, 100*80mm(마개포함) | 25,050 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 25,050 / 25,050 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 114 | 22-10-C-02500200-3-0 | C형, 250*200mm | 77,410 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관 | | 개 | 154,820 / 154,820 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 115 | 22-11-A-01000080-3-0 | A형, 100*80mm | 26,460 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 플렌지편락관(BPF) | | 개 | 26,460 / 26,460 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 116 | 22-12-A-00800090-3-0 | A형, 80mm *90(마개포함) | 27,860 | 4 / 4 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 111,440 / 111,440 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 117 | 22-12-A-01000045-3-0 | A형, 100mm *45(마개포함) | 31,810 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 플렌지곡관 | | 개 | 63,620 / 63,620 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 118 | 22-12-A-01000090-3-0 | A형, 100mm *90(마개포함) | 33,490 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 468,860 / 468,860 | 4 / 4 | 5 / 5 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 |
| 119 | 22-12-A-01500090-3-0 | A형, 150mm *90 | 56,300 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 56,300 / 56,300 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 120 | 22-12-A-02000090-3-0 | A형, 200mm *90 | 87,260 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 174,520 / 174,520 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 121 | 22-13-0-01000090-3-0 | 100mm*90(마개포함) | 50,100 | 12 / 12 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 닥타일이형관, 소화전 곡관(BPF) | | 개 | 601,200 / 601,200 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 122 | 22-14-0-00000080-3-0 | 80mm | 2,100 | 129 / 129 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 270,900 / 270,900 | 0 / 0 | 10 / 10 | 0 / 0 | 40 / 40 | 65 / 65 | 4 / 4 |
| 123 | 22-14-0-00000100-3-0 | 100mm | 2,830 | 127 / 127 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 359,410 / 359,410 | 20 / 20 | 17 / 17 | 0 / 0 | 30 / 30 | 50 / 50 | 0 / 0 |
| 124 | 22-14-0-00000150-3-0 | 150mm | 4,700 | 159 / 159 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 26 / 26 | 10 / 10 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 747,300 / 747,300 | 13 / 13 | 10 / 10 | 20 / 20 | 30 / 30 | 50 / 50 | 0 / 0 |
| 125 | 22-14-0-00000200-3-0 | 200mm | 4,820 | 189 / 189 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 14 / 14 | 10 / 10 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 910,980 / 910,980 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 155 / 155 | 0 / 0 |
| 126 | 22-14-0-00000250-3-0 | 250mm | 6,720 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 67,200 / 67,200 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 127 | 22-14-0-00000300-3-0 | 300mm | 7,940 | 135 / 135 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 1,071,900 / 1,071,900 | 0 / 0 | 10 / 10 | 0 / 0 | 50 / 50 | 65 / 65 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 9/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|------------------|---------|-------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 128 | 22-15-0-0000080-3-0 | 80mm, 기타형(마개포함) | 24,770 | 13 / 13 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 8 / 8 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 322,010 / 322,010 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 129 | 22-15-0-00000100-3-0 | 100mm, 기타형(마개포함) | 29,270 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 439,050 / 439,050 | 0 / 0 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 130 | 22-15-0-00000150-3-0 | 150mm, 기타형(마개포함) | 45,320 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 181,280 / 181,280 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 | 0 / 0 |
| 131 | 22-15-0-00000200-3-0 | 200mm, 기타형(마개포함) | 63,340 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 126,680 / 126,680 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 132 | 22-15-0-00000300-3-0 | 300mm, 기타형(마개포함) | 111,190 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 222,380 / 222,380 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 133 | 22-15-0-00000400-3-0 | 400mm, 기타형(마개포함) | 164,680 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관 | | 개 | 164,680 / 164,680 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 134 | 22-16-0-0000080-3-0 | 80mm | 10,130 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 10,130 / 10,130 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 135 | 22-16-0-00000100-3-0 | 마개플렌지 100mm | 12,100 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 12,100 / 12,100 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 136 | 22-16-0-00000200-3-0 | 마개플렌지200mm | 30,800 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 30,800 / 30,800 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 137 | 22-17-0-00800040-3-0 | 80*40mm | 9,570 | 7 / 7 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 66,990 / 66,990 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 2 / 2 |
| 138 | 22-17-0-00800050-3-0 | 80*50mm | 9,280 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 92,800 / 92,800 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 139 | 22-17-0-01000040-3-0 | 100*40mm | 11,540 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 115,400 / 115,400 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 140 | 22-17-0-01000050-3-0 | 100*50mm | 11,260 | 13 / 13 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 146,380 / 146,380 | 2 / 2 | 7 / 7 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 |
| 141 | 22-19-B-01500100-3-0 | B형, 150*100mm | 81,630 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P드레인관(BPF) | | 개 | 81,630 / 81,630 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| 142 | 22-19-B-02000080-3-0 | B형, 200*80mm | 98,520 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P드레인관(BPF) | | 개 | 98,520 / 98,520 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 143 | 22-25-I-00000080-3-0 | KP형, 80mm | 11,260 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 닥타일이형관, 캡(BPF) | | 개 | 22,520 / 22,520 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 10/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|------------------|-----------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 144 | 22-25-1-00000100-3-0 | KP형, 100mm | 14,070 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 140,700 / 140,700 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 145 | 22-25-1-00000150-3-0 | KP형, 150mm | 19,700 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 59,100 / 59,100 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 146 | 22-25-1-00000200-3-0 | KP형, 200mm | 33,780 | 3 / 3 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 101,340 / 101,340 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 147 | 22-25-1-00000300-3-0 | KP형, 300mm | 64,400 | 4 / 4 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 257,600 / 257,600 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 148 | 22-25-1-00000400-3-0 | KP형, 400mm | 115,410 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 461,640 / 461,640 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 149 | 31-01-3-00000080-3-0 | 소프트형, 80mm | 137,538 | 87 / 87 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 2 / 2 | 10 / 10 |
| | 상수도밸브 | | 개 | 11,965,806 / 11,965,806 | 0 / 0 | 0 / 0 | 5 / 5 | 30 / 30 | 5 / 5 | 33 / 33 |
| 150 | 31-01-3-00000100-3-0 | 소프트형, 100mm | 171,219 | 96 / 96 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 10 / 10 |
| | 상수도밸브 | | 개 | 16,437,024 / 16,437,024 | 3 / 3 | 13 / 13 | 5 / 5 | 20 / 20 | 12 / 12 | 30 / 30 |
| 151 | 31-01-3-00000150-3-0 | 소프트형, 150mm | 337,613 | 94 / 94 | 1 / 1 | 0 / 0 | 0 / 0 | 2 / 2 | 2 / 2 | 10 / 10 |
| | 상수도밸브 | | 개 | 31,735,622 / 31,735,622 | 0 / 0 | 4 / 4 | 5 / 5 | 20 / 20 | 15 / 15 | 35 / 35 |
| 152 | 31-01-3-00000200-3-0 | 소프트형, 200mm | 473,040 | 77 / 77 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 10 / 10 |
| | 상수도밸브 | | 개 | 36,424,080 / 36,424,080 | 0 / 0 | 4 / 4 | 0 / 0 | 20 / 20 | 12 / 12 | 30 / 30 |
| 153 | 31-01-3-00000250-3-0 | 소프트형, 250mm | 689,804 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 2,759,216 / 2,759,216 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 154 | 31-01-3-00000300-3-0 | 소프트형, 300mm | 820,607 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |
| | 상수도밸브 | | 개 | 20,515,175 / 20,515,175 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 2 / 2 | 0 / 0 |
| 155 | 31-01-3-00000400-3-0 | 소프트형, 400mm | 1,692,590 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 상수도밸브 | | 개 | 3,385,180 / 3,385,180 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 156 | 31-01-3-00000600-3-0 | 소프트형, 600mm | 5,275,333 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 21,101,332 / 21,101,332 | 0 / 0 | 0 / 0 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 |
| 157 | 31-02-D-00000600-3-0 | 수직형, 금속시트, 600mm | 6,602,461 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| | 상수도밸브, 수직형 버터플라이밸브 | | 개 | 6,602,461 / 6,602,461 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 158 | 31-03-0-00000080-3-0 | 부단수제수밸브, 80mm | 2,882,481 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 상수도밸브 | | 개 | 28,824,810 / 28,824,810 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 159 | 31-03-0-00000100-3-0 | 부단수제수밸브, 100mm | 2,964,924 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 상수도밸브 | | 개 | 29,649,240 / 29,649,240 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 12/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|----------------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 176 | 41-01-0-0000648-4-0 | 제수밸브용, 사각받침, D648mm×H250mm | 335,501 | 11 / 11 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 3,690,511 / 3,690,511 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 1 / 1 | 0 / 0 |
| 177 | 41-01-0-01000648-4-0 | 제수밸브용, 원형받침, D648mm×H250mm | 274,775 | 201 / 201 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 26 / 26 |
| | 원형철개 | | 조 | 55,229,775 / 55,229,775 | 30 / 30 | 3 / 3 | 30 / 30 | 54 / 54 | 26 / 26 | 32 / 32 |
| 178 | 41-01-0-03180410-4-0 | 318×410, 제수밸브보호통 | 279,400 | 33 / 33 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 1 / 1 |
| | 원형철개 | | 조 | 9,220,200 / 9,220,200 | 4 / 4 | 5 / 5 | 0 / 0 | 10 / 10 | 10 / 10 | 0 / 0 |
| 179 | 41-01-1-01000648-4-0 | 퇴수밸브용, 원형받침, D648mm×H250mm | 273,300 | 21 / 21 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 5,739,300 / 5,739,300 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 10 / 10 |
| 180 | 41-01-2-01000648-4-0 | 소화전용, 원형받침, D648mm×H150mm | 244,191 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 |
| | 원형철개 | | 조 | 3,418,674 / 3,418,674 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 3 / 3 | 0 / 0 |
| 181 | 41-01-2-03180410-4-0 | 318×410, 제수밸브보호통(소화전용) | 279,400 | 29 / 29 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 13 / 13 |
| | 원형철개 | | 조 | 8,102,600 / 8,102,600 | 10 / 10 | 3 / 3 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |
| 182 | 41-01-2-10000648-4-0 | 밸브실고정형, 부식방지, 퇴수밸브용 | 397,133 | 3 / 3 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 2 / 2 | 0 / 0 |
| | 원형철개 | | 조 | 1,191,399 / 1,191,399 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 183 | 41-01-2-20000648-3-0 | 밸브실고정형, 부식방지, 공기밸브용 | 397,133 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 1,985,665 / 1,985,665 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 184 | 41-01-3-10000648-3-0 | 밸브실고정형(높이조절용), 부식방지, 제수밸브용 | 520,294 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |
| | 원형철개 | | 조 | 4,162,352 / 4,162,352 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 185 | 41-01-0-00000648-4-0 | 가변슬로프 공기밸브용 원형받침 | 377,025 | 1 / 1 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 377,025 / 377,025 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 186 | 41-05-0-00000648-4-0 | 수도계량기용 이중형 철개, D648×H100mm | 298,633 | 24 / 24 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 7,167,192 / 7,167,192 | 20 / 20 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 |
| 187 | 81-09-6-00150000-3-0 | 구상흑연주철보호통뚜껑(15mm) | 30,564 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 수도계량기보호통주철뚜껑 | | 개 | 3,056,400 / 3,056,400 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 100 / 100 |
| 188 | 81-09-6-00200025-3-0 | 구상흑연주철보호통뚜껑(20~25mm) | 42,930 | 70 / 70 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 수도계량기보호통주철뚜껑 | | 개 | 3,005,100 / 3,005,100 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 0 / 0 | 50 / 50 |
| 189 | 81-09-6-00250110-4-0 | 구상흑연주철, Φ25mm×심도1.1m | 136,734 | 190 / 190 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 20 / 20 | 0 / 0 |
| | 수도계량기보호통 | | 조 | 25,979,460 / 25,979,460 | 30 / 30 | 20 / 20 | 20 / 20 | 100 / 100 | 0 / 0 | 0 / 0 |
| 190 | 81-09-6-00300000-3-0 | 구상흑연주철보호통뚜껑(30mm) | 50,571 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 수도계량기보호통주철뚜껑 | | 개 | 1,011,420 / 1,011,420 | 10 / 10 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 191 | 81-09-6-00300110-4-0 | 구상흑연주철, Φ30mm×심도1.1m | 177,955 | 162 / 162 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 30 / 30 | 0 / 0 |
| | 수도계량기보호통 | | 조 | 28,828,710 / 28,828,710 | 30 / 30 | 0 / 0 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 03월 19일

출력시간: 10시 51분 12초

페이지: 13/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|---------|----------------------|----------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 192 | 81-09-6-00400050-3-0 | 구상흑연주철보호통뚜껑(40~50mm) | 91,692 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 수도계량기보호통주철뚜껑 | | 개 | 916,920 / 916,920 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| 193 | 81-09-6-00400110-4-0 | 구상흑연주철, Φ40mm×심도1.1m | 269,447 | 120 / 120 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 수도계량기보호통 | | 조 | 32,333,640 / 32,333,640 | 0 / 0 | 0 / 0 | 0 / 0 | 100 / 100 | 10 / 10 | 0 / 0 |
| 194 | 81-09-6-00500110-4-0 | 구상흑연주철, Φ50mm×심도1.1m | 299,609 | 127 / 127 | 0 / 0 | 0 / 0 | 0 / 0 | 7 / 7 | 0 / 0 | 10 / 10 |
| | 수도계량기보호통 | | 조 | 38,050,343 / 38,050,343 | 10 / 10 | 0 / 0 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 |
| 195 | 81-09-8-00150110-4-0 | 역지변설치, Φ15mm×심도1.1m | 101,545 | 330 / 330 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 |
| | 수도계량기보호통(역류방지밸브설치형) | | 조 | 33,509,850 / 33,509,850 | 50 / 50 | 50 / 50 | 30 / 30 | 100 / 100 | 50 / 50 | 0 / 0 |
| 196 | 81-09-8-00200100-4-0 | 역지변설치, Φ20mm×심도1.1m | 141,761 | 170 / 170 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 수도계량기보호통(역류방지밸브설치형) | | 조 | 24,099,370 / 24,099,370 | 30 / 30 | 10 / 10 | 20 / 20 | 100 / 100 | 0 / 0 | 0 / 0 |
| 합 계 (전) | | | | 23,449 | 335 | 11 | 66 | 647 | 1,568 | 1,017 |
| | | | | 1,745,345,117 | 2,009 | 1,760 | 1,938 | 2,394 | 8,301 | 3,403 |
| 합 계 (후) | | | | 23,459 | 335 | 11 | 66 | 647 | 1,578 | 1,017 |
| | | | | 1,745,587,217 | 2,009 | 1,760 | 1,938 | 2,394 | 8,301 | 3,403 |