

: 2018 10 11
 : 10 32 41
 : 1 / 6

: ,
 : ()
 : 가 459-40~533 4

(2018-7331-2-0002)

: -11491

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		129,100	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	(3) ,			258,200 / 258,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		159,750	7 / 7	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	(3) ,			1,118,250 / 1,118,250	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		241,500	71 / 71	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
	(3) ,			17,146,500 / 17,146,500	10 / 10	10 / 10	10 / 10	11 / 11	0 / 0	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		323,550	90 / 90	0 / 0	0 / 0	0 / 0	15 / 15	15 / 15	15 / 15
	(3) ,			29,119,500 / 29,119,500	15 / 15	15 / 15	14 / 14	1 / 1	0 / 0	0 / 0
5	12-01-7-00000300-1-6 (-3) ,3		534,380	44 / 44	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
	(3) ,			23,512,720 / 23,512,720	10 / 10	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
6	22-01-B-00800022-3-0 B ,80mm *22` (,K.P (BPF)		24,080	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				72,240 / 72,240	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
7	22-01-B-00800045-3-0 B ,80mm *45` (,K.P (BPF)		24,390	6 / 12	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
				146,340 / 292,680	0 / 0	0 / 0	0 / 0	0 / 6	0 / 0	0 / 0
8	22-01-B-01000022-3-0 B ,100mm *22 (,K.P (BPF)		29,680	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				59,360 / 59,360	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
9	22-01-B-01000045-3-0 B ,100mm *45 (,K.P (BPF)		30,894	28 / 32	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5
				865,032 / 988,608	5 / 5	5 / 5	3 / 3	0 / 4	0 / 0	0 / 0
10	22-01-Y-01500022-3-0 B (L) ,150mm*22(,K.P (BPF)		52,032	8 / 8	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
				416,256 / 416,256	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-Y-01500045-3-0 B (L) ,150mm*45(,K.P (BPF)		56,910	36 / 36	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	22 / 22
				2,048,760 / 2,048,760	2 / 2	2 / 2	2 / 2	2 / 2	2 / 2	0 / 0
12	22-01-Y-02000022-3-0 B (L) ,200mm*22(,K.P (BPF)		77,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				231,000 / 231,000	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
13	22-01-Y-02000045-3-0 B (L) ,200mm*45(,K.P (BPF)		82,655	28 / 39	0 / 0	0 / 0	0 / 0	4 / 4	4 / 4	4 / 4
				2,314,340 / 3,223,545	4 / 4	3 / 3	3 / 3	3 / 14	3 / 3	0 / 0
14	22-01-Y-03000022-3-0 B (L) ,300mm*22(,K.P (BPF)		132,790	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
				531,160 / 531,160	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
15	22-01-Y-03000045-3-0	B (L), 300mm*45(154,470	12 / 12	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	,K.P	(BPF)		1,853,640 / 1,853,640	2 / 2	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0
16	22-02-B-01500100-3-0	B, 150*100mm(78,590	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	,	T (BPF)		392,950 / 392,950	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
17	22-02-B-02000080-3-0	B, 200mm*80mm(98,915	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0
	,	T (BPF)		197,830 / 197,830	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-02000100-3-0	B, 200mm*100mm(104,335	8 / 8	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	,	T (BPF)		834,680 / 834,680	1 / 1	1 / 1	1 / 1	2 / 2	0 / 0	0 / 0
19	22-02-B-02000150-3-0	B, 200mm*150mm(121,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		121,800 / 121,800	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
20	22-02-B-02000200-3-0	B, 200*200mm(134,145	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	,	T (BPF)		536,580 / 536,580	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-03000080-3-0	B, 300mm*80mm(159,890	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	T (BPF)		159,890 / 159,890	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-03000100-3-0	B, 300mm*100mm(170,730	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	,	T (BPF)		682,920 / 682,920	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-03000150-3-0	B, 300mm*150mm(188,345	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0
	,	T (BPF)		376,690 / 376,690	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-03000200-3-0	B, 300mm*200mm(207,315	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	T (BPF)		207,315 / 207,315	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-04-0-00000100-3-0	, 100mm	8,630	18 / 18	0 / 0	0 / 0	0 / 0	3 / 3	3 / 3	3 / 3
	, K.P			155,340 / 155,340	3 / 3	3 / 3	3 / 3	0 / 0	0 / 0	0 / 0
26	22-04-0-00000150-3-0	, 150mm	12,320	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			36,960 / 36,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-04-0-00000200-3-0	, 200mm	15,480	11 / 11	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	, K.P			170,280 / 170,280	2 / 2	2 / 2	1 / 1	0 / 0	0 / 0	0 / 0
28	22-04-0-00000300-3-0	, 300mm	24,750	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P			74,250 / 74,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-04-2-00000080-3-0	, 80mm	1,210	37 / 37	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5
	, K.P			44,770 / 44,770	5 / 5	4 / 4	0 / 0	13 / 13	0 / 0	0 / 0
30	22-04-2-00000100-3-0	, 100mm	1,350	95 / 95	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	15 / 15
	, K.P			128,250 / 128,250	10 / 10	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
31	22-04-2-00000150-3-0	,150mm	1,810	126 / 126	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	42 / 42
	, K.P			228,060 / 228,060	10 / 10	10 / 10	10 / 10	14 / 14	0 / 0	0 / 0
32	22-04-2-00000200-3-0	,200mm	2,400	169 / 169	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	20 / 20
	, K.P			405,600 / 405,600	20 / 20	20 / 20	20 / 20	29 / 29	0 / 0	0 / 0
33	22-04-2-00000300-3-0	,300mm	3,820	98 / 98	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	20 / 20
	, K.P			374,360 / 374,360	20 / 20	10 / 10	8 / 8	0 / 0	0 / 0	0 / 0
34	22-04-3-00240085-3-0	,24*85	1,110	3,178 / 3,178	0 / 0	0 / 0	0 / 0	300 / 300	300 / 300	1,410 / 1,410
	, K.P			3,527,580 / 3,527,580	300 / 300	300 / 300	300 / 300	268 / 268	0 / 0	0 / 0
35	22-05-0-00800500-3-0	80mm*L500 (2F)(34,552	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, 2F (BPF)			103,656 / 103,656	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-05-0-01000300-3-0	100mm*L300 (2F)(31,219	12 / 12	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	, 2F (BPF)			374,628 / 374,628	2 / 2	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0
37	22-05-0-01000500-3-0	100mm*L500 (2F)(40,108	15 / 15	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	, 2F (BPF)			601,620 / 601,620	2 / 2	2 / 2	2 / 2	2 / 2	1 / 1	0 / 0
38	22-05-0-01500500-3-0	150mm*L500 (2F)(60,839	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0
	, 2F (BPF)			121,678 / 121,678	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-05-0-02000500-3-0	200mm*L500 (2F)(82,655	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, 2F (BPF)			413,275 / 413,275	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
40	22-07-2-00000080-3-0	80mm	21,160	37 / 37	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5
	,			782,920 / 782,920	5 / 5	4 / 4	0 / 0	13 / 13	0 / 0	0 / 0
41	22-07-2-00000100-3-0	100mm	23,450	89 / 89	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
	,			2,087,050 / 2,087,050	10 / 10	10 / 10	10 / 10	22 / 22	7 / 7	0 / 0
42	22-07-2-00000150-3-0	150mm	30,220	126 / 126	0 / 0	0 / 0	0 / 0	15 / 15	15 / 15	45 / 45
	,			3,807,720 / 3,807,720	15 / 15	15 / 15	14 / 14	7 / 7	0 / 0	0 / 0
43	22-07-2-00000200-3-0	200mm	39,190	140 / 140	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	20 / 20
	,			5,486,600 / 5,486,600	20 / 20	20 / 20	20 / 20	20 / 20	0 / 0	0 / 0
44	22-07-2-00000300-3-0	300mm	56,740	120 / 120	0 / 0	0 / 0	0 / 0	15 / 15	15 / 15	15 / 15
	,			6,808,800 / 6,808,800	15 / 15	15 / 15	15 / 15	30 / 30	0 / 0	0 / 0
45	22-08-0-00000080-3-0	80mm()	25,203	9 / 9	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	,K.P (BPF)			226,827 / 226,827	2 / 2	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
46	22-08-0-00000100-3-0	100mm(30,623	29 / 29	0 / 0	0 / 0	0 / 0	4 / 4	4 / 4	4 / 4
	,K.P (BPF)			888,067 / 888,067	4 / 4	4 / 4	4 / 4	4 / 4	1 / 1	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
47	22-08-0-00000150-3-0	150mm(47,154	46 / 46	0 / 0	0 / 0	0 / 0	4 / 4	4 / 4	19 / 19
	,K.P	(BPF)		2,169,084 / 2,169,084	4 / 4	4 / 4	4 / 4	4 / 4	3 / 3	0 / 0
48	22-08-0-00000200-3-0	200mm(63,685	52 / 52	0 / 0	0 / 0	0 / 0	7 / 7	7 / 7	7 / 7
	,K.P	(BPF)		3,311,620 / 3,311,620	7 / 7	7 / 7	7 / 7	7 / 7	3 / 3	0 / 0
49	22-08-0-00000300-3-0	300mm(108,400	36 / 36	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5
	,K.P	(BPF)		3,902,400 / 3,902,400	5 / 5	5 / 5	5 / 5	5 / 5	1 / 1	0 / 0
50	22-09-0-06500080-3-0	80*L650 (1F) (32,980	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	,1F	(L650) (BPF)		98,940 / 98,940	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-09-0-06500100-3-0	100*L650 (1F) (40,135	14 / 15	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	,1F	(L650) (BPF)		561,890 / 602,025	2 / 2	2 / 2	2 / 2	2 / 3	0 / 0	0 / 0
52	22-09-0-06500150-3-0	150*L650 (1F) (62,601	7 / 7	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	5 / 5
	,1F	(L650) (BPF)		438,207 / 438,207	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-09-0-06500200-3-0	200*L650 (1F) (88,373	11 / 11	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	,1F	(L650) (BPF)		972,103 / 972,103	2 / 2	2 / 2	1 / 1	0 / 0	0 / 0	0 / 0
54	22-09-0-06500300-3-0	300*L650 (1F) (153,250	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
	,1F	(L650) (BPF)		1,532,500 / 1,532,500	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
55	22-10-A-01000080-3-0	A ,100*80mm(28,560	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		28,560 / 28,560	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
56	22-10-A-02000150-3-0	A ,200*150mm(60,975	3 / 6	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
	, K.P	(BPF)		182,925 / 365,850	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0	0 / 0
57	22-10-A-03000200-3-0	A ,300*200mm(108,400	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, K.P	(BPF)		108,400 / 108,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-11-A-01000080-3-0	A ,100*80mm	24,534	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		24,534 / 24,534	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
59	22-12-A-00800090-3-0	A ,80mm *90(25,839	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		51,678 / 51,678	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
60	22-12-A-01000090-3-0	A ,100mm *90(32,249	28 / 28	0 / 0	0 / 0	0 / 0	3 / 3	3 / 3	13 / 13
	,	(BPF)		902,972 / 902,972	3 / 3	3 / 3	3 / 3	0 / 0	0 / 0	0 / 0
61	22-14-0-00000150-3-0	150mm	4,300	61 / 61	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
	,			262,300 / 262,300	10 / 10	10 / 10	11 / 11	0 / 0	0 / 0	0 / 0
62	22-14-0-00000200-3-0	200mm	4,420	74 / 74	0 / 0	0 / 0	0 / 0	14 / 14	10 / 10	10 / 10
	,			327,080 / 327,080	10 / 10	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
79	31-03-F-00000200-3-0	,200mm	1,049,400	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
				3,148,200 / 3,148,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
80	31-03-F-00000300-3-0	,300mm	1,617,000	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
				8,085,000 / 8,085,000	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
81	31-04-Z-00100100-3-0	,10K	480,000	6 / 6	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
				2,880,000 / 2,880,000	1 / 1	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0
82	31-05-Q-00000100-3-0	,1	516,000	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0
				1,548,000 / 1,548,000	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
83	41-01-0-01000648-4-0	, ,	295,000	15 / 15	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
				4,425,000 / 4,425,000	2 / 2	2 / 2	2 / 2	3 / 3	0 / 0	0 / 0
84	41-01-0-03180410-4-0	318x 410,	277,900	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				833,700 / 833,700	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
85	41-01-1-01000648-4-0	, ,	295,000	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1
				1,475,000 / 1,475,000	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
86	41-01-2-01000648-4-0	, ,D6	313,400	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				313,400 / 313,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
87	41-01-2-03180410-4-0	318x 410,	277,900	9 / 9	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
				2,501,100 / 2,501,100	2 / 2	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
88	41-01-D-00000648-4-0	가	375,000	4 / 4	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0
				1,500,000 / 1,500,000	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
()				5,184	0	0	0	624	608	1,800
				160,786,276	558	530	505	538	21	0
()				5,228	0	0	0	624	608	1,800
				162,723,953	558	530	505	582	21	0