

: 2019 11 04  
 : 14 32 51  
 : 1 / 7

: ,  
 : ( )  
 : 가 141-13~ 152-8 1 ( 2019-7331-2-0003 ) : -19532

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
1	12-01-7-00000080-1-6 ( -3 ) ,8	133,650	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	(3 ) ,		534,600 / 534,600	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-7-00000100-1-6 ( -3 ) ,1	165,390	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
	(3 ) ,		2,646,240 / 2,646,240	4 / 4	1 / 1	0 / 0	4 / 4	0 / 0	0 / 0
3	12-01-7-00000150-1-6 ( -3 ) ,1	250,040	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	(3 ) ,		750,120 / 750,120	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000200-1-6 ( -3 ) ,2	335,010	4 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	(3 ) ,		1,340,040 / 2,345,070	0 / 0	2 / 2	0 / 0	0 / 0	0 / 3	0 / 0
5	12-01-7-00000300-1-6 ( -3 ) ,3	553,360	367 / 367	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	351 / 351
	(3 ) ,		203,083,120 / 203,083,120	0 / 0	13 / 13	0 / 0	3 / 3	0 / 0	0 / 0
6	22-01-B-00800045-3-0 B ,80mm *45`	20,970	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,K.P (BPF)		419,400 / 419,400	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
7	22-01-B-01000045-3-0 B ,100mm *45	26,562	70 / 70	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	,K.P (BPF)		1,859,340 / 1,859,340	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0
8	22-01-Y-01500022-3-0 B ( L ) ,150mm*22(	52,992	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)		0 / 52,992	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
9	22-01-Y-01500045-3-0 B ( L ) ,150mm*45(	48,930	13 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	,K.P (BPF)		636,090 / 733,950	1 / 1	4 / 4	0 / 0	0 / 0	0 / 2	0 / 0
10	22-01-Y-02000045-3-0 B ( L ) ,200mm*45(	85,400	13 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12
	,K.P (BPF)		1,110,200 / 1,708,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 7	0 / 0
11	22-01-Y-03000022-3-0 B ( L ) ,300mm*22(	114,170	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12
	,K.P (BPF)		2,511,740 / 2,511,740	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
12	22-01-Y-03000045-3-0 B ( L ) ,300mm*45(	159,600	66 / 75	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	48 / 48
	,K.P (BPF)		10,533,600 / 11,970,000	14 / 14	0 / 0	0 / 0	4 / 4	0 / 9	0 / 0
13	22-02-B-03000080-3-0 B ,300mm*80mm(	165,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	, T (BPF)		826,000 / 826,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
14	22-02-B-03000100-3-0 B ,300mm*100mm(	176,400	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	24 / 24
	, T (BPF)		7,232,400 / 7,232,400	3 / 3	5 / 5	0 / 0	9 / 9	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
15	22-02-B-03000150-3-0 B ,300mm*150mm(	194,600	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	, T (BPF)		778,400 / 778,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
16	22-02-B-03000200-3-0 B ,300mm*200mm(	214,200	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	, T (BPF)		1,499,400 / 1,499,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
17	22-02-B-03000300-3-0 B ,300mm*300mm(	266,000	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	, T (BPF)		2,128,000 / 2,128,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-04-0-00000080-3-0 ,80mm	6,690	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	, K.P		26,760 / 26,760	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
19	22-04-0-00000100-3-0 ,100mm	9,140	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	18 / 18
	, K.P		319,900 / 319,900	10 / 10	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0
20	22-04-0-00000150-3-0 ,150mm	11,190	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	, K.P		89,520 / 89,520	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
21	22-04-0-00000200-3-0 ,200mm	14,050	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	, K.P		84,300 / 84,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-04-0-00000300-3-0 ,300mm	24,380	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	, K.P		243,800 / 243,800	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
23	22-04-2-00000080-3-0 ,80mm	1,210	46 / 46	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	26 / 26
	, K.P		55,660 / 55,660	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
24	22-04-2-00000100-3-0 ,100mm	1,350	196 / 196	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	98 / 98
	, K.P		264,600 / 264,600	52 / 52	46 / 46	0 / 0	0 / 0	0 / 0	0 / 0
25	22-04-2-00000150-3-0 ,150mm	1,810	322 / 322	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	180 / 180
	, K.P		582,820 / 582,820	0 / 0	142 / 142	0 / 0	0 / 0	0 / 0	0 / 0
26	22-04-2-00000200-3-0 ,200mm	2,400	62 / 62	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	28 / 28
	, K.P		148,800 / 148,800	0 / 0	18 / 18	0 / 0	16 / 16	0 / 0	0 / 0
27	22-04-2-00000300-3-0 ,300mm	3,820	543 / 543	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	450 / 450
	, K.P		2,074,260 / 2,074,260	0 / 0	93 / 93	0 / 0	0 / 0	0 / 0	0 / 0
28	22-04-3-00240085-3-0 ,24*85	1,110	3,780 / 3,780	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3,600 / 3,600
	, K.P		4,195,800 / 4,195,800	0 / 0	180 / 180	0 / 0	0 / 0	0 / 0	0 / 0
29	22-05-0-00800500-3-0 80mm*L500 (2F)(	35,190	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)		35,190 / 35,190	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
30	22-05-0-01000500-3-0 100mm*L500 (2F)(	41,440	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
	, 2F (BPF)		994,560 / 994,560	6 / 6	1 / 1	0 / 0	13 / 13	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
31	22-05-0-02000500-3-0	200mm* L500 (2F)(	84,180	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			168,360 / 168,360	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
32	22-05-0-03000500-3-0	300mm* L500 (2F)(	125,237	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	, 2F (BPF)			1,377,607 / 1,377,607	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0
33	22-06-0-00000080-3-0	F ,80mm	620	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	,			1,240 / 1,240	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
34	22-06-0-00000100-3-0	F ,100mm	840	64 / 64	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	19 / 19
	,			53,760 / 53,760	19 / 19	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0
35	22-06-0-00000150-3-0	F ,150mm	1,190	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,			4,760 / 4,760	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
36	22-06-0-00000200-3-0	F ,200mm	2,010	9 / 54	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	,			18,090 / 108,540	0 / 0	3 / 3	0 / 0	0 / 0	0 / 45	0 / 0
37	22-06-0-00000300-3-0	F ,300mm	3,390	38 / 38	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	,			128,820 / 128,820	0 / 0	18 / 18	0 / 0	0 / 0	0 / 0	0 / 0
38	22-07-2-00000080-3-0	80mm	21,160	51 / 51	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	21 / 21
	,			1,079,160 / 1,079,160	21 / 21	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0
39	22-07-2-00000100-3-0	100mm	23,450	215 / 215	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	56 / 56
	,			5,041,750 / 5,041,750	95 / 95	35 / 35	0 / 0	29 / 29	0 / 0	0 / 0
40	22-07-2-00000150-3-0	150mm	30,220	337 / 337	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	161 / 161
	,			10,184,140 / 10,184,140	0 / 0	176 / 176	0 / 0	0 / 0	0 / 0	0 / 0
41	22-07-2-00000200-3-0	200mm	39,190	53 / 81	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	22 / 22
	,			2,077,070 / 3,174,390	0 / 0	14 / 14	0 / 0	17 / 17	0 / 28	0 / 0
42	22-07-2-00000300-3-0	300mm	56,740	688 / 690	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	447 / 447
	,			39,037,120 / 39,150,600	0 / 0	134 / 134	0 / 0	107 / 107	0 / 2	0 / 0
43	22-08-0-00000080-3-0	80mm( )	21,669	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
	,K.P (BPF)			433,380 / 433,380	2 / 2	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
44	22-08-0-00000100-3-0	100mm(	31,640	75 / 75	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	56 / 56
	,K.P (BPF)			2,373,000 / 2,373,000	10 / 10	8 / 8	0 / 0	1 / 1	0 / 0	0 / 0
45	22-08-0-00000150-3-0	150mm(	48,720	18 / 18	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12
	,K.P (BPF)			876,960 / 876,960	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
46	22-08-0-00000200-3-0	200mm(	65,800	35 / 36	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	18 / 18
	,K.P (BPF)			2,303,000 / 2,368,800	17 / 17	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
47	22-08-0-00000300-3-0	300mm(	112,000	212 / 212	0 / 0	0 / 0	0 / 0	0 / 0	150 / 150
	,K.P	(BPF)		23,744,000 / 23,744,000	44 / 44	0 / 0	0 / 0	18 / 18	0 / 0
48	22-09-0-06500080-3-0	80*L650 (1F ) (	34,076	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,1F	(L650)(BPF)		238,532 / 238,532	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0
49	22-09-0-06500100-3-0	100*L650 (1F ) (	41,468	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	37 / 37
	,1F	(L650)(BPF)		2,073,400 / 2,073,400	10 / 10	3 / 3	0 / 0	0 / 0	0 / 0
50	22-09-0-06500150-3-0	150*L650 (1F ) (	64,680	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,1F	(L650)(BPF)		517,440 / 517,440	2 / 2	2 / 2	0 / 0	2 / 2	0 / 0
51	22-09-0-06500200-3-0	200*L650 (1F ) (	91,308	8 / 11	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
	,1F	(L650)(BPF)		730,464 / 1,004,388	1 / 1	0 / 0	0 / 0	1 / 1	0 / 3
52	22-09-0-06500300-3-0	300*L650 (1F ) (	158,340	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	27 / 27
	,1F	(L650)(BPF)		5,066,880 / 5,066,880	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
53	22-10-A-01000080-3-0	A ,100*80mm(	28,152	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		28,152 / 28,152	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
54	22-10-A-02000150-3-0	A ,200*150mm(	62,100	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		0 / 62,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
55	22-10-A-03000100-3-0	A ,300*100mm(	110,400	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		0 / 110,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
56	22-10-A-03000200-3-0	A ,300*200mm(	110,400	1 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		110,400 / 331,200	0 / 0	0 / 0	0 / 0	1 / 1	0 / 2
57	22-10-B-03000200-3-0	B ,300*200mm	104,880	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			0 / 104,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
58	22-11-A-01000080-3-0	A ,100*80mm	25,944	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		25,944 / 25,944	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
59	22-12-A-00800090-3-0	A ,80mm *90(	27,324	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		109,296 / 109,296	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
60	22-12-A-01000090-3-0	A ,100mm *90(	32,844	54 / 54	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		1,773,576 / 1,773,576	30 / 30	0 / 0	0 / 0	24 / 24	0 / 0
61	22-12-A-01500090-3-0	A ,150mm *90	52,200	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		365,400 / 365,400	5 / 5	0 / 0	0 / 0	2 / 2	0 / 0
62	22-12-A-02000090-3-0	A ,200mm *90	85,560	1 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		85,560 / 171,120	1 / 1	0 / 0	0 / 0	0 / 0	0 / 1

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
63	22-12-A-03000090-3-0	A ,300mm *90	193,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		386,400 / 386,400	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0
64	22-13-0-01000090-3-0	100mm*90( )	49,128	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		0 / 245,640	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5
65	22-14-0-00000300-3-0	300mm	6,490	393 / 393	0 / 0	0 / 0	0 / 0	0 / 0	353 / 353
				2,550,570 / 2,550,570	0 / 0	11 / 11	0 / 0	29 / 29	0 / 0
66	22-15-0-00000080-3-0	80mm, ( )	20,504	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		102,520 / 102,520	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
67	22-15-0-00000100-3-0	100mm, ( )	24,232	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		508,872 / 508,872	15 / 15	0 / 0	0 / 0	6 / 6	0 / 0
68	22-15-0-00000150-3-0	150mm, ( )	37,513	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		75,026 / 75,026	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
69	22-15-0-00000200-3-0	200mm, ( )	52,425	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		0 / 52,425	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
70	22-15-0-00000300-3-0	300mm, ( )	92,035	27 / 27	0 / 0	0 / 0	0 / 0	0 / 0	17 / 17
		(BPF)		2,484,945 / 2,484,945	3 / 3	7 / 7	0 / 0	0 / 0	0 / 0
71	22-16-0-00000080-3-0	80mm	10,080	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		10,080 / 10,080	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
72	22-16-0-00000200-3-0	200mm	30,800	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		0 / 30,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
73	22-19-B-03000100-3-0	B ,300*100mm	168,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
		, K.P (BPF)		504,000 / 504,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
74	22-25-1-00000150-3-0	KP ,150mm	19,600	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
		(BPF)		156,800 / 156,800	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0
75	22-25-1-00000200-3-0	KP ,200mm	33,600	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		134,400 / 134,400	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0
76	22-27-0-01000100-3-0	100*100MM	25,470	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				127,350 / 127,350	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
77	31-01-0-00000100-3-0	( )100mm	237,600	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				475,200 / 475,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
78	31-01-3-00000080-3-0	,80mm	152,000	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
				1,216,000 / 1,216,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )
				( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )
79	31-01-3-00000100-3-0	,100mm	189,200	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12
				2,459,600 / 2,459,600	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
80	31-01-3-00000150-3-0	,150mm	373,100	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
				1,492,400 / 1,492,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	31-01-3-00000200-3-0	,200mm	522,700	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
				3,136,200 / 3,136,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
82	31-01-3-00000300-3-0	,300mm	906,800	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
				12,695,200 / 12,695,200	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
83	31-03-0-00000300-3-0	,300mm	9,187,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				18,374,000 / 18,374,000	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
84	31-03-F-00000150-3-0	,150mm	838,310	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,029,860 / 5,029,860	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
85	31-03-F-00000200-3-0	,200mm	1,016,950	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,050,850 / 3,050,850	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
86	31-03-F-00000300-3-0	,300mm	1,568,160	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	17 / 17
				39,204,000 / 39,204,000	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
87	31-03-G-40000080-3-0	(	264,500	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
				1,058,000 / 1,058,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
88	31-03-G-40000100-3-0	(	309,200	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
				2,164,400 / 2,164,400	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
89	31-03-G-40000150-3-0	(	538,300	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,076,600 / 1,076,600	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
90	31-04-Z-00100100-3-0	,10K	480,000	18 / 18	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	18 / 18
				8,640,000 / 8,640,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
91	31-05-Q-00000100-3-0	,1	516,000	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
				3,612,000 / 3,612,000	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
92	32-03-C-00000100-3-0	( ),100mm	491,810	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				491,810 / 491,810	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
93	32-03-D-00000100-3-0	,100mm	301,400	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 301,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
94	41-01-0-01000648-4-0	, ,	319,000	47 / 47	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	27 / 27
				14,993,000 / 14,993,000	16 / 16	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0

		가	( / )	1 ( / )	2 ( / )	3 ( / )	4 ( / )	5 ( / )	6 ( / )	
			( / )	7 ( / )	8 ( / )	9 ( / )	10 ( / )	11 ( / )	12 ( / )	
95	41-01-0-03180410-4-0	318x 410,	277,900	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	11 / 11
				5,835,900 / 5,835,900	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
96	41-01-1-01000648-4-0	, ,	319,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
				1,595,000 / 1,595,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
97	41-01-2-01000648-4-0	, ,D6	307,000	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
				3,684,000 / 3,684,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	41-01-2-03180410-4-0	318x 410,	277,900	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	17 / 17
				6,113,800 / 6,113,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
99	41-01-2-20000648-3-0	,	395,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,975,000 / 1,975,000	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
100	41-01-3-20000648-3-0	(	525,000	0 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 2,625,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 5	0 / 0
101	41-01-D-00000648-4-0	가	375,000	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
				3,000,000 / 3,000,000	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
( )				8,421	0	0	0	0	0	6,562
				495,445,704	465	1,069	0	325	0	0
( )				8,541	0	0	0	0	0	6,562
				504,115,765	465	1,069	0	325	120	0