

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-02500045-3-0	B (L), 250mm*45(116,100	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,161,000 / 1,161,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
16	22-01-Y-03000022-3-0	B (L), 300mm*22(132,300	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,323,000 / 1,323,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
17	22-01-Y-03000045-3-0	B (L), 300mm*45(153,900	30 / 30	0 / 0	0 / 0	10 / 10	20 / 20	0 / 0	0 / 0
	,K.P	(BPF)		4,617,000 / 4,617,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-01-Y-04000022-3-0	B (L), 400mm*22(214,650	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,146,500 / 2,146,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-01-Y-04000045-3-0	B (L), 400mm*45(256,500	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		2,565,000 / 2,565,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-01-Y-05000022-3-0	B (L), 500mm*22(322,920	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,229,200 / 3,229,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-01-Y-05000045-3-0	B (L), 500mm*45(337,850	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		3,378,500 / 3,378,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-00800080-3-0	B ,80*80mm(44,436	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	,	T (BPF)		1,333,080 / 1,333,080	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-01000080-3-0	B ,100*80mm(52,440	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	,	T (BPF)		1,573,200 / 1,573,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-01500080-3-0	B ,150*80mm(74,520	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	,	T (BPF)		2,235,600 / 2,235,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-02-B-01500100-3-0	B ,150*100mm(80,040	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		160,080 / 160,080	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
26	22-02-B-01500150-3-0	B ,150*150mm(92,460	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		92,460 / 92,460	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
27	22-02-B-02000080-3-0	B ,200mm*80mm(100,740	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	,	T (BPF)		3,022,200 / 3,022,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
28	22-02-B-02000100-3-0	B ,200mm*100mm(106,260	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		956,340 / 956,340	0 / 0	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0
29	22-02-B-02000150-3-0	B ,200mm*150mm(120,060	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		120,060 / 120,060	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
30	22-02-B-02000200-3-0	B ,200*200mm(136,620	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		136,620 / 136,620	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-04-2-00000400-3-0	,400mm	5,170	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	, K.P			517,000 / 517,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
48	22-04-2-00000500-3-0	,500mm	7,930	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	, K.P			793,000 / 793,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-04-3-00240085-3-0	,24*85	1,110	11,000 / 11,000	0 / 0	0 / 0	10,000 / 10,000	0 / 0	0 / 0
	, K.P			12,210,000 / 12,210,000	0 / 0	1,000 / 1,000	0 / 0	0 / 0	0 / 0
50	22-04-3-00240105-3-0	,24*105	1,295	500 / 500	0 / 0	0 / 0	500 / 500	0 / 0	0 / 0
	, K.P			647,500 / 647,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	, 2F (BPF)			351,900 / 351,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	22-05-0-01000300-3-0	100mm*L300 (2F)(31,795	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, 2F (BPF)			635,900 / 635,900	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
53	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	, 2F (BPF)			4,084,800 / 4,084,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	, 2F (BPF)			619,620 / 619,620	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	, 2F (BPF)			841,800 / 841,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
56	22-06-0-00000080-3-0	F ,80mm	620	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			62,000 / 62,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-06-0-00000100-3-0	F ,100mm	840	300 / 300	0 / 0	0 / 0	300 / 300	0 / 0	0 / 0
	,			252,000 / 252,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-06-0-00000150-3-0	F ,150mm	1,190	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			119,000 / 119,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-06-0-00000200-3-0	F ,200mm	2,010	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			201,000 / 201,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-06-0-00000250-3-0	F ,250mm	2,790	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			279,000 / 279,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-06-0-00000300-3-0	F ,300mm	3,390	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			339,000 / 339,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-06-0-00000400-3-0	F ,400mm	5,720	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			572,000 / 572,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-06-0-00000500-3-0	F ,500mm	8,660	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			866,000 / 866,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
64	22-07-2-00000080-3-0	80mm	21,160	110 / 110	0 / 0	0 / 0	100 / 100	0 / 0	10 / 10
	,			2,327,600 / 2,327,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	22-07-2-00000100-3-0	100mm	23,450	250 / 250	0 / 0	0 / 0	200 / 200	0 / 0	0 / 0
	,			5,862,500 / 5,862,500	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
66	22-07-2-00000150-3-0	150mm	30,220	260 / 260	0 / 0	0 / 0	100 / 100	10 / 10	0 / 0
	,			7,857,200 / 7,857,200	0 / 0	150 / 150	0 / 0	0 / 0	0 / 0
67	22-07-2-00000200-3-0	200mm	39,190	200 / 200	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,			7,838,000 / 7,838,000	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0
68	22-07-2-00000250-3-0	250mm	48,580	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,			2,429,000 / 2,429,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
69	22-07-2-00000300-3-0	300mm	56,740	80 / 80	0 / 0	0 / 0	50 / 50	30 / 30	0 / 0
	,			4,539,200 / 4,539,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	22-07-2-00000400-3-0	400mm	91,000	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,			4,550,000 / 4,550,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	22-07-2-00000500-3-0	500mm	155,980	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,			7,799,000 / 7,799,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	22-08-0-00000080-3-0	80mm()	25,668	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,K.P (BPF)			2,566,800 / 2,566,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
73	22-08-0-00000100-3-0	100mm()	31,188	300 / 300	0 / 0	0 / 0	300 / 300	0 / 0	0 / 0
	,K.P (BPF)			9,356,400 / 9,356,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-08-0-00000150-3-0	150mm()	48,024	110 / 110	0 / 0	0 / 0	50 / 50	10 / 10	0 / 0
	,K.P (BPF)			5,282,640 / 5,282,640	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
75	22-08-0-00000200-3-0	200mm()	64,860	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,K.P (BPF)			3,243,000 / 3,243,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
76	22-08-0-00000250-3-0	250mm()	88,320	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,K.P (BPF)			4,416,000 / 4,416,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
77	22-08-0-00000300-3-0	300mm()	110,400	60 / 60	0 / 0	0 / 0	50 / 50	10 / 10	0 / 0
	,K.P (BPF)			6,624,000 / 6,624,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
78	22-08-0-00000400-3-0	400mm()	171,258	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,K.P (BPF)			1,712,580 / 1,712,580	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-08-0-00000500-3-0	500mm()	248,400	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,K.P	(BPF)		2,484,000 / 2,484,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
80	22-09-0-06500080-3-0	80*L650 (1F) (33,589	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,679,450 / 1,679,450	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	22-09-0-06500100-3-0	100*L650 (1F) (40,875	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,1F	(L650) (BPF)		4,087,500 / 4,087,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
82	22-09-0-06500150-3-0	150*L650 (1F) (63,756	65 / 65	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
	,1F	(L650) (BPF)		4,144,140 / 4,144,140	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0
83	22-09-0-06500200-3-0	200*L650 (1F) (90,003	25 / 25	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	,1F	(L650) (BPF)		2,250,075 / 2,250,075	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
84	22-09-0-06500250-3-0	250*L650 (1F) (121,219	20 / 20	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	,1F	(L650) (BPF)		2,424,380 / 2,424,380	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-09-0-06500300-3-0	300*L650 (1F) (156,078	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,560,780 / 1,560,780	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
86	22-09-0-06500400-3-0	400*L650 (1F) (195,132	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,951,320 / 1,951,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
87	22-09-0-06500500-3-0	500*L650 (1F) (267,030	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	,1F	(L650) (BPF)		2,670,300 / 2,670,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
88	22-10-A-01000080-3-0	A ,100*80mm(28,152	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		281,520 / 281,520	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
89	22-10-A-02000150-3-0	A ,200*150mm(62,100	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, K.P	(BPF)		124,200 / 124,200	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
90	22-10-B-03000200-3-0	B ,300*200mm	104,880	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P			209,760 / 209,760	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
91	22-11-A-01000080-3-0	A ,100*80mm	25,944	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	(BPF)		259,440 / 259,440	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
92	22-12-A-00800090-3-0	A ,80mm *90(27,324	90 / 90	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	,	(BPF)		2,459,160 / 2,459,160	30 / 30	30 / 30	0 / 0	0 / 0	0 / 0
93	22-12-A-01000090-3-0	A ,100mm *90(32,844	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,	(BPF)		394,128 / 394,128	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
94	22-13-0-01000090-3-0	100mm*90()	49,128	100 / 100	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
	,	(BPF)		4,912,800 / 4,912,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
95	22-14-0-00000150-3-0	150mm	4,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,			46,000 / 46,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
96	22-14-0-00000200-3-0	200mm	4,730	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,			94,600 / 94,600	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
97	22-14-0-00000300-3-0	300mm	7,780	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,			77,800 / 77,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-15-0-00000080-3-0	80mm, (24,288	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		24,288 / 24,288	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
99	22-15-0-00000100-3-0	100mm, (28,704	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		28,704 / 28,704	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
100	22-15-0-00000150-3-0	150mm, (44,436	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		88,872 / 88,872	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
101	22-15-0-00000200-3-0	200mm, (52,425	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,	(BPF)		314,550 / 314,550	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
102	22-16-0-00000500-3-0	500mm	146,160	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	,	(BPF)		292,320 / 292,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	22-19-B-01500100-3-0	B ,150*100mm	80,040	0 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 10
	,	K.P (BPF)		0 / 2,401,200	0 / 10	0 / 10	0 / 0	0 / 0	0 / 0	0 / 0
104	22-19-B-02000100-3-0	B ,200*100mm(100,800	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	K.P (BPF)		4,132,800 / 4,132,800	10 / 10	1 / 1	10 / 10	10 / 10	10 / 10	0 / 0
105	22-25-I-00000080-3-0	KP ,80mm	11,040	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	(BPF)		110,400 / 110,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
106	22-25-I-00000100-3-0	KP ,100mm	14,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,	(BPF)		70,000 / 70,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-25-I-00000150-3-0	KP ,150mm	19,320	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,	(BPF)		96,600 / 96,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
108	22-25-I-00000200-3-0	KP ,200mm	33,120	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	,	(BPF)		198,720 / 198,720	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
109	22-25-I-00000300-3-0	KP ,300mm	63,480	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,	(BPF)		634,800 / 634,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	31-01-3-00000080-3-0	,80mm	152,000	100 / 100	0 / 0	0 / 0	20 / 20	20 / 20	20 / 20	20 / 20
				15,200,000 / 15,200,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	31-03-F-00000150-3-0	,150mm	838,310	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
				8,383,100 / 8,383,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
128	31-03-F-00000200-3-0	,200mm	1,016,950	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
				10,169,500 / 10,169,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
129	31-03-F-00000300-3-0	,300mm	1,568,160	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
				15,681,600 / 15,681,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
130	31-03-F-20000080-3-0		386,400	31 / 41	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				11,978,400 / 15,842,400	10 / 10	11 / 11	0 / 10	0 / 0	0 / 0	0 / 0
131	31-03-F-20000100-3-0		443,700	30 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				13,311,000 / 17,748,000	10 / 10	10 / 10	0 / 10	0 / 0	0 / 0	0 / 0
132	31-05-A-00000080-3-0	,80mm	188,100	30 / 30	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10	0 / 0
				5,643,000 / 5,643,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
133	31-05-A-00000100-3-0	,100mm	235,400	20 / 20	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0	0 / 0
				4,708,000 / 4,708,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
134	31-05-Q-00000080-3-0	,8	441,000	20 / 20	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0	0 / 0
				8,820,000 / 8,820,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
135	31-05-Q-00000100-3-0	,1	516,000	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
				5,160,000 / 5,160,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
136	31-12-0-00000100-3-0	,100mm	409,200	80 / 80	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10	10 / 10
				32,736,000 / 32,736,000	10 / 10	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0
137	32-03-D-00000100-3-0	,100mm	281,960	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				2,255,680 / 2,255,680	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0
138	41-01-0-00000648-4-0		378,000	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
				18,900,000 / 18,900,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
139	41-01-0-03180410-4-0	318x 410,	277,900	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
				13,895,000 / 13,895,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
140	41-01-0-03180560-4-0	318x 560,	299,400	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
				14,970,000 / 14,970,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
141	41-01-1-00000648-4-0		378,000	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0
				18,900,000 / 18,900,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
142	41-01-1-03180410-4-0	318x 410,	277,900	15 / 45	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
				4,168,500 / 12,505,500	0 / 10	0 / 10	0 / 10	0 / 0	0 / 0	0 / 0

: 2020 06 26
 : 15 38 24
 : 10 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
143	41-01-1-03180560-4-0	318x 560,	299,400	15 / 45	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15
				4,491,000 / 13,473,000	0 / 10	0 / 10	0 / 10	0 / 0	0 / 0
144	41-01-2-01000648-4-0	, ,D6	335,000	156 / 156	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30
				52,260,000 / 52,260,000	30 / 30	0 / 0	6 / 6	0 / 0	0 / 0
145	41-01-2-03180410-4-0	318x 410,	277,900	20 / 20	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0
				5,558,000 / 5,558,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
146	41-01-3-10000648-3-0	(525,000	300 / 300	0 / 0	0 / 0	50 / 50	50 / 50	50 / 50
				157,500,000 / 157,500,000	10 / 10	10 / 10	10 / 10	10 / 10	50 / 50
147	41-01-3-10000648-4-0	(525,000	30 / 30	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
				15,750,000 / 15,750,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
148	41-01-3-20000648-3-0	(525,000	30 / 30	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
				15,750,000 / 15,750,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
149	41-01-D-10000648-4-0	가	419,600	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
				4,196,000 / 4,196,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
150	81-09-6-00400110-4-0	, 40mmx	268,000	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				10,720,000 / 10,720,000	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0
151	81-09-8-00150110-4-0	, 15mmx	101,000	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
		()		4,040,000 / 4,040,000	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0
()				19,300	0	0	15,321	370	420
()				1,141,205,323	242	2,000	206	50	80
()				19,410	0	0	15,321	370	420
()				1,169,226,523	272	2,030	246	50	80