

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-02000022-3-0	B (L), 200mm*22(74,250	80 / 80	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,K.P	(BPF)		5,940,000 / 5,940,000	10 / 10	40 / 40	20 / 20	0 / 0	0 / 0	0 / 0
16	22-01-Y-02000045-3-0	B (L), 200mm*45(82,350	162 / 162	0 / 0	0 / 0	0 / 0	28 / 28	40 / 40	40 / 40
	,K.P	(BPF)		13,340,700 / 13,340,700	10 / 10	0 / 0	40 / 40	4 / 4	0 / 0	0 / 0
17	22-01-Y-03000011-3-0	B (L), 300mm*11(121,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		243,000 / 243,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-01-Y-03000022-3-0	B (L), 300mm*22(132,300	5 / 5	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
	,K.P	(BPF)		661,500 / 661,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-01-Y-03000045-3-0	B (L), 300mm*45(153,900	162 / 162	0 / 0	0 / 0	0 / 0	102 / 102	0 / 0	0 / 0
	,K.P	(BPF)		24,931,800 / 24,931,800	30 / 30	10 / 10	0 / 0	20 / 20	0 / 0	0 / 0
20	22-02-B-01500080-3-0	B ,150*80mm(72,900	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	T (BPF)		72,900 / 72,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-01500100-3-0	B ,150*100mm(78,300	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	T (BPF)		391,500 / 391,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-01500150-3-0	B ,150*150mm(90,450	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	T (BPF)		180,900 / 180,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-02000080-3-0	B ,200mm*80mm(100,740	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	T (BPF)		1,007,400 / 1,007,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-02000100-3-0	B ,200mm*100mm(106,260	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	T (BPF)		2,125,200 / 2,125,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-02-B-02000150-3-0	B ,200mm*150mm(120,060	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		1,200,600 / 1,200,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-02-B-02000200-3-0	B ,200*200mm(136,620	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	T (BPF)		2,732,400 / 2,732,400	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-02-B-03000080-3-0	B ,300mm*80mm(159,300	7 / 7	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,	T (BPF)		1,115,100 / 1,115,100	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
28	22-02-B-03000100-3-0	B ,300mm*100mm(170,100	17 / 17	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	,	T (BPF)		2,891,700 / 2,891,700	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
29	22-02-B-03000150-3-0	B ,300mm*150mm(187,650	10 / 10	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
	,	T (BPF)		1,876,500 / 1,876,500	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
30	22-02-B-03000200-3-0	B ,300mm*200mm(206,550	9 / 9	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
	,	T (BPF)		1,858,950 / 1,858,950	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-02-B-03000300-3-0	B ,300mm*300mm(256,500	11 / 11	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
		, T (BPF)		2,821,500 / 2,821,500	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
32	22-03-B-02000150-3-0	B ,200*150mm	124,520	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P -T		1,245,200 / 1,245,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
33	22-04-0-00000080-3-0	,80mm	6,726	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, K.P		20,178 / 20,178	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-04-0-00000100-3-0	,100mm	7,852	54 / 54	0 / 0	0 / 0	0 / 0	54 / 54	0 / 0	0 / 0
		, K.P		424,008 / 424,008	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
35	22-04-0-00000150-3-0	,150mm	11,250	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
		, K.P		101,250 / 101,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-0-00000200-3-0	,200mm	14,050	160 / 160	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	40 / 40
		, K.P		2,248,000 / 2,248,000	40 / 40	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0
37	22-04-0-00000300-3-0	,300mm	24,511	62 / 62	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
		, K.P		1,519,682 / 1,519,682	22 / 22	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
38	22-04-2-00000080-3-0	,80mm	1,216	64 / 64	0 / 0	0 / 0	0 / 0	64 / 64	0 / 0	0 / 0
		, K.P		77,824 / 77,824	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000100-3-0	,100mm	1,357	212 / 212	0 / 0	0 / 0	0 / 0	212 / 212	0 / 0	0 / 0
		, K.P		287,684 / 287,684	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
40	22-04-2-00000150-3-0	,150mm	1,819	230 / 230	0 / 0	0 / 0	0 / 0	140 / 140	0 / 0	0 / 0
		, K.P		418,370 / 418,370	70 / 70	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
41	22-04-2-00000200-3-0	,200mm	2,412	391 / 391	0 / 0	0 / 0	0 / 0	71 / 71	40 / 40	40 / 40
		, K.P		943,092 / 943,092	40 / 40	40 / 40	40 / 40	40 / 40	50 / 50	30 / 30
42	22-04-2-00000300-3-0	,300mm	3,840	591 / 591	0 / 0	0 / 0	0 / 0	411 / 411	0 / 0	0 / 0
		, K.P		2,269,440 / 2,269,440	0 / 0	0 / 0	0 / 0	120 / 120	60 / 60	0 / 0
43	22-04-3-00240085-3-0	,24*85	1,115	58,700 / 58,700	0 / 0	0 / 0	0 / 0	4,170 / 4,170	0 / 0	0 / 0
		, K.P		65,450,500 / 65,450,500	0 / 0	300 / 300	500 / 500	500 / 500	400 / 400	0 / 0
44	22-05-0-00800500-3-0	80mm*L500 (2F)(34,425	35 / 35	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
		, 2F (BPF)		1,204,875 / 1,204,875	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0
45	22-05-0-01000300-3-0	100mm*L300 (2F)(31,104	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, 2F (BPF)		342,144 / 342,144	0 / 0	1 / 1	0 / 0	0 / 0	10 / 10	0 / 0
46	22-05-0-01000500-3-0	100mm*L500 (2F)(39,960	48 / 48	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0	20 / 20
		, 2F (BPF)		1,918,080 / 1,918,080	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
47	22-05-0-01500500-3-0	150mm* L500 (2F)(60,615	48 / 48	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0	20 / 20
	, 2F (BPF)			2,909,520 / 2,909,520	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
48	22-05-0-02000500-3-0	200mm* L500 (2F)(82,350	116 / 116	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	30 / 30
	, 2F (BPF)			9,552,600 / 9,552,600	40 / 40	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0
49	22-05-0-03000500-3-0	300mm* L500 (2F)(145,125	31 / 31	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, 2F (BPF)			4,498,875 / 4,498,875	0 / 0	0 / 0	5 / 5	5 / 5	10 / 10	10 / 10
50	22-06-0-00000080-3-0	F ,80mm	884	45 / 45	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,			39,780 / 39,780	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-06-0-00000100-3-0	F ,100mm	1,039	38 / 38	0 / 0	0 / 0	0 / 0	38 / 38	0 / 0	0 / 0
	,			39,482 / 39,482	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	22-06-0-00000150-3-0	F ,150mm	1,559	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
	,			14,031 / 14,031	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-06-0-00000200-3-0	F ,200mm	2,020	47 / 47	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	40 / 40
	,			94,940 / 94,940	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-06-0-00000300-3-0	F ,300mm	3,408	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
	,			30,672 / 30,672	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-07-2-00000080-3-0	80mm	21,274	56 / 56	0 / 0	0 / 0	0 / 0	51 / 51	0 / 0	0 / 0
	,			1,191,344 / 1,191,344	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
56	22-07-2-00000100-3-0	100mm	23,576	184 / 184	0 / 0	0 / 0	0 / 0	184 / 184	0 / 0	0 / 0
	,			4,337,984 / 4,337,984	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-07-2-00000150-3-0	150mm	30,383	230 / 230	0 / 0	0 / 0	0 / 0	140 / 140	0 / 0	0 / 0
	,			6,988,090 / 6,988,090	80 / 80	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
58	22-07-2-00000200-3-0	200mm	39,401	236 / 236	0 / 0	0 / 0	0 / 0	71 / 71	0 / 0	40 / 40
	,			9,298,636 / 9,298,636	0 / 0	50 / 50	50 / 50	25 / 25	0 / 0	0 / 0
59	22-07-2-00000300-3-0	300mm	57,046	551 / 551	0 / 0	0 / 0	0 / 0	411 / 411	0 / 0	0 / 0
	,			31,432,346 / 31,432,346	0 / 0	110 / 110	0 / 0	30 / 30	0 / 0	0 / 0
60	22-08-0-00000080-3-0	80mm()	25,110	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	,K.P (BPF)			376,650 / 376,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-08-0-00000100-3-0	100mm()	30,510	66 / 66	0 / 0	0 / 0	0 / 0	66 / 66	0 / 0	0 / 0
	,K.P (BPF)			2,013,660 / 2,013,660	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-08-0-00000150-3-0	150mm()	46,980	61 / 61	0 / 0	0 / 0	0 / 0	46 / 46	0 / 0	0 / 0
	,K.P (BPF)			2,865,780 / 2,865,780	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
63	22-08-0-00000200-3-0	200mm(63,450	185 / 185	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	40 / 40
	,K.P	(BPF)		11,738,250 / 11,738,250	40 / 40	40 / 40	40 / 40	5 / 5	0 / 0	0 / 0
64	22-08-0-00000300-3-0	300mm(108,000	219 / 219	0 / 0	0 / 0	0 / 0	150 / 150	0 / 0	0 / 0
	,K.P	(BPF)		23,652,000 / 23,652,000	49 / 49	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
65	22-09-0-06500080-3-0	80*L650 (1F) (32,859	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,1F	(L650) (BPF)		164,295 / 164,295	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	22-09-0-06500100-3-0	100*L650 (1F) (39,987	41 / 41	0 / 0	0 / 0	0 / 0	41 / 41	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,639,467 / 1,639,467	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
67	22-09-0-06500150-3-0	150*L650 (1F) (62,370	14 / 14	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
	,1F	(L650) (BPF)		873,180 / 873,180	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-09-0-06500200-3-0	200*L650 (1F) (88,047	60 / 60	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	,1F	(L650) (BPF)		5,282,820 / 5,282,820	10 / 10	10 / 10	10 / 10	4 / 4	10 / 10	10 / 10
69	22-09-0-06500300-3-0	300*L650 (1F) (152,685	20 / 20	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	5 / 5
	,1F	(L650) (BPF)		3,053,700 / 3,053,700	5 / 5	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
70	22-10-A-01500080-3-0	A ,150*80mm(41,580	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	, K.P	(BPF)		41,580 / 41,580	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	22-10-A-02000150-3-0	A ,200*150mm(60,750	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		182,250 / 182,250	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	22-10-A-03000100-3-0	A ,300*100mm(108,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		3,240,000 / 3,240,000	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0
73	22-10-A-03000200-3-0	A ,300*200mm(108,000	52 / 52	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	, K.P	(BPF)		5,616,000 / 5,616,000	10 / 10	10 / 10	10 / 10	10 / 10	10 / 10	0 / 0
74	22-11-A-03000200-3-0	A ,300*200mm	142,140	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		1,421,400 / 1,421,400	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
75	22-12-A-00800045-3-0	A ,80mm*45(23,166	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	,			1,158,300 / 1,158,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
76	22-12-A-00800090-3-0	A ,80mm *90(27,324	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	,	(BPF)		1,366,200 / 1,366,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
77	22-12-A-01000045-3-0	A ,100mm *45(31,188	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	,			1,559,400 / 1,559,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
78	22-12-A-01000090-3-0	A ,100mm *90(32,130	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	(BPF)		481,950 / 481,950	3 / 3	0 / 0	10 / 10	0 / 0	2 / 2	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
95	22-14-0-00000200-3-0	200mm	4,730	280 / 280	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	40 / 40
	, (BPF)			1,324,400 / 1,324,400	40 / 40	40 / 40	40 / 40	40 / 40	40 / 40	0 / 0
96	22-14-0-00000300-3-0	300mm	7,822	253 / 253	0 / 0	0 / 0	0 / 0	233 / 233	0 / 0	0 / 0
	, (BPF)			1,978,966 / 1,978,966	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
97	22-15-0-00000080-3-0	80mm, (24,288	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, (BPF)			971,520 / 971,520	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0
98	22-15-0-00000100-3-0	100mm, (28,080	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, (BPF)			786,240 / 786,240	5 / 5	5 / 5	5 / 5	0 / 0	3 / 3	0 / 0
99	22-15-0-00000150-3-0	150mm, (43,470	15 / 15	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5
	, (BPF)			652,050 / 652,050	3 / 3	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
100	22-15-0-00000200-3-0	200mm, (60,750	16 / 16	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	5 / 5
	, (BPF)			972,000 / 972,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
101	22-15-0-00000300-3-0	300mm, (106,650	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	, (BPF)			1,599,750 / 1,599,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
102	22-16-0-00000080-3-0	80mm	9,936	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			198,720 / 198,720	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	22-16-0-00000100-3-0	100mm	12,040	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			240,800 / 240,800	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-16-0-00000150-3-0	150mm	20,160	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			403,200 / 403,200	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	22-16-0-00000200-3-0	200mm	30,800	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			308,000 / 308,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
106	22-16-0-00000300-3-0	300mm	64,800	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	, (BPF)			972,000 / 972,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-19-B-02000100-3-0	B ,200*100mm(100,800	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			2,016,000 / 2,016,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
108	22-19-B-03000100-3-0	B ,300*100mm	162,000	26 / 26	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	, K.P (BPF)			4,212,000 / 4,212,000	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
109	22-25-I-00000150-3-0	KP ,150mm	18,900	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			56,700 / 56,700	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	22-25-I-00000300-3-0	KP ,300mm	62,100	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			186,300 / 186,300	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
111	31-01-3-00000080-3-0	,80mm	152,820	10 / 10	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
				1,528,200 / 1,528,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
112	31-01-3-00000100-3-0	,100mm	190,221	15 / 15	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
				2,853,315 / 2,853,315	2 / 2	0 / 0	0 / 0	10 / 10	0 / 0
113	31-01-3-00000150-3-0	,150mm	375,114	17 / 17	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0
				6,376,938 / 6,376,938	0 / 0	0 / 0	0 / 0	3 / 3	5 / 5
114	31-01-3-00000200-3-0	,200mm	525,522	21 / 21	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
				11,035,962 / 11,035,962	0 / 0	0 / 0	0 / 0	10 / 10	5 / 5
115	31-01-3-00000300-3-0	,300mm	911,696	6 / 6	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
				5,470,176 / 5,470,176	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
116	31-03-F-00000200-3-0	,200mm	1,016,950	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
				15,254,250 / 15,254,250	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
117	31-03-F-00000300-3-0	,300mm	1,576,628	9 / 9	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0
				14,189,652 / 14,189,652	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
118	31-04-Z-00100100-3-0	,10K	482,640	26 / 26	0 / 0	0 / 0	0 / 0	23 / 23	0 / 0
				12,548,640 / 12,548,640	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
119	31-05-Q-00000100-3-0	,1	518,786	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
				518,786 / 518,786	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
120	31-12-0-00000100-3-0	,100mm	411,409	23 / 23	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
				9,462,407 / 9,462,407	2 / 2	0 / 0	10 / 10	5 / 5	2 / 2
121	32-03-D-00000100-3-0	,100mm	303,027	19 / 19	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,757,513 / 5,757,513	2 / 2	0 / 0	5 / 5	10 / 10	2 / 2
122	41-01-0-01000648-4-0	, ,	273,300	60 / 60	0 / 0	0 / 0	10 / 10	10 / 10	10 / 10
				16,398,000 / 16,398,000	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0
123	41-01-0-03180410-4-0	318x 410,	279,400	7 / 7	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
				1,955,800 / 1,955,800	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
124	41-01-2-01000648-4-0	, ,D6	336,809	23 / 23	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
				7,746,607 / 7,746,607	2 / 2	0 / 0	10 / 10	0 / 0	3 / 3
125	41-01-2-03180300-4-0	318x 160	260,400	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,208,000 / 5,208,000	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
126	41-01-2-03180410-4-0	318x 410,	279,400	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,235,200 / 2,235,200	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
127	41-01-2-03180560-4-0	318x 560	299,400	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,988,000 / 5,988,000	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
128	41-01-3-10000648-3-0	()	527,835	38 / 38	0 / 0	0 / 0	0 / 0	34 / 34	0 / 0
				20,057,730 / 20,057,730	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
129	41-01-3-10000648-4-0	()	527,835	8 / 8	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
				4,222,680 / 4,222,680	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
130	41-01-3-20000648-3-0	()	527,835	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				527,835 / 527,835	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
131	41-01-D-00000648-4-0	가	377,025	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
				377,025 / 377,025	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
132	81-09-8-00150110-4-0	, 15mmx	101,545	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
		()		609,270 / 609,270	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
133	81-09-8-00200100-4-0	, 20mmx	141,761	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
		()		850,566 / 850,566	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		()		66,483	0	1	10	7,322	280
		()		634,377,870	951	986	905	1,031	681
		()		66,483	0	1	10	7,322	280
		()		634,377,870	951	986	905	1,031	681