

: 2020 11 17
 : 17 38 50
 : 1 / 7

: ,
 : ()
 : 693-3 ~ 593-47 4

(2019-6032-2-0009)

: -26895

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		129,730	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			129,730 / 129,730	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		160,440	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			962,640 / 962,640	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		242,950	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			485,900 / 485,900	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		325,740	120 / 120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			39,088,800 / 39,088,800	0 / 0	0 / 0	0 / 0	120 / 120	0 / 0	0 / 0
5	12-01-7-00000300-1-6 (-3) ,3		537,980	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			8,069,700 / 8,069,700	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
6	12-01-B-00000100-1-6 (-3) KP,100mm		156,470	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			156,470 / 156,470	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
7	12-01-B-00000150-1-6 (-3) KP,150mm		234,970	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			234,970 / 234,970	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
8	12-01-B-00000200-1-6 (-3) KP,200mm		315,420	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			315,420 / 315,420	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
9	12-01-B-00000300-1-6 (-3) KP,300mm		538,320	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			538,320 / 538,320	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
10	22-01-B-00800045-3-0 B ,80mm *45`		24,840	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			347,760 / 347,760	0 / 0	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0
11	22-01-B-01000022-3-0 B ,100mm *22		29,256	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			321,816 / 321,816	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0
12	22-01-B-01000045-3-0 B ,100mm *45		31,464	29 / 29	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			912,456 / 912,456	0 / 0	0 / 0	29 / 29	0 / 0	0 / 0	0 / 0
13	22-01-Y-01500011-3-0 B (L) ,150mm*11(49,051	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			539,561 / 539,561	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0
14	22-01-Y-01500022-3-0 B (L) ,150mm*22(52,992	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			582,912 / 582,912	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-01500045-3-0	B (L), 150mm*45(57,960	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,275,120 / 1,275,120	0 / 0	0 / 0	22 / 22	0 / 0	0 / 0	0 / 0
16	22-01-Y-02000011-3-0	B (L), 200mm*11(59,415	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		950,640 / 950,640	0 / 0	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0
17	22-01-Y-02000022-3-0	B (L), 200mm*22(75,900	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,593,900 / 1,593,900	0 / 0	0 / 0	21 / 21	0 / 0	0 / 0	0 / 0
18	22-01-Y-02000045-3-0	B (L), 200mm*45(84,180	59 / 59	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		4,966,620 / 4,966,620	0 / 0	0 / 0	59 / 59	0 / 0	0 / 0	0 / 0
19	22-01-Y-03000022-3-0	B (L), 300mm*22(135,240	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		1,487,640 / 1,487,640	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0
20	22-01-Y-03000045-3-0	B (L), 300mm*45(157,320	42 / 42	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		6,607,440 / 6,607,440	0 / 0	0 / 0	42 / 42	0 / 0	0 / 0	0 / 0
21	22-02-B-01000100-3-0	B, 100*100mm(55,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		110,400 / 110,400	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
22	22-02-B-01500150-3-0	B, 150*150mm(92,460	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		184,920 / 184,920	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
23	22-02-B-02000080-3-0	B, 200mm*80mm(100,740	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		604,440 / 604,440	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
24	22-02-B-02000100-3-0	B, 200mm*100mm(106,260	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		2,125,200 / 2,125,200	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
25	22-02-B-02000150-3-0	B, 200mm*150mm(120,060	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		120,060 / 120,060	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
26	22-02-B-02000200-3-0	B, 200*200mm(136,620	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		409,860 / 409,860	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
27	22-02-B-03000200-3-0	B, 300mm*200mm(211,140	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		633,420 / 633,420	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
28	22-02-B-03000300-3-0	B, 300mm*300mm(262,200	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		1,048,800 / 1,048,800	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
29	22-04-0-00000100-3-0	, 100mm	7,810	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			234,300 / 234,300	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0
30	22-04-0-00000150-3-0	, 150mm	11,190	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			123,090 / 123,090	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-0-00000200-3-0	,200mm	14,050	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			309,100 / 309,100	0 / 0	0 / 0	22 / 22	0 / 0	0 / 0
32	22-04-0-00000300-3-0	,300mm	24,380	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			316,940 / 316,940	0 / 0	0 / 0	13 / 13	0 / 0	0 / 0
33	22-04-2-00000080-3-0	,80mm	1,210	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			31,460 / 31,460	0 / 0	0 / 0	26 / 26	0 / 0	0 / 0
34	22-04-2-00000100-3-0	,100mm	1,350	97 / 97	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			130,950 / 130,950	0 / 0	0 / 0	97 / 97	0 / 0	0 / 0
35	22-04-2-00000150-3-0	,150mm	1,810	70 / 70	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			126,700 / 126,700	0 / 0	0 / 0	70 / 70	0 / 0	0 / 0
36	22-04-2-00000200-3-0	,200mm	2,400	311 / 311	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			746,400 / 746,400	0 / 0	0 / 0	311 / 311	0 / 0	0 / 0
37	22-04-2-00000250-3-0	,250mm	2,810	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			33,720 / 33,720	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
38	22-04-2-00000300-3-0	,300mm	3,820	162 / 162	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			618,840 / 618,840	0 / 0	0 / 0	162 / 162	0 / 0	0 / 0
39	22-04-3-00240085-3-0	,24*85	1,110	3,248 / 3,248	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			3,605,280 / 3,605,280	0 / 0	0 / 0	3,248 / 3,248	0 / 0	0 / 0
40	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			140,760 / 140,760	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
41	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			204,240 / 204,240	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
42	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			185,886 / 185,886	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
43	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			168,360 / 168,360	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
44	22-05-0-03000500-3-0	300mm*L500 (2F)(148,350	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			445,050 / 445,050	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
45	22-06-0-00000080-3-0	F ,80mm	620	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			6,820 / 6,820	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0
46	22-06-0-00000100-3-0	F ,100mm	840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			8,400 / 8,400	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-06-0-00000150-3-0	F ,150mm	1,190	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,570 / 3,570	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
48	22-06-0-00000200-3-0	F ,200mm	2,010	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				14,070 / 14,070	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
49	22-06-0-00000300-3-0	F ,300mm	3,390	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				13,560 / 13,560	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0
50	22-07-2-00000080-3-0	80mm	21,160	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				550,160 / 550,160	0 / 0	0 / 0	26 / 26	0 / 0	0 / 0	0 / 0
51	22-07-2-00000100-3-0	100mm	23,450	67 / 67	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,571,150 / 1,571,150	0 / 0	0 / 0	67 / 67	0 / 0	0 / 0	0 / 0
52	22-07-2-00000150-3-0	150mm	30,220	59 / 59	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,782,980 / 1,782,980	0 / 0	0 / 0	59 / 59	0 / 0	0 / 0	0 / 0
53	22-07-2-00000200-3-0	200mm	39,190	289 / 289	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				11,325,910 / 11,325,910	0 / 0	0 / 0	289 / 289	0 / 0	0 / 0	0 / 0
54	22-07-2-00000250-3-0	250mm	48,580	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				582,960 / 582,960	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0	0 / 0
55	22-07-2-00000300-3-0	300mm	56,740	149 / 149	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				8,454,260 / 8,454,260	0 / 0	0 / 0	149 / 149	0 / 0	0 / 0	0 / 0
56	22-08-0-00000080-3-0	80mm()	25,668	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		359,352 / 359,352	0 / 0	0 / 0	14 / 14	0 / 0	0 / 0	0 / 0
57	22-08-0-00000100-3-0	100mm()	31,188	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		998,016 / 998,016	0 / 0	0 / 0	32 / 32	0 / 0	0 / 0	0 / 0
58	22-08-0-00000150-3-0	150mm()	48,024	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		1,248,624 / 1,248,624	0 / 0	0 / 0	26 / 26	0 / 0	0 / 0	0 / 0
59	22-08-0-00000200-3-0	200mm()	64,860	104 / 104	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		6,745,440 / 6,745,440	0 / 0	0 / 0	104 / 104	0 / 0	0 / 0	0 / 0
60	22-08-0-00000300-3-0	300mm()	110,400	53 / 53	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,K.P (BPF)		5,851,200 / 5,851,200	0 / 0	0 / 0	53 / 53	0 / 0	0 / 0	0 / 0
61	22-09-0-06500080-3-0	80*L650 (1F) ()	33,589	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,1F (L650) (BPF)		201,534 / 201,534	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
62	22-09-0-06500100-3-0	100*L650 (1F) ()	40,875	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,1F (L650) (BPF)		408,750 / 408,750	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-09-0-06500200-3-0	200*L650 (1F) (90,003	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 1F (L650) (BPF)			720,024 / 720,024	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
64	22-09-0-06500300-3-0	300*L650 (1F) (156,078	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 1F (L650) (BPF)			1,404,702 / 1,404,702	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
65	22-10-A-02000100-3-0	A , 200*100mm(60,720	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			60,720 / 60,720	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
66	22-10-A-02000150-3-0	A , 200*150mm(62,100	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			124,200 / 124,200	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
67	22-10-A-02500200-3-0	A , 250*200mm(82,800	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			82,800 / 82,800	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
68	22-10-A-03000200-3-0	A , 300*200mm(110,400	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			552,000 / 552,000	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
69	22-10-A-03000250-3-0	A , 300*250mm(107,640	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			107,640 / 107,640	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
70	22-14-0-00000100-3-0	100mm	2,320	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			13,920 / 13,920	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
71	22-14-0-00000150-3-0	150mm	3,840	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			3,840 / 3,840	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
72	22-14-0-00000200-3-0	200mm	3,940	118 / 118	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			464,920 / 464,920	0 / 0	0 / 0	118 / 118	0 / 0	0 / 0
73	22-14-0-00000300-3-0	300mm	6,490	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			84,370 / 84,370	0 / 0	0 / 0	13 / 13	0 / 0	0 / 0
74	22-15-0-00000080-3-0	80mm, (24,288	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			97,152 / 97,152	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
75	22-15-0-00000100-3-0	100mm, (28,704	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			57,408 / 57,408	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
76	22-15-0-00000150-3-0	150mm, (44,436	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			222,180 / 222,180	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
77	22-15-0-00000200-3-0	200mm, (52,425	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			209,700 / 209,700	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
78	22-17-0-00800040-3-0	80*40mm	9,384	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			18,768 / 18,768	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-17-0-00800050-3-0	80*50mm	9,108	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			18,216 / 18,216	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
80	22-17-0-01000050-3-0	100*50mm	11,040	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			22,080 / 22,080	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
81	31-01-3-00000080-3-0	,80mm	152,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				608,000 / 608,000	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
82	31-01-3-00000100-3-0	,100mm	189,200	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				946,000 / 946,000	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
83	31-01-3-00000150-3-0	,150mm	373,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				373,100 / 373,100	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
84	31-03-0-00000300-3-0	,300mm	9,187,000	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				27,561,000 / 27,561,000	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
85	31-03-F-00000150-3-0	,150mm	838,310	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				2,514,930 / 2,514,930	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
86	31-03-F-00000200-3-0	,200mm	1,016,950	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				5,084,750 / 5,084,750	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
87	31-03-F-00000300-3-0	,300mm	1,568,160	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				7,840,800 / 7,840,800	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
88	31-04-Z-00200100-3-0	(357,800	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,651,400 / 4,651,400	0 / 0	0 / 0	13 / 13	0 / 0	0 / 0
89	31-05-Q-00000100-3-0	,1	516,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				516,000 / 516,000	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
90	32-03-D-00000100-3-0	,100mm	301,400	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				3,918,200 / 3,918,200	0 / 0	0 / 0	13 / 13	0 / 0	0 / 0
91	41-01-0-01000648-4-0	, ,	312,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				6,240,000 / 6,240,000	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
92	41-01-0-03180560-4-0	318x 560,	299,400	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				1,197,600 / 1,197,600	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
93	41-01-1-01000648-4-0	, ,	312,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				624,000 / 624,000	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
94	41-01-2-01000648-4-0	, ,D6	335,000	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,355,000 / 4,355,000	0 / 0	0 / 0	13 / 13	0 / 0	0 / 0

: 2020 11 17
 : 17 38 50
 : 7 / 7

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	41-01-D-00000648-4-0	가	375,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				375,000 / 375,000	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
()				5,616	0	0	0	0	0
				193,423,167	0	0	5,468	148	0
()				5,616	0	0	0	0	0
				193,423,167	0	0	5,468	148	0