

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-01-Y-02000022-3-0	B (L), 200mm*22(74,250	80 / 80	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,K.P	(BPF)		5,940,000 / 5,940,000	10 / 10	40 / 40	20 / 20	0 / 0	0 / 0	0 / 0
16	22-01-Y-02000045-3-0	B (L), 200mm*45(82,350	162 / 162	0 / 0	0 / 0	0 / 0	28 / 28	40 / 40	40 / 40
	,K.P	(BPF)		13,340,700 / 13,340,700	10 / 10	0 / 0	40 / 40	4 / 4	0 / 0	0 / 0
17	22-01-Y-03000011-3-0	B (L), 300mm*11(121,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		243,000 / 243,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-01-Y-03000022-3-0	B (L), 300mm*22(132,300	5 / 5	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
	,K.P	(BPF)		661,500 / 661,500	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-01-Y-03000045-3-0	B (L), 300mm*45(153,900	162 / 162	0 / 0	0 / 0	0 / 0	102 / 102	0 / 0	0 / 0
	,K.P	(BPF)		24,931,800 / 24,931,800	30 / 30	10 / 10	0 / 0	20 / 20	0 / 0	0 / 0
20	22-02-B-01500080-3-0	B, 150*80mm(72,900	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	,	T (BPF)		72,900 / 72,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-01500100-3-0	B, 150*100mm(78,300	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	,	T (BPF)		391,500 / 391,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-01500150-3-0	B, 150*150mm(90,450	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	,	T (BPF)		180,900 / 180,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-02000080-3-0	B, 200mm*80mm(100,740	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	T (BPF)		1,007,400 / 1,007,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-02000100-3-0	B, 200mm*100mm(106,260	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	T (BPF)		2,125,200 / 2,125,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-02-B-02000150-3-0	B, 200mm*150mm(120,060	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,	T (BPF)		1,200,600 / 1,200,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-02-B-02000200-3-0	B, 200*200mm(136,620	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	,	T (BPF)		2,732,400 / 2,732,400	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-02-B-03000080-3-0	B, 300mm*80mm(159,300	7 / 7	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	,	T (BPF)		1,115,100 / 1,115,100	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
28	22-02-B-03000100-3-0	B, 300mm*100mm(170,100	17 / 17	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	,	T (BPF)		2,891,700 / 2,891,700	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
29	22-02-B-03000150-3-0	B, 300mm*150mm(187,650	10 / 10	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
	,	T (BPF)		1,876,500 / 1,876,500	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
30	22-02-B-03000200-3-0	B, 300mm*200mm(206,550	9 / 9	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
	,	T (BPF)		1,858,950 / 1,858,950	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-02-B-03000300-3-0 B ,300mm*300mm(256,500	11 / 11	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
	, T (BPF)		2,821,500 / 2,821,500	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
32	22-03-B-02000150-3-0 B ,200*150mm	124,520	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P -T		1,245,200 / 1,245,200	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
33	22-03-B-03000300-3-0 B ,300*300mm	264,435	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P -T		2,644,350 / 2,644,350	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
34	22-04-0-00000080-3-0 ,80mm	6,726	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		20,178 / 20,178	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
35	22-04-0-00000100-3-0 ,100mm	7,852	54 / 54	0 / 0	0 / 0	0 / 0	54 / 54	0 / 0	0 / 0
	, K.P		424,008 / 424,008	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-0-00000150-3-0 ,150mm	11,250	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
	, K.P		101,250 / 101,250	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
37	22-04-0-00000200-3-0 ,200mm	14,050	160 / 160	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	40 / 40
	, K.P		2,248,000 / 2,248,000	40 / 40	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0
38	22-04-0-00000300-3-0 ,300mm	24,511	62 / 62	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	, K.P		1,519,682 / 1,519,682	22 / 22	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000080-3-0 ,80mm	1,216	64 / 64	0 / 0	0 / 0	0 / 0	64 / 64	0 / 0	0 / 0
	, K.P		77,824 / 77,824	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
40	22-04-2-00000100-3-0 ,100mm	1,357	212 / 212	0 / 0	0 / 0	0 / 0	212 / 212	0 / 0	0 / 0
	, K.P		287,684 / 287,684	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-04-2-00000150-3-0 ,150mm	1,819	230 / 230	0 / 0	0 / 0	0 / 0	140 / 140	0 / 0	0 / 0
	, K.P		418,370 / 418,370	70 / 70	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
42	22-04-2-00000200-3-0 ,200mm	2,412	391 / 391	0 / 0	0 / 0	0 / 0	71 / 71	40 / 40	40 / 40
	, K.P		943,092 / 943,092	40 / 40	40 / 40	40 / 40	40 / 40	50 / 50	30 / 30
43	22-04-2-00000300-3-0 ,300mm	3,840	591 / 591	0 / 0	0 / 0	0 / 0	411 / 411	0 / 0	0 / 0
	, K.P		2,269,440 / 2,269,440	0 / 0	0 / 0	0 / 0	120 / 120	60 / 60	0 / 0
44	22-04-2-00000400-3-0 ,400mm	5,170	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		51,700 / 51,700	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
45	22-04-3-00240085-3-0 ,24*85	1,115	58,700 / 58,700	0 / 0	0 / 0	0 / 0	4,170 / 4,170	0 / 0	0 / 0
	, K.P		65,450,500 / 65,450,500	0 / 0	300 / 300	500 / 500	500 / 500	400 / 400	0 / 0
46	22-05-0-00800500-3-0 80mm*L500 (2F)(34,425	35 / 35	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	, 2F (BPF)		1,204,875 / 1,204,875	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-05-0-01000300-3-0	100mm*L300 (2F)(31,104	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			342,144 / 342,144	0 / 0	1 / 1	0 / 0	0 / 0	10 / 10
48	22-05-0-01000500-3-0	100mm*L500 (2F)(39,960	48 / 48	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0
	, 2F (BPF)			1,918,080 / 1,918,080	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0
49	22-05-0-01500500-3-0	150mm*L500 (2F)(60,615	48 / 48	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0
	, 2F (BPF)			2,909,520 / 2,909,520	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
50	22-05-0-02000500-3-0	200mm*L500 (2F)(82,350	116 / 116	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
	, 2F (BPF)			9,552,600 / 9,552,600	40 / 40	40 / 40	0 / 0	0 / 0	0 / 0
51	22-05-0-03000300-3-0	300mm*L300 (2F)(115,147	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			1,151,470 / 1,151,470	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
52	22-05-0-03000500-3-0	300mm*L500 (2F)(145,125	31 / 31	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, 2F (BPF)			4,498,875 / 4,498,875	0 / 0	0 / 0	5 / 5	5 / 5	10 / 10
53	22-06-0-00000080-3-0	F ,80mm	884	45 / 45	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,			39,780 / 39,780	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0
54	22-06-0-00000100-3-0	F ,100mm	1,039	38 / 38	0 / 0	0 / 0	0 / 0	38 / 38	0 / 0
	,			39,482 / 39,482	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-06-0-00000150-3-0	F ,150mm	1,559	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0
	,			14,031 / 14,031	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
56	22-06-0-00000200-3-0	F ,200mm	2,020	47 / 47	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0
	,			94,940 / 94,940	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-06-0-00000300-3-0	F ,300mm	3,408	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0
	,			30,672 / 30,672	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-07-2-00000080-3-0	80mm	21,274	56 / 56	0 / 0	0 / 0	0 / 0	51 / 51	0 / 0
	,			1,191,344 / 1,191,344	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
59	22-07-2-00000100-3-0	100mm	23,576	184 / 184	0 / 0	0 / 0	0 / 0	184 / 184	0 / 0
	,			4,337,984 / 4,337,984	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-07-2-00000150-3-0	150mm	30,383	230 / 230	0 / 0	0 / 0	0 / 0	140 / 140	0 / 0
	,			6,988,090 / 6,988,090	80 / 80	0 / 0	0 / 0	10 / 10	0 / 0
61	22-07-2-00000200-3-0	200mm	39,401	316 / 366	0 / 0	0 / 0	0 / 0	71 / 71	0 / 0
	,			12,450,716 / 14,420,766	0 / 0	50 / 50	50 / 50	25 / 25	40 / 40
62	22-07-2-00000300-3-0	300mm	57,046	551 / 551	0 / 0	0 / 0	0 / 0	411 / 411	0 / 0
	,			31,432,346 / 31,432,346	0 / 0	110 / 110	0 / 0	30 / 30	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-07-2-00000400-3-0	400mm	91,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			910,000 / 910,000	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
64	22-08-0-00000080-3-0	80mm()	25,110	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
	,K.P	(BPF)		376,650 / 376,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	22-08-0-00000100-3-0	100mm()	30,510	66 / 66	0 / 0	0 / 0	0 / 0	66 / 66	0 / 0
	,K.P	(BPF)		2,013,660 / 2,013,660	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	22-08-0-00000150-3-0	150mm()	46,980	61 / 61	0 / 0	0 / 0	0 / 0	46 / 46	0 / 0
	,K.P	(BPF)		2,865,780 / 2,865,780	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0
67	22-08-0-00000200-3-0	200mm()	63,450	185 / 185	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	,K.P	(BPF)		11,738,250 / 11,738,250	40 / 40	40 / 40	40 / 40	5 / 5	0 / 0
68	22-08-0-00000300-3-0	300mm()	108,000	219 / 219	0 / 0	0 / 0	0 / 0	150 / 150	0 / 0
	,K.P	(BPF)		23,652,000 / 23,652,000	49 / 49	0 / 0	0 / 0	20 / 20	0 / 0
69	22-09-0-06500080-3-0	80*L650 (1F) ()	32,859	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	,1F	(L650) (BPF)		164,295 / 164,295	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	22-09-0-06500100-3-0	100*L650 (1F) ()	39,987	41 / 41	0 / 0	0 / 0	0 / 0	41 / 41	0 / 0
	,1F	(L650) (BPF)		1,639,467 / 1,639,467	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	22-09-0-06500150-3-0	150*L650 (1F) ()	62,370	14 / 14	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0
	,1F	(L650) (BPF)		873,180 / 873,180	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
72	22-09-0-06500200-3-0	200*L650 (1F) ()	88,047	60 / 60	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
	,1F	(L650) (BPF)		5,282,820 / 5,282,820	10 / 10	10 / 10	10 / 10	4 / 4	10 / 10
73	22-09-0-06500300-3-0	300*L650 (1F) ()	152,685	20 / 20	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
	,1F	(L650) (BPF)		3,053,700 / 3,053,700	5 / 5	0 / 0	0 / 0	4 / 4	0 / 0
74	22-10-A-01500080-3-0	A ,150*80mm()	41,580	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, K.P	(BPF)		41,580 / 41,580	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	22-10-A-02000150-3-0	A ,200*150mm()	60,750	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		182,250 / 182,250	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
76	22-10-A-03000100-3-0	A ,300*100mm()	108,000	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		3,240,000 / 3,240,000	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0
77	22-10-A-03000200-3-0	A ,300*200mm()	108,000	57 / 57	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, K.P	(BPF)		6,156,000 / 6,156,000	10 / 10	10 / 10	10 / 10	10 / 10	10 / 10
78	22-10-A-04000300-3-0	A ,400*300mm()	178,020	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		1,780,200 / 1,780,200	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10

: 2020 11 18
 : 11 48 16
 : 6 / 10

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	22-11-A-03000200-3-0	A ,300*200mm	142,140	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		1,421,400 / 1,421,400	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
80	22-12-A-00800045-3-0	A ,80mm*45(23,166	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				1,158,300 / 1,158,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	22-12-A-00800090-3-0	A ,80mm *90(27,324	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
		(BPF)		1,366,200 / 1,366,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
82	22-12-A-01000045-3-0	A ,100mm *45(31,188	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				1,559,400 / 1,559,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
83	22-12-A-01000090-3-0	A ,100mm *90(32,130	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		(BPF)		481,950 / 481,950	3 / 3	0 / 0	10 / 10	0 / 0	2 / 2
84	22-12-A-01500045-3-0	A ,150mm *45	52,360	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				2,618,000 / 2,618,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-12-A-01500090-3-0	A ,150mm *90	52,200	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
		(BPF)		2,610,000 / 2,610,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
86	22-12-A-02000045-3-0	A ,200mm *45	77,830	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				3,891,500 / 3,891,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
87	22-12-A-02000090-3-0	A ,200mm *90	83,700	42 / 42	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
		(BPF)		3,515,400 / 3,515,400	10 / 10	10 / 10	10 / 10	0 / 0	2 / 2
88	22-12-B-00800045-3-0	B ,80mm *45	26,610	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				1,330,500 / 1,330,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
89	22-12-B-00800090-3-0	B ,80mm *90	27,740	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				1,387,000 / 1,387,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
90	22-12-B-01000045-3-0	B ,100mm *45	32,830	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				1,969,800 / 1,969,800	10 / 10	10 / 10	10 / 10	10 / 10	10 / 10
91	22-12-B-01000090-3-0	B ,100mm *90	33,672	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
		(BPF)		2,020,320 / 2,020,320	10 / 10	10 / 10	10 / 10	10 / 10	10 / 10
92	22-12-B-01500045-3-0	B ,150mm *45	54,620	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				2,731,000 / 2,731,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
93	22-12-B-01500090-3-0	B ,150mm *90	59,430	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				2,971,500 / 2,971,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
94	22-12-B-02000045-3-0	B ,200mm *45	83,810	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
				4,190,500 / 4,190,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
95	22-12-B-02000090-3-0 B ,200mm *90	89,700	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	,		4,485,000 / 4,485,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
96	22-13-0-01000090-3-0 100mm*90()	49,128	21 / 21	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5	1 / 1
	, (BPF)		1,031,688 / 1,031,688	5 / 5	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
97	22-14-0-00000080-3-0 80mm	2,060	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40
	,		82,400 / 82,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-14-0-00000100-3-0 100mm	2,780	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,		55,600 / 55,600	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
99	22-14-0-00000150-3-0 150mm	4,624	33 / 33	0 / 0	0 / 0	0 / 0	33 / 33	0 / 0	0 / 0
	,		152,592 / 152,592	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
100	22-14-0-00000200-3-0 200mm	4,730	280 / 280	0 / 0	0 / 0	0 / 0	0 / 0	40 / 40	40 / 40
	,		1,324,400 / 1,324,400	40 / 40	40 / 40	40 / 40	40 / 40	40 / 40	0 / 0
101	22-14-0-00000300-3-0 300mm	7,822	253 / 253	0 / 0	0 / 0	0 / 0	233 / 233	0 / 0	0 / 0
	,		1,978,966 / 1,978,966	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
102	22-15-0-00000080-3-0 80mm, (24,288	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, (BPF)		971,520 / 971,520	10 / 10	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0
103	22-15-0-00000100-3-0 100mm, (28,080	28 / 28	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	, (BPF)		786,240 / 786,240	5 / 5	5 / 5	5 / 5	0 / 0	3 / 3	0 / 0
104	22-15-0-00000150-3-0 150mm, (43,470	15 / 15	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5
	, (BPF)		652,050 / 652,050	3 / 3	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
105	22-15-0-00000200-3-0 200mm, (60,750	16 / 16	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	5 / 5
	, (BPF)		972,000 / 972,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
106	22-15-0-00000300-3-0 300mm, (106,650	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	, (BPF)		1,599,750 / 1,599,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-16-0-00000080-3-0 80mm	9,936	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		198,720 / 198,720	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
108	22-16-0-00000100-3-0 100mm	12,040	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		240,800 / 240,800	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
109	22-16-0-00000150-3-0 150mm	20,160	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		403,200 / 403,200	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	22-16-0-00000200-3-0 200mm	30,800	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)		308,000 / 308,000	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)	
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)	
111	22-16-0-00000300-3-0	300mm	64,800	15 / 15	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0	0 / 0
	, (BPF)			972,000 / 972,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
112	22-19-B-02000100-3-0	B ,200*100mm(100,800	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P (BPF)			2,016,000 / 2,016,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
113	22-19-B-03000100-3-0	B ,300*100mm	162,000	26 / 26	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	, K.P (BPF)			4,212,000 / 4,212,000	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
114	22-25-I-00000080-3-0	KP ,80mm	11,040	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			220,800 / 220,800	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0
115	22-25-I-00000100-3-0	KP ,100mm	14,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			280,000 / 280,000	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0
116	22-25-I-00000150-3-0	KP ,150mm	18,900	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			56,700 / 56,700	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
117	22-25-I-00000200-3-0	KP ,200mm	33,120	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			662,400 / 662,400	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10	0 / 0
118	22-25-I-00000300-3-0	KP ,300mm	62,100	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, (BPF)			186,300 / 186,300	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
119	31-01-3-00000080-3-0	,80mm	152,820	10 / 10	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
				1,528,200 / 1,528,200	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
120	31-01-3-00000100-3-0	,100mm	190,221	15 / 15	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
				2,853,315 / 2,853,315	2 / 2	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
121	31-01-3-00000150-3-0	,150mm	375,114	17 / 17	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
				6,376,938 / 6,376,938	0 / 0	0 / 0	0 / 0	3 / 3	5 / 5	0 / 0
122	31-01-3-00000200-3-0	,200mm	525,522	21 / 21	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
				11,035,962 / 11,035,962	0 / 0	0 / 0	0 / 0	10 / 10	5 / 5	0 / 0
123	31-01-3-00000300-3-0	,300mm	911,696	8 / 8	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
				7,293,568 / 7,293,568	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1
124	31-03-F-00000200-3-0	,200mm	1,016,950	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5
				15,254,250 / 15,254,250	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
125	31-03-F-00000300-3-0	,300mm	1,576,628	9 / 9	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
				14,189,652 / 14,189,652	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
126	31-04-Z-00100100-3-0	,10K	482,640	26 / 26	0 / 0	0 / 0	0 / 0	23 / 23	0 / 0	1 / 1
				12,548,640 / 12,548,640	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0

: 2020 11 18
 : 11 48 16
 : 10 / 10

	가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
		(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
()		66,680	0	1	10	7,322	280	1,436
		647,594,262	951	986	905	1,061	802	96
()		66,730	0	1	10	7,322	280	1,436
		649,564,312	951	986	905	1,061	802	146