

자 재 사 용 계 획 서

출력일자: 2021년 09월 24일

출력시간: 10시 20분 52초

페이지: 4/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-04-3-00240105-3-0	볼트,24*105	1,638	400 / 400	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100	0 / 0
	닥타일이형관, K.P접합부속		개	655,200 / 655,200	0 / 0	300 / 300	0 / 0	0 / 0	0 / 0	0 / 0
49	22-05-0-00800300-3-0	80mm*L300 (2F)(마개포함)	28,290	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 2F단관(BPF)		개	282,900 / 282,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
50	22-05-0-00800500-3-0	80mm*L500 (2F)(마개포함)	35,890	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 2F단관(BPF)		개	358,900 / 358,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-05-0-01000300-3-0	100mm*L300 (2F)(마개포함)	32,426	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 2F단관(BPF)		개	324,260 / 324,260	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	22-05-0-01000500-3-0	100mm*L500 (2F)(마개포함)	41,660	40 / 40	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 2F단관(BPF)		개	1,666,400 / 1,666,400	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-05-0-03000300-3-0	300mm*L300 (2F)(마개포함)	119,612	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 2F단관(BPF)		개	119,612 / 119,612	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-06-0-00000080-3-0	F 고무링 ,80mm	880	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, 플렌지접합부속		개	17,600 / 17,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-06-0-00000100-3-0	F 고무링 ,100mm	1,034	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, 플렌지접합부속		개	20,680 / 20,680	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
56	22-07-2-00000080-3-0	80mm	20,090	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,004,500 / 1,004,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-07-2-00000100-3-0	100mm	20,950	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,047,500 / 1,047,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-07-2-00000150-3-0	150mm	26,670	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,333,500 / 1,333,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-07-2-00000200-3-0	200mm	34,140	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,707,000 / 1,707,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-07-2-00000250-3-0	250mm	48,840	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 이탈방지압륜		개	488,400 / 488,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
61	22-07-2-00000300-3-0	300mm	49,510	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 이탈방지압륜		개	495,100 / 495,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
62	22-07-2-00000350-3-0	350mm	81,400	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 이탈방지압륜		개	407,000 / 407,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
63	22-07-2-00000600-3-0	600mm	192,860	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	5,785,800 / 5,785,800	0 / 0	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 09월 24일

출력시간: 10시 20분 52초

페이지: 5/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
64	22-08-0-00000080-3-0	이음관80mm(마개포함)	26,180	10,000 / 10,000	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	261,800,000 / 261,800,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	22-08-0-00000100-3-0	이음관100mm(마개포함)	31,810	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	636,200 / 636,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	22-08-0-00000150-3-0	이음관150mm(마개포함)	48,980	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	979,600 / 979,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
67	22-08-0-00000200-3-0	이음관200mm(마개포함)	66,150	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	1,323,000 / 1,323,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-08-0-00000250-3-0	이음관250mm(마개포함)	90,080	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	1,801,600 / 1,801,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
69	22-08-0-00000300-3-0	이음관300mm(마개포함)	112,600	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	2,252,000 / 2,252,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	22-08-0-00000350-3-0	350mm	143,570	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	1,292,130 / 1,292,130	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
71	22-08-0-00000600-3-0	600mm(마개포함)	370,440	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.POI음관(BPF)		개	3,704,400 / 3,704,400	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
72	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	34,256	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관,1F단관(L650)(BPF)		개	342,560 / 342,560	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
73	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	41,688	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	20 / 20
	닥타일이형관,1F단관(L650)(BPF)		개	1,250,640 / 1,250,640	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	65,020	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	닥타일이형관,1F단관(L650)(BPF)		개	1,300,400 / 1,300,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	22-09-0-06500200-3-0	200*L650 (1F단관)(마개포함)	91,798	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	10 / 10
	닥타일이형관,1F단관(L650)(BPF)		개	1,835,960 / 1,835,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
76	22-09-0-06500250-3-0	250*L650 (1F단관)(마개포함)	123,636	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	20 / 20
	닥타일이형관,1F단관(L650)(BPF)		개	3,090,900 / 3,090,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
77	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	159,190	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	20 / 20
	닥타일이형관,1F단관(L650)(BPF)		개	3,979,750 / 3,979,750	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
78	22-09-0-06500350-3-0	350*L650 (1F단관)	167,042	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관,1F단관(L650)(BPF)		개	334,084 / 334,084	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
79	22-09-0-06500600-3-0	600*L650 (1F단관)(마개포함)	381,024	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,1F단관(L650)(BPF)		개	1,143,072 / 1,143,072	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 09월 24일

출력시간: 10시 20분 52초

페이지: 7/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-12-A-02000090-3-0	A형, 200mm *90	87,260	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	261,780 / 261,780	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
97	22-12-A-03000090-3-0	A형, 300mm *90	197,050	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	591,150 / 591,150	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-12-B-00800045-3-0	B형, 80mm *45	26,460	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 플렌지곡관		개	264,600 / 264,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
99	22-12-B-01000090-3-0	B형, 100mm *90	34,340	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 플렌지곡관(BPF)		개	343,400 / 343,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
100	22-13-0-01000090-3-0	100mm*90(마개포함)	50,100	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	20 / 20
	닥타일이형관, 소화전 곡관(BPF)		개	1,503,000 / 1,503,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
101	22-14-0-00000100-3-0	100mm	2,830	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 타이튼 고무링		개	28,300 / 28,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
102	22-15-0-00000080-3-0	80mm, 기타형(마개포함)	24,770	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	247,700 / 247,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	29,270	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	292,700 / 292,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-15-0-00000150-3-0	150mm, 기타형(마개포함)	45,320	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	453,200 / 453,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	22-15-0-00000200-3-0	200mm, 기타형(마개포함)	63,340	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	63,340 / 63,340	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
106	22-15-0-00000250-3-0	250mm, 기타형(마개포함)	85,860	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	85,860 / 85,860	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	22-15-0-00000300-3-0	300mm, 기타형(마개포함)	111,190	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	333,570 / 333,570	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
108	22-16-0-00000080-3-0	80mm	10,130	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	50,650 / 50,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
109	22-16-0-00000100-3-0	마개플렌지 100mm	12,100	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	60,500 / 60,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	22-16-0-00000300-3-0	마개플렌지 300mm	67,560	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	337,800 / 337,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
111	22-16-0-00000400-3-0	400mm	107,310	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	536,550 / 536,550	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2021년 09월 24일

출력시간: 10시 20분 52초

페이지: 12/12

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
176	41-01-3-20000648-3-0	밸브실고정형(높이조절용),부식방지,공기밸브용	527,835	2 / 2	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	원형철개		조	1,055,670 / 1,055,670	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
177	41-01-B-00000648-4-0	가변슬로프 제수밸브용 원형받침	377,025	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	원형철개		조	1,131,075 / 1,131,075	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
178	41-01-C-00000648-4-0	가변슬로프 퇴수밸브용 원형받침	377,025	3 / 3	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
	원형철개		조	1,131,075 / 1,131,075	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
179	41-01-D-00000648-4-0	가변슬로프 공기밸브용 원형받침	377,025	5 / 5	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0
	원형철개		조	1,885,125 / 1,885,125	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
180	41-01-D-10000648-4-0	가변슬로프 공기밸브용 사각받침	421,865	15 / 15	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0
	원형철개		조	6,327,975 / 6,327,975	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
181	41-05-0-00000648-4-0	수도계량기용 이중형 철개, D648×H100mm	298,633	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	원형철개		조	298,633 / 298,633	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
182	81-09-8-00150110-4-0	역지변설치, Φ15mm×심도1.1m	101,545	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	수도계량기보호통(역류방지밸브설치형)		조	507,725 / 507,725	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
183	81-09-8-00200100-4-0	역지변설치, Φ20mm×심도1.1m	141,761	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	수도계량기보호통(역류방지밸브설치형)		조	708,805 / 708,805	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
합 계 (전)				14,571	0	60	123	0	3,071	317
				709,022,654	71	399	41	236	68	177
합 계 (후)				14,576	0	60	123	0	3,071	317
				709,097,454	71	399	41	241	68	177