

자 재 사 용 계 획 서

출력일자: 2023년 04월 13일

출력시간: 13시 17분 37초

페이지: 3/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-04-0-00000250-3-0	압륜,250mm	30,895	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	926,850 / 926,850	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
33	22-04-0-00000300-3-0	압륜,300mm	37,390	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	747,800 / 747,800	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
34	22-04-2-00000080-3-0	고무링,80mm	1,548	49 / 49	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	75,852 / 75,852	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	19 / 19
35	22-04-2-00000100-3-0	고무링,100mm	1,739	110 / 110	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	191,290 / 191,290	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0	0 / 0
36	22-04-2-00000150-3-0	고무링,150mm	2,272	100 / 100	0 / 0	0 / 0	0 / 0	60 / 60	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	227,200 / 227,200	20 / 20	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
37	22-04-2-00000200-3-0	고무링,200mm	2,945	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	88,350 / 88,350	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
38	22-04-2-00000250-3-0	고무링,250mm	3,508	51 / 51	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	178,908 / 178,908	1 / 1	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-2-00000300-3-0	고무링,300mm	4,866	110 / 110	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	535,260 / 535,260	10 / 10	0 / 0	0 / 0	40 / 40	60 / 60	0 / 0
40	22-04-2-00000400-3-0	고무링,400mm	6,504	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, K.P접합부속		개	91,056 / 91,056	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
41	22-04-3-00240085-3-0	볼트,24*85	1,789	1,520 / 1,520	0 / 0	0 / 0	0 / 0	600 / 600	120 / 120	0 / 0
	닥타일이형관, K.P접합부속		개	2,719,280 / 2,719,280	0 / 0	0 / 0	300 / 300	500 / 500	0 / 0	0 / 0
42	22-05-0-00800500-3-0	80mm*L500 (2F)(마개포함)	44,224	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, 2F단관(BPF)		개	530,688 / 530,688	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
43	22-05-0-01000500-3-0	100mm*L500 (2F)(마개포함)	51,335	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, 2F단관(BPF)		개	718,690 / 718,690	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
44	22-05-0-02500500-3-0	250mm*L500 (2F)(마개포함)	143,427	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	1,721,124 / 1,721,124	0 / 0	10 / 10	2 / 2	0 / 0	0 / 0	0 / 0
45	22-06-0-00000080-3-0	F 고무링,80mm	880	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5
	닥타일이형관, 플렌지접합부속		개	17,600 / 17,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
46	22-06-0-00000100-3-0	F 고무링,100mm	1,034	68 / 68	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 플렌지접합부속		개	70,312 / 70,312	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	60 / 60
47	22-06-0-00000250-3-0	F 고무링,250mm	2,800	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 플렌지접합부속		개	70,000 / 70,000	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 04월 13일

출력시간: 13시 17분 37초

페이지: 4/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-06-0-00000300-3-0	F 고무링 ,300mm	3,400	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 플렌지접합부속		개	51,000 / 51,000	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
49	22-07-2-00000080-3-0	80mm	18,620	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	931,000 / 931,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
50	22-07-2-00000100-3-0	100mm	19,460	80 / 80	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,556,800 / 1,556,800	0 / 0	0 / 0	80 / 80	0 / 0	0 / 0	0 / 0
51	22-07-2-00000150-3-0	150mm	24,800	124 / 124	0 / 0	0 / 0	0 / 0	60 / 60	10 / 10	0 / 0
	닥타일이형관, 이탈방지압륜		개	3,075,200 / 3,075,200	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	34 / 34
52	22-07-2-00000200-3-0	200mm	32,000	60 / 60	0 / 0	0 / 0	0 / 0	25 / 25	15 / 15	0 / 0
	닥타일이형관, 이탈방지압륜		개	1,920,000 / 1,920,000	19 / 19	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
53	22-07-2-00000250-3-0	250mm	39,990	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	799,800 / 799,800	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
54	22-07-2-00000300-3-0	300mm	46,840	123 / 123	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	5,761,320 / 5,761,320	0 / 0	0 / 0	10 / 10	40 / 40	72 / 72	1 / 1
55	22-07-2-00000400-3-0	400mm	91,490	4 / 4	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	365,960 / 365,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
56	22-08-0-00000080-3-0	이음관80mm(마개포함)	32,258	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	290,322 / 290,322	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	9 / 9
57	22-08-0-00000100-3-0	이음관100mm(마개포함)	39,195	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	979,875 / 979,875	0 / 0	0 / 0	25 / 25	0 / 0	0 / 0	0 / 0
58	22-08-0-00000150-3-0	이음관150mm(마개포함)	60,354	25 / 25	0 / 0	0 / 0	0 / 0	20 / 20	5 / 5	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	1,508,850 / 1,508,850	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-08-0-00000200-3-0	이음관200mm(마개포함)	81,512	17 / 17	0 / 0	0 / 0	0 / 0	12 / 12	5 / 5	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	1,385,704 / 1,385,704	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-08-0-00000250-3-0	이음관250mm(마개포함)	110,996	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	1,109,960 / 1,109,960	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
61	22-08-0-00000300-3-0	이음관300mm(마개포함)	138,745	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	3,468,625 / 3,468,625	0 / 0	0 / 0	5 / 5	0 / 0	11 / 11	9 / 9
62	22-08-0-00000400-3-0	400mm(마개포함)	215,055	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	215,055 / 215,055	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
63	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	42,212	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	675,392 / 675,392	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	6 / 6

자 재 사 용 계 획 서

출력일자: 2023년 04월 13일

출력시간: 13시 17분 37초

페이지: 5/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
64	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	51,369	27 / 27	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 1F단관(L650)(BPF)		개	1,386,963 / 1,386,963	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	22 / 22
65	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	80,125	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	721,125 / 721,125	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
66	22-09-0-06500250-3-0	250*L650 (1F단관)(마개포함)	152,342	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	1,066,394 / 1,066,394	5 / 5	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
67	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	196,150	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 1F단관(L650)(BPF)		개	1,569,200 / 1,569,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
68	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	78,044	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	858,484 / 858,484	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
69	22-10-A-03000150-3-0	A형, 300*150mm(마개포함)	141,750	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	283,500 / 283,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	22-10-A-03000200-3-0	A형, 300*200mm(마개포함)	138,745	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,526,195 / 1,526,195	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
71	22-10-A-03000250-3-0	A형, 300*250mm(마개포함)	135,276	11 / 11	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,488,036 / 1,488,036	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
72	22-10-A-04000300-3-0	A형, 400*300mm(마개포함)	223,726	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	2,460,986 / 2,460,986	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
73	22-10-B-02000150-3-0	B형, 200*150mm(마개포함)	71,106	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	71,106 / 71,106	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
74	22-10-C-01000080-3-0	C형, 100*80mm(마개포함)	30,870	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	30,870 / 30,870	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
75	22-11-A-01500100-3-0	A형, 150*100mm	52,029	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 플랜지편락관(BPF)		개	312,174 / 312,174	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
76	22-12-B-01000090-3-0	B형, 100mm *90	42,317	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플랜지곡관(BPF)		개	126,951 / 126,951	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
77	22-12-B-01500090-3-0	B형, 150mm *90	72,841	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플랜지곡관		개	509,887 / 509,887	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
78	22-14-0-00000080-3-0	80mm	2,101	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고우링		개	21,010 / 21,010	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
79	22-14-0-00000100-3-0	100mm	2,845	44 / 44	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고우링		개	125,180 / 125,180	0 / 0	0 / 0	30 / 30	14 / 14	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 04월 13일

출력시간: 13시 17분 37초

페이지: 6/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
80	22-14-0-00000150-3-0	150mm	4,700	57 / 57	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	267,900 / 267,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	37 / 37
81	22-14-0-00000200-3-0	200mm	4,835	12 / 12	0 / 0	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	58,020 / 58,020	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
82	22-14-0-00000250-3-0	250mm	6,736	8 / 8	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	53,888 / 53,888	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
83	22-14-0-00000300-3-0	300mm	7,952	47 / 47	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼고무링		개	373,744 / 373,744	0 / 0	0 / 0	3 / 3	40 / 40	4 / 4	0 / 0
84	22-15-0-00000080-3-0	80mm, 기타형(마개포함)	30,523	6 / 6	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 플렌지소켓관(BPF)		개	183,138 / 183,138	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	36,073	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	324,657 / 324,657	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
86	22-15-0-00000400-3-0	400mm, 기타형(마개포함)	202,914	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관		개	202,914 / 202,914	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
87	22-16-0-00000100-3-0	마개플렌지 100mm	14,915	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	14,915 / 14,915	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
88	22-16-0-00000200-3-0	마개플렌지200mm	38,154	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	76,308 / 76,308	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
89	22-16-0-00000300-3-0	마개플렌지 300mm	83,247	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	166,494 / 166,494	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
90	22-16-0-00000400-3-0	400mm	126,604	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 마개플렌지(BPF)		개	126,604 / 126,604	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
91	22-17-0-00800050-3-0	80*50mm	11,446	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	114,460 / 114,460	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
92	22-17-0-01000050-3-0	100*50mm	13,874	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	97,118 / 97,118	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
93	22-25-1-00000080-3-0	KP형, 80mm	13,874	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	닥타일이형관, 캡(BPF)		개	83,244 / 83,244	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
94	22-25-1-00000100-3-0	KP형, 100mm	17,343	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	104,058 / 104,058	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1
95	22-25-1-00000150-3-0	KP형, 150mm	24,280	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	169,960 / 169,960	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2

자 재 사 용 계 획 서

출력일자: 2023년 04월 13일

출력시간: 13시 17분 37초

페이지: 7/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-25-1-00000200-3-0	KP형,200mm	41,623	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	332,984 / 332,984	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	3 / 3
97	22-25-1-00000300-3-0	KP형,300mm	79,778	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	638,224 / 638,224	0 / 0	0 / 0	5 / 5	0 / 0	1 / 1	2 / 2
98	22-25-1-00000400-3-0	KP형,400mm	142,213	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 캡(BPF)		개	853,278 / 853,278	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
99	31-01-3-00000080-3-0	소프트형,80mm	178,560	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	1,785,600 / 1,785,600	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
100	31-01-3-00000100-3-0	소프트형,100mm	221,570	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	상수도밸브		개	3,101,980 / 3,101,980	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	9 / 9
101	31-01-3-00000150-3-0	소프트형,150mm	437,880	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	437,880 / 437,880	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
102	31-01-3-00000250-3-0	소프트형,250mm	890,070	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도밸브		개	890,070 / 890,070	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
103	31-01-3-00000400-3-0	소프트형,400mm	2,178,780	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	2,178,780 / 2,178,780	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
104	31-01-4-00000080-3-0	소프트형(핸들용),80mm	178,560	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	상수도밸브		개	892,800 / 892,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	31-01-4-00000250-3-0	소프트형(핸들용),250mm	890,070	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도밸브		개	1,780,140 / 1,780,140	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
106	31-03-F-00000080-3-0	다용도소프트실,80mm	678,936	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	상수도밸브		개	6,789,360 / 6,789,360	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
107	31-03-F-00000100-3-0	다용도소프트실,100mm	716,649	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	상수도밸브		개	2,149,947 / 2,149,947	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
108	31-03-F-00000150-3-0	다용도소프트실,150mm	842,836	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	상수도밸브		개	842,836 / 842,836	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
109	31-03-F-00000200-3-0	다용도소프트실,200mm	1,022,441	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	상수도밸브		개	2,044,882 / 2,044,882	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
110	31-03-F-00000250-3-0	다용도소프트실,250mm	1,390,387	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	1,390,387 / 1,390,387	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
111	31-03-F-00000300-3-0	다용도소프트실,300mm	1,576,628	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	3,153,256 / 3,153,256	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	1 / 1

자 재 사 용 계 획 서

출력일자: 2023년 04월 13일

출력시간: 13시 17분 37초

페이지: 9/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
128	81-09-6-00150000-3-0	구상흑연주철보호통뚜껑(15mm)	44,237	240 / 240	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30
	수도계량기보호통주철뚜껑		개	10,616,880 / 10,616,880	30 / 30	0 / 0	0 / 0	0 / 0	20 / 20	100 / 100
129	81-09-6-00200025-3-0	구상흑연주철보호통뚜껑(20~25mm)	57,508	204 / 204	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30
	수도계량기보호통주철뚜껑		개	11,731,632 / 11,731,632	30 / 30	0 / 0	0 / 0	0 / 0	4 / 4	80 / 80
130	81-09-6-00250110-4-0	구상흑연주철, Φ25mm×심도1.1m	169,208	270 / 270	0 / 0	0 / 0	50 / 50	30 / 30	30 / 30	30 / 30
	수도계량기보호통		조	45,686,160 / 45,686,160	20 / 20	30 / 30	30 / 30	50 / 50	0 / 0	0 / 0
131	81-09-6-00300000-3-0	구상흑연주철보호통뚜껑(30mm)	68,568	142 / 142	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30
	수도계량기보호통주철뚜껑		개	9,736,656 / 9,736,656	30 / 30	10 / 10	0 / 0	0 / 0	2 / 2	10 / 10
132	81-09-6-00300110-4-0	구상흑연주철, Φ30mm×심도1.1m	228,929	250 / 250	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30	30 / 30
	수도계량기보호통		조	57,232,250 / 57,232,250	20 / 20	30 / 30	30 / 30	50 / 50	0 / 0	0 / 0
133	81-09-6-00400050-3-0	구상흑연주철보호통뚜껑(40~50mm)	110,594	132 / 132	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30
	수도계량기보호통주철뚜껑		개	14,598,408 / 14,598,408	30 / 30	10 / 10	0 / 0	0 / 0	2 / 2	0 / 0
134	81-09-6-00400110-4-0	구상흑연주철, Φ40mm×심도1.1m	333,993	200 / 200	0 / 0	0 / 0	20 / 20	20 / 20	20 / 20	20 / 20
	수도계량기보호통		조	66,798,600 / 66,798,600	20 / 20	20 / 20	30 / 30	50 / 50	0 / 0	0 / 0
135	81-09-6-00500110-4-0	구상흑연주철, Φ50mm×심도1.1m	370,489	200 / 200	0 / 0	0 / 0	20 / 20	20 / 20	20 / 20	20 / 20
	수도계량기보호통		조	74,097,800 / 74,097,800	20 / 20	20 / 20	30 / 30	50 / 50	0 / 0	0 / 0
136	81-09-8-00150110-4-0	역지변설치, Φ15mm×심도1.1m	101,545	320 / 320	0 / 0	0 / 0	50 / 50	30 / 30	30 / 30	100 / 100
	수도계량기보호통(역류방지밸브설치형)		조	32,494,400 / 32,494,400	30 / 30	30 / 30	0 / 0	50 / 50	0 / 0	0 / 0
137	81-09-8-00200100-4-0	역지변설치, Φ20mm×심도1.1m	141,761	300 / 300	0 / 0	0 / 0	50 / 50	30 / 30	30 / 30	30 / 30
	수도계량기보호통(역류방지밸브설치형)		조	42,528,300 / 42,528,300	50 / 50	30 / 30	30 / 30	50 / 50	0 / 0	0 / 0
138	81-09-9-00150110-4-0	역지변미설치, Φ15mm×심도1.1m	115,621	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브 미설치)		조	11,562,100 / 11,562,100	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	80 / 80
139	81-09-9-00200110-4-0	역지변미설치, Φ20mm×심도1.1m	159,858	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브 미설치)		조	15,985,800 / 15,985,800	10 / 10	0 / 0	0 / 0	10 / 10	0 / 0	80 / 80
140	81-10-0-00000100-3-0	스트레이너(100mm)	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	스트레이너		개	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
합 계 (전)				6,213	11	0	220	1,211	508	586
				562,458,009	523	238	904	994	218	800
합 계 (후)				6,223	11	0	220	1,221	508	586
				565,639,789	523	238	904	994	218	800