

: 2019 07 16
 : 16 12 33
 : 1 / 6

: ,
 : ()
 : 6 558 6

(2019-7031-2-0003)

: -15538

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		133,650	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	(3) ,			133,650 / 133,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		165,390	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	(3) ,			165,390 / 165,390	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		250,040	104 / 110	0 / 0	0 / 0	18 / 18	23 / 23	25 / 25	21 / 21
	(3) ,			26,004,160 / 27,504,400	17 / 23	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		335,010	81 / 81	0 / 0	0 / 0	21 / 21	21 / 21	21 / 21	9 / 9
	(3) ,			27,135,810 / 27,135,810	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
5	12-01-7-00000300-1-6 (-3) ,3		553,360	35 / 35	0 / 0	0 / 0	4 / 4	12 / 12	12 / 12	4 / 4
	(3) ,			19,367,600 / 19,367,600	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
6	22-01-B-00800045-3-0 B ,80mm *45`		20,970	20 / 20	0 / 0	0 / 0	6 / 6	5 / 5	5 / 5	2 / 2
	,K.P (BPF)			419,400 / 419,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
7	22-01-B-01000045-3-0 B ,100mm *45		26,562	11 / 11	0 / 0	0 / 0	3 / 3	3 / 3	3 / 3	1 / 1
	,K.P (BPF)			292,182 / 292,182	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
8	22-01-Y-01500045-3-0 B (L) ,150mm*45(48,930	143 / 143	0 / 0	0 / 0	24 / 24	44 / 44	44 / 44	16 / 16
	,K.P (BPF)			6,996,990 / 6,996,990	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-Y-02000022-3-0 B (L) ,200mm*22(77,000	4 / 4	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0
	,K.P (BPF)			308,000 / 308,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
10	22-01-Y-02000045-3-0 B (L) ,200mm*45(85,400	74 / 74	0 / 0	0 / 0	20 / 20	19 / 19	19 / 19	8 / 8
	,K.P (BPF)			6,319,600 / 6,319,600	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-Y-03000022-3-0 B (L) ,300mm*22(114,170	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			114,170 / 114,170	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
12	22-01-Y-03000045-3-0 B (L) ,300mm*45(159,600	32 / 32	0 / 0	0 / 0	9 / 9	9 / 9	8 / 8	3 / 3
	,K.P (BPF)			5,107,200 / 5,107,200	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
13	22-02-B-01500080-3-0 B ,150*80mm(75,600	5 / 5	0 / 0	0 / 0	1 / 1	2 / 2	2 / 2	0 / 0
	, T (BPF)			378,000 / 378,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
14	22-02-B-01500100-3-0 B ,150*100mm(81,200	7 / 7	0 / 0	0 / 0	2 / 2	2 / 2	1 / 1	1 / 1
	, T (BPF)			568,400 / 568,400	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-01500150-3-0	B ,150*150mm(93,800	5 / 5	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
		, T (BPF)		469,000 / 469,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
16	22-02-B-02000150-3-0	B ,200mm*150mm(121,800	9 / 9	0 / 0	0 / 0	3 / 3	2 / 2	2 / 2	1 / 1
		, T (BPF)		1,096,200 / 1,096,200	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
17	22-02-B-02000200-3-0	B ,200*200mm(138,600	11 / 11	0 / 0	0 / 0	5 / 5	2 / 2	2 / 2	1 / 1
		, T (BPF)		1,524,600 / 1,524,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-03000080-3-0	B ,300mm*80mm(165,200	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
		, T (BPF)		165,200 / 165,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
19	22-02-B-03000100-3-0	B ,300mm*100mm(176,400	9 / 9	0 / 0	0 / 0	3 / 3	2 / 2	2 / 2	1 / 1
		, T (BPF)		1,587,600 / 1,587,600	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-02-B-03000150-3-0	B ,300mm*150mm(194,600	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
		, T (BPF)		194,600 / 194,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-03000200-3-0	B ,300mm*200mm(214,200	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
		, T (BPF)		214,200 / 214,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-03000300-3-0	B ,300mm*300mm(266,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
		, T (BPF)		266,000 / 266,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-04-0-00000080-3-0	,80mm	6,690	7 / 7	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2	1 / 1
		, K.P		46,830 / 46,830	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-04-0-00000150-3-0	,150mm	11,190	11 / 11	0 / 0	0 / 0	2 / 2	3 / 3	3 / 3	2 / 2
		, K.P		123,090 / 123,090	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-04-0-00000300-3-0	,300mm	24,380	4 / 4	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0
		, K.P		97,520 / 97,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-04-2-00000080-3-0	,80mm	1,210	53 / 53	0 / 0	0 / 0	14 / 14	14 / 14	14 / 14	6 / 6
		, K.P		64,130 / 64,130	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-04-2-00000100-3-0	,100mm	1,350	60 / 60	0 / 0	0 / 0	9 / 9	21 / 21	18 / 18	6 / 6
		, K.P		81,000 / 81,000	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
28	22-04-2-00000150-3-0	,150mm	1,810	305 / 305	0 / 0	0 / 0	69 / 69	69 / 69	69 / 69	49 / 49
		, K.P		552,050 / 552,050	49 / 49	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-04-2-00000200-3-0	,200mm	2,400	265 / 265	0 / 0	0 / 0	69 / 69	69 / 69	69 / 69	29 / 29
		, K.P		636,000 / 636,000	29 / 29	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
30	22-04-2-00000300-3-0	,300mm	3,820	141 / 141	0 / 0	0 / 0	37 / 37	37 / 37	37 / 37	15 / 15
		, K.P		538,620 / 538,620	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-3-00240085-3-0	,24*85	1,110	3,634 / 3,634	0 / 0	0 / 0	897 / 897	897 / 897	897 / 897	472 / 472
		, K.P		4,033,740 / 4,033,740	471 / 471	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
32	22-05-0-00800500-3-0	80mm*L500 (2F)(29,707	6 / 6	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2	0 / 0
		, 2F (BPF)		178,242 / 178,242	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
33	22-05-0-01000500-3-0	100mm*L500 (2F)(41,440	17 / 17	0 / 0	0 / 0	3 / 3	6 / 6	5 / 5	2 / 2
		, 2F (BPF)		704,480 / 704,480	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-05-0-01500500-3-0	150mm*L500 (2F)(52,308	17 / 17	0 / 0	0 / 0	4 / 4	5 / 5	5 / 5	2 / 2
		, 2F (BPF)		889,236 / 889,236	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
35	22-05-0-02000500-3-0	200mm*L500 (2F)(85,400	8 / 8	0 / 0	0 / 0	3 / 3	2 / 2	2 / 2	1 / 1
		, 2F (BPF)		683,200 / 683,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-06-0-00000080-3-0	F ,80mm	620	3 / 3	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	0 / 0
		,		1,860 / 1,860	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
37	22-06-0-00000100-3-0	F ,100mm	840	23 / 23	0 / 0	0 / 0	5 / 5	5 / 5	5 / 5	4 / 4
		,		19,320 / 19,320	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
38	22-06-0-00000150-3-0	F ,150mm	1,190	11 / 11	0 / 0	0 / 0	3 / 3	2 / 2	2 / 2	2 / 2
		,		13,090 / 13,090	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-06-0-00000200-3-0	F ,200mm	2,010	5 / 5	0 / 0	0 / 0	1 / 1	1 / 1	1 / 1	1 / 1
		,		10,050 / 10,050	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
40	22-06-0-00000300-3-0	F ,300mm	3,390	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
		,		3,390 / 3,390	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-07-2-00000080-3-0	80mm	21,160	46 / 46	0 / 0	0 / 0	12 / 12	12 / 12	12 / 12	5 / 5
		,		973,360 / 973,360	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
42	22-07-2-00000100-3-0	100mm	23,450	61 / 61	0 / 0	0 / 0	21 / 21	21 / 21	7 / 7	6 / 6
		,		1,430,450 / 1,430,450	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
43	22-07-2-00000150-3-0	150mm	30,220	296 / 296	0 / 0	0 / 0	68 / 68	67 / 67	67 / 67	47 / 47
		,		8,945,120 / 8,945,120	47 / 47	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
44	22-07-2-00000200-3-0	200mm	39,190	262 / 262	0 / 0	0 / 0	68 / 68	68 / 68	68 / 68	29 / 29
		,		10,267,780 / 10,267,780	29 / 29	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
45	22-07-2-00000300-3-0	300mm	56,740	139 / 139	0 / 0	0 / 0	37 / 37	36 / 36	36 / 36	15 / 15
		,		7,886,860 / 7,886,860	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
46	22-08-0-00000080-3-0	80mm()	21,669	17 / 17	0 / 0	0 / 0	2 / 2	6 / 6	6 / 6	2 / 2
		,K.P (BPF)		368,373 / 368,373	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	31-01-3-00000080-3-0	,80mm	152,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				152,000 / 152,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
64	31-01-3-00000100-3-0	,100mm	189,200	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				189,200 / 189,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	31-01-3-00000150-3-0	,150mm	373,100	7 / 7	0 / 0	0 / 0	2 / 2	3 / 3	2 / 2
				2,611,700 / 2,611,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	31-01-3-00000200-3-0	,200mm	522,700	8 / 8	0 / 0	0 / 0	2 / 2	3 / 3	3 / 3
				4,181,600 / 4,181,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
67	31-01-5-00000080-3-0	,80mm	290,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				290,000 / 290,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	31-03-F-00000150-3-0	,150mm	838,310	9 / 9	0 / 0	0 / 0	2 / 2	3 / 3	2 / 2
				7,544,790 / 7,544,790	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
69	31-03-F-00000200-3-0	,200mm	1,016,950	8 / 8	0 / 0	0 / 0	2 / 2	2 / 2	2 / 2
				8,135,600 / 8,135,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
70	31-03-F-00000300-3-0	,300mm	1,568,160	4 / 4	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0
				6,272,640 / 6,272,640	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	31-05-A-00000080-3-0	,80mm	188,100	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				376,200 / 376,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	31-05-A-00000100-3-0	,100mm	235,400	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1
				470,800 / 470,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
73	31-05-Q-00000080-3-0	,8	441,000	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
				441,000 / 441,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	31-05-Q-00000100-3-0	,1	516,000	2 / 2	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0
				1,032,000 / 1,032,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	31-05-Q-00000150-3-0	,1	1,070,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
				1,070,000 / 1,070,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
76	41-01-0-01000648-4-0	, ,	315,000	54 / 54	0 / 0	0 / 0	12 / 12	20 / 20	12 / 12
				17,010,000 / 17,010,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0

: 2019 07 16
 : 16 12 33
 : 6 / 6

	가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
		(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
()		6,665	0	0	1,631	1,702	1,660	845
		213,947,321	827	0	0	0	0	0
()		6,671	0	0	1,631	1,702	1,660	845
		215,447,561	833	0	0	0	0	0