

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 1/13

예산과목 : 구축물, 시설비

단위사업 : 노후 밸브 정비

공사명 : 은평구 관내 상수도시설물 정비공사(장기계속) (2021-6832-7-9902)

문서번호: 시설관리과-14663

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------------|-----------------------|-----------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 1 | 12-01-5-00000500-1-6 | (에폭시-2중)타이튼,500mm*6m | 1,167,860 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (2중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 5,839,300 / 5,839,300 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 2 | 12-01-6-00000500-1-6 | (에폭시-2중)KP,500mm*6m | 1,141,710 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (2중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 2,283,420 / 2,283,420 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 3 | 12-01-7-00000080-1-6 | (에폭시-3중)타이튼,80mm*6m | 132,510 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 265,020 / 265,020 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 4 | 12-01-7-00000100-1-6 | (에폭시-3중)타이튼,100mm*6m | 163,770 | 12 / 12 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 1,965,240 / 1,965,240 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 5 | 12-01-7-00000150-1-6 | (에폭시-3중)타이튼,150mm*6m | 248,130 | 12 / 12 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 2,977,560 / 2,977,560 | 1 / 1 | 1 / 1 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 6 | 12-01-7-00000200-1-6 | (에폭시-3중)타이튼,200mm*6m | 332,680 | 22 / 22 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 7,318,960 / 7,318,960 | 1 / 1 | 21 / 21 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 7 | 12-01-7-00000250-1-6 | (에폭시-3중)타이튼,250mm*6m | 436,710 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 873,420 / 873,420 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 8 | 12-01-7-00000300-1-6 | (에폭시-3중)타이튼,300mm*6m | 549,430 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (3중관)내면 에폭시수지분체도장, 닥타일주철직관 | | 본 | 1,098,860 / 1,098,860 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 9 | 21-03-0-00000500-3-0 | 강이음관 500mm (내,외부프라이머) | 342,150 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | (사용중)강이형관,강이음관 | | 개 | 3,421,500 / 3,421,500 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 10 | 22-01-B-00800022-3-0 | B형,80mm *22``(마개포함) | 24,210 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 605,250 / 605,250 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 11 | 22-01-B-00800045-3-0 | B형,80mm *45`` | 25,330 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 10 / 10 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 759,900 / 759,900 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 12 | 22-01-B-00800090-3-0 | B형,80mm *90``(마개포함) | 29,840 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관,K.P소켓곡관 | | 개 | 447,600 / 447,600 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 13 | 22-01-B-01000022-3-0 | B형,100mm *22 | 29,840 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 447,600 / 447,600 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 14 | 22-01-B-01000045-3-0 | B형,100mm *45 | 32,090 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 641,800 / 641,800 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 15 | 22-01-B-01000090-3-0 | B형,100mm *90(마개포함) | 38,425 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관,K.P소켓곡관(BPF) | | 개 | 192,125 / 192,125 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 2/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|-----------------------|------------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 16 | 22-01-Y-01500022-3-0 | B형(L형), 150mm*22(마개포함) | 54,050 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 810,750 / 810,750 | 5 / 5 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 17 | 22-01-Y-01500045-3-0 | B형(L형), 150mm*45(마개포함) | 59,110 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,773,300 / 1,773,300 | 5 / 5 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 18 | 22-01-Y-01500090-3-0 | B형(L형), 150mm*90(마개포함) | 66,150 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 330,750 / 330,750 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 19 | 22-01-Y-02000022-3-0 | B형(L형), 200mm*22(마개포함) | 77,410 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,161,150 / 1,161,150 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 20 | 22-01-Y-02000045-3-0 | B형(L형), 200mm*45(마개포함) | 85,860 | 40 / 40 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 3,434,400 / 3,434,400 | 5 / 5 | 15 / 15 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 21 | 22-01-Y-02500022-3-0 | B형(L형), 250mm*22(마개포함) | 106,970 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,069,700 / 1,069,700 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 22 | 22-01-Y-02500045-3-0 | B형(L형), 250mm*45(마개포함) | 121,050 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,210,500 / 1,210,500 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 23 | 22-01-Y-03000022-3-0 | B형(L형), 300mm*22(마개포함) | 137,940 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 2,069,100 / 2,069,100 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 24 | 22-01-Y-03000045-3-0 | B형(L형), 300mm*45(마개포함) | 160,460 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 1,604,600 / 1,604,600 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 25 | 22-01-Y-05000045-3-0 | B형(L형), 500mm*45(마개포함) | 408,190 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓곡관(BPF) | | 개 | 4,081,900 / 4,081,900 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 26 | 22-02-B-00800080-3-0 | B형, 80*80mm(마개포함) | 45,320 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 679,800 / 679,800 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 27 | 22-02-B-01000080-3-0 | B형, 100*80mm(마개포함) | 53,480 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 802,200 / 802,200 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 28 | 22-02-B-01000100-3-0 | B형, 100*100mm(마개포함) | 56,300 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 844,500 / 844,500 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 29 | 22-02-B-01500080-3-0 | B형, 150*80mm(마개포함) | 76,000 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,140,000 / 1,140,000 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 30 | 22-02-B-01500100-3-0 | B형, 150*100mm(마개포함) | 81,630 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,224,450 / 1,224,450 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 31 | 22-02-B-01500150-3-0 | B형, 150*150mm(마개포함) | 94,300 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지T형관(BPF) | | 개 | 1,414,500 / 1,414,500 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 3/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|-----------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 32 | 22-02-B-02000080-3-0 | B형, 200mm*80mm(마개포함) | 102,750 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 513,750 / 513,750 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 33 | 22-02-B-02000100-3-0 | B형, 200mm*100mm(마개포함) | 108,380 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 541,900 / 541,900 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 34 | 22-02-B-02000150-3-0 | B형, 200mm*150mm(마개포함) | 122,450 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 612,250 / 612,250 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 35 | 22-02-B-02000200-3-0 | B형, 200*200mm(마개포함) | 139,340 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 696,700 / 696,700 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 36 | 22-02-B-02500100-3-0 | B형, 250*100mm(마개포함) | 139,340 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 1,393,400 / 1,393,400 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 37 | 22-02-B-03000080-3-0 | B형, 300mm*80mm(마개포함) | 166,090 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 830,450 / 830,450 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 38 | 22-02-B-03000100-3-0 | B형, 300mm*100mm(마개포함) | 177,350 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 886,750 / 886,750 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 39 | 22-02-B-03000150-3-0 | B형, 300mm*150mm(마개포함) | 195,650 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 978,250 / 978,250 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 40 | 22-02-B-03000200-3-0 | B형, 300mm*200mm(마개포함) | 215,350 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 1,076,750 / 1,076,750 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 41 | 22-02-B-03000300-3-0 | B형, 300mm*300mm(마개포함) | 267,430 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 1,337,150 / 1,337,150 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 42 | 22-02-B-04000200-3-0 | B형, 400*200mm(마개포함) | 312,470 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 3,124,700 / 3,124,700 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 43 | 22-02-B-05000300-3-0 | B형, 500*300mm(마개포함) | 509,530 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 소켓프렌지I형관(BPF) | | 개 | 509,530 / 509,530 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| 44 | 22-04-0-00000080-3-0 | 압륜, 80mm | 8,244 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 41,220 / 41,220 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 45 | 22-04-0-00000100-3-0 | 압륜, 100mm | 9,621 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 48,105 / 48,105 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 46 | 22-04-0-00000150-3-0 | 압륜, 150mm | 13,753 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 68,765 / 68,765 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 47 | 22-04-0-00000200-3-0 | 압륜, 200mm | 17,292 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 86,460 / 86,460 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 4/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------|-----------------------|--------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 48 | 22-04-0-00000300-3-0 | 압륜,300mm | 30,011 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 150,055 / 150,055 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 49 | 22-04-2-00000080-3-0 | 고무링,80mm | 1,397 | 160 / 160 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 223,520 / 223,520 | 5 / 5 | 55 / 55 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 50 | 22-04-2-00000100-3-0 | 고무링,100mm | 1,558 | 160 / 160 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 249,280 / 249,280 | 10 / 10 | 50 / 50 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 51 | 22-04-2-00000150-3-0 | 고무링,150mm | 2,091 | 160 / 160 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 334,560 / 334,560 | 10 / 10 | 50 / 50 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 52 | 22-04-2-00000200-3-0 | 고무링,200mm | 2,764 | 90 / 90 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 248,760 / 248,760 | 10 / 10 | 60 / 60 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 |
| 53 | 22-04-2-00000250-3-0 | 고무링,250mm | 3,247 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 97,410 / 97,410 | 0 / 0 | 0 / 0 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 |
| 54 | 22-04-2-00000300-3-0 | 고무링,300mm | 4,403 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 132,090 / 132,090 | 10 / 10 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 55 | 22-04-2-00000400-3-0 | 고무링,400mm | 5,931 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 88,965 / 88,965 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 5 / 5 | 0 / 0 |
| 56 | 22-04-2-00000500-3-0 | 고무링,500mm | 9,098 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 136,470 / 136,470 | 0 / 0 | 0 / 0 | 10 / 10 | 5 / 5 | 0 / 0 | 0 / 0 |
| 57 | 22-04-3-00240085-3-0 | 볼트,24*85 | 1,337 | 1,220 / 1,220 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 1,631,140 / 1,631,140 | 100 / 100 | 900 / 900 | 100 / 100 | 0 / 0 | 120 / 120 | 0 / 0 |
| 58 | 22-04-3-00240105-3-0 | 볼트,24*105 | 1,638 | 200 / 200 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P접합부속 | | 개 | 327,600 / 327,600 | 100 / 100 | 0 / 0 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 |
| 59 | 22-05-0-00800300-3-0 | 80mm*L300 (2F)(마개포함) | 28,290 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 282,900 / 282,900 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 60 | 22-05-0-00800500-3-0 | 80mm*L500 (2F)(마개포함) | 35,890 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 538,350 / 538,350 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 61 | 22-05-0-01000300-3-0 | 100mm*L300 (2F)(마개포함) | 32,426 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 324,260 / 324,260 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 62 | 22-05-0-01000500-3-0 | 100mm*L500 (2F)(마개포함) | 41,660 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 624,900 / 624,900 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 63 | 22-05-0-01500300-3-0 | 150mm*L300 (2F)(마개포함) | 48,952 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 489,520 / 489,520 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 5/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|----------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 64 | 22-05-0-01500500-3-0 | 150mm*L500 (2F)(마개포함) | 63,190 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 947,850 / 947,850 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 65 | 22-05-0-02000300-3-0 | 200mm*L300 (2F)(마개포함) | 66,822 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 668,220 / 668,220 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 66 | 22-05-0-02000500-3-0 | 200mm*L500 (2F)(마개포함) | 85,860 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 1,287,900 / 1,287,900 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 67 | 22-05-0-02500300-3-0 | 250mm*L300 (2F)(마개포함) | 91,462 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 914,620 / 914,620 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 68 | 22-05-0-03000300-3-0 | 300mm*L300 (2F)(마개포함) | 119,612 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 1,196,120 / 1,196,120 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 69 | 22-05-0-03000500-3-0 | 300mm*L500 (2F)(마개포함) | 151,310 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 2F단관(BPF) | | 개 | 756,550 / 756,550 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 70 | 22-06-0-0000080-3-0 | F 고무링 ,80mm | 880 | 105 / 105 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 92,400 / 92,400 | 5 / 5 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 71 | 22-06-0-0000100-3-0 | F 고무링 ,100mm | 1,034 | 105 / 105 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 108,570 / 108,570 | 5 / 5 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 72 | 22-06-0-0000150-3-0 | F 고무링 ,150mm | 1,551 | 105 / 105 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 162,855 / 162,855 | 5 / 5 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 73 | 22-06-0-0000200-3-0 | F 고무링 ,200mm | 2,020 | 105 / 105 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 212,100 / 212,100 | 5 / 5 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 74 | 22-06-0-0000300-3-0 | F 고무링 ,300mm | 3,400 | 105 / 105 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 357,000 / 357,000 | 5 / 5 | 0 / 0 | 100 / 100 | 0 / 0 | 0 / 0 | 0 / 0 |
| 75 | 22-06-0-0000500-3-0 | F 고무링 ,500mm | 8,466 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지접합부속 | | 개 | 16,932 / 16,932 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 |
| 76 | 22-07-2-0000080-3-0 | 80mm | 20,090 | 70 / 70 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,406,300 / 1,406,300 | 10 / 10 | 10 / 10 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 |
| 77 | 22-07-2-0000100-3-0 | 100mm | 20,950 | 70 / 70 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,466,500 / 1,466,500 | 10 / 10 | 10 / 10 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 |
| 78 | 22-07-2-0000150-3-0 | 150mm | 26,670 | 70 / 70 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,866,900 / 1,866,900 | 10 / 10 | 10 / 10 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 |
| 79 | 22-07-2-0000200-3-0 | 200mm | 34,140 | 90 / 90 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 3,072,600 / 3,072,600 | 10 / 10 | 10 / 10 | 50 / 50 | 20 / 20 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 6/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----|-------------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 80 | 22-07-2-00000250-3-0 | 250mm | 48,840 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,465,200 / 1,465,200 | 0 / 0 | 0 / 0 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 |
| 81 | 22-07-2-00000300-3-0 | 300mm | 49,510 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,485,300 / 1,485,300 | 10 / 10 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| 82 | 22-07-2-00000400-3-0 | 400mm | 91,490 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 1,372,350 / 1,372,350 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 5 / 5 | 0 / 0 |
| 83 | 22-07-2-00000500-3-0 | 500mm | 156,820 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 이탈방지압륜 | | 개 | 2,352,300 / 2,352,300 | 0 / 0 | 0 / 0 | 10 / 10 | 5 / 5 | 0 / 0 | 0 / 0 |
| 84 | 22-08-0-00000080-3-0 | 이음관80mm(마개포함) | 26,180 | 60 / 60 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 1,570,800 / 1,570,800 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 85 | 22-08-0-00000100-3-0 | 이음관100mm(마개포함) | 31,810 | 60 / 60 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 50 / 50 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 1,908,600 / 1,908,600 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 86 | 22-08-0-00000150-3-0 | 이음관150mm(마개포함) | 48,980 | 40 / 40 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 1,959,200 / 1,959,200 | 5 / 5 | 5 / 5 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 |
| 87 | 22-08-0-00000200-3-0 | 이음관200mm(마개포함) | 66,150 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 3,307,500 / 3,307,500 | 5 / 5 | 5 / 5 | 30 / 30 | 10 / 10 | 0 / 0 | 0 / 0 |
| 88 | 22-08-0-00000250-3-0 | 이음관250mm(마개포함) | 90,080 | 14 / 14 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 1,261,120 / 1,261,120 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 4 / 4 | 0 / 0 |
| 89 | 22-08-0-00000300-3-0 | 이음관300mm(마개포함) | 112,600 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 2,252,000 / 2,252,000 | 5 / 5 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 90 | 22-08-0-00000400-3-0 | 400mm(마개포함) | 174,530 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 1,745,300 / 1,745,300 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 91 | 22-08-0-00000500-3-0 | 500mm(마개포함) | 253,360 | 12 / 12 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.POI음관(BPF) | | 개 | 3,040,320 / 3,040,320 | 0 / 0 | 0 / 0 | 10 / 10 | 2 / 2 | 0 / 0 | 0 / 0 |
| 92 | 22-09-0-06500080-3-0 | 80*L650 (1F 단관)(마개포함) | 34,256 | 75 / 75 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 30 / 30 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 2,569,200 / 2,569,200 | 5 / 5 | 0 / 0 | 30 / 30 | 0 / 0 | 10 / 10 | 0 / 0 |
| 93 | 22-09-0-06500100-3-0 | 100*L650 (1F단관)(마개포함) | 41,688 | 45 / 45 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 1,875,960 / 1,875,960 | 5 / 5 | 0 / 0 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 |
| 94 | 22-09-0-06500150-3-0 | 150*L650 (1F단관)(마개포함) | 65,020 | 31 / 31 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 2,015,620 / 2,015,620 | 5 / 5 | 0 / 0 | 10 / 10 | 0 / 0 | 6 / 6 | 0 / 0 |
| 95 | 22-09-0-06500200-3-0 | 200*L650 (1F단관)(마개포함) | 91,798 | 16 / 16 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 1,468,768 / 1,468,768 | 5 / 5 | 0 / 0 | 10 / 10 | 0 / 0 | 1 / 1 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 7/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|-------------------------|-----------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 96 | 22-09-0-06500250-3-0 | 250*L650 (1F단관)(마개포함) | 123,636 | 7 / 7 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 865,452 / 865,452 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 2 / 2 | 0 / 0 |
| 97 | 22-09-0-06500300-3-0 | 300*L650 (1F단관)(마개포함) | 159,190 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 2,387,850 / 2,387,850 | 5 / 5 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 98 | 22-09-0-06500400-3-0 | 400*L650 (1F단관)(마개포함) | 199,020 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 1,990,200 / 1,990,200 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 99 | 22-09-0-06500500-3-0 | 500*L650 (1F단관)(마개포함) | 272,892 | 12 / 12 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 1F단관(L650)(BPF) | | 개 | 3,274,704 / 3,274,704 | 0 / 0 | 0 / 0 | 10 / 10 | 2 / 2 | 0 / 0 | 0 / 0 |
| 100 | 22-10-A-01000080-3-0 | A형, 100*80mm(마개포함) | 28,710 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 287,100 / 287,100 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 101 | 22-10-A-01500080-3-0 | A형, 150*80mm(마개포함) | 43,350 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 216,750 / 216,750 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 102 | 22-10-A-01500100-3-0 | A형, 150*100mm(마개포함) | 43,910 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 439,100 / 439,100 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 103 | 22-10-A-02000080-3-0 | A형, 200*80mm(마개포함) | 60,520 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 605,200 / 605,200 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 104 | 22-10-A-02000100-3-0 | A형, 200*100mm(마개포함) | 61,930 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 619,300 / 619,300 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 105 | 22-10-A-02500100-3-0 | A형, 250*100mm(마개포함) | 84,450 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 422,250 / 422,250 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 106 | 22-10-A-02500200-3-0 | A형, 250*200mm(마개포함) | 84,450 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 422,250 / 422,250 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |
| 107 | 22-10-A-03000080-3-0 | A형, 300*80mm(마개포함) | 111,190 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 1,111,900 / 1,111,900 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 108 | 22-10-A-03000100-3-0 | A형, 300*100mm(마개포함) | 112,600 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 563,000 / 563,000 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 109 | 22-10-A-03000150-3-0 | A형, 300*150mm(마개포함) | 114,010 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 1,140,100 / 1,140,100 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 110 | 22-10-A-03000200-3-0 | A형, 300*200mm(마개포함) | 112,600 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, K.P소켓편락관(BPF) | | 개 | 1,126,000 / 1,126,000 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 111 | 22-11-A-01000080-3-0 | A형, 100*80mm | 26,460 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지편락관(BPF) | | 개 | 132,300 / 132,300 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 8/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|---------------------|---------|-----------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 112 | 22-11-A-02000100-3-0 | A형, 200*100mm | 76,570 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지편락관(BPF) | | 개 | 382,850 / 382,850 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 113 | 22-12-A-00800090-3-0 | A형, 80mm *90(마개포함) | 27,860 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 139,300 / 139,300 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 114 | 22-12-A-01000090-3-0 | A형, 100mm *90(마개포함) | 33,490 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 334,900 / 334,900 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 115 | 22-12-A-02000090-3-0 | A형, 200mm *90 | 87,260 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지곡관(BPF) | | 개 | 174,520 / 174,520 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 2 / 2 | 0 / 0 |
| 116 | 22-14-0-00000080-3-0 | 80mm | 2,100 | 22 / 22 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 46,200 / 46,200 | 2 / 2 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 117 | 22-14-0-00000100-3-0 | 100mm | 2,830 | 22 / 22 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 62,260 / 62,260 | 2 / 2 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 118 | 22-14-0-00000150-3-0 | 150mm | 4,700 | 22 / 22 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 103,400 / 103,400 | 2 / 2 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 119 | 22-14-0-00000200-3-0 | 200mm | 4,820 | 32 / 32 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 154,240 / 154,240 | 2 / 2 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 120 | 22-14-0-00000300-3-0 | 300mm | 7,940 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 타이튼고무링 | | 개 | 15,880 / 15,880 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 121 | 22-15-0-00000080-3-0 | 80mm, 기타형(마개포함) | 24,770 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 619,250 / 619,250 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 122 | 22-15-0-00000100-3-0 | 100mm, 기타형(마개포함) | 29,270 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 731,750 / 731,750 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 123 | 22-15-0-00000150-3-0 | 150mm, 기타형(마개포함) | 45,320 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 1,133,000 / 1,133,000 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 124 | 22-15-0-00000200-3-0 | 200mm, 기타형(마개포함) | 63,340 | 55 / 55 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 3,483,700 / 3,483,700 | 5 / 5 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 125 | 22-15-0-00000300-3-0 | 300mm, 기타형(마개포함) | 111,190 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 1,667,850 / 1,667,850 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 126 | 22-15-0-00000400-3-0 | 400mm, 기타형(마개포함) | 171,990 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관 | | 개 | 171,990 / 171,990 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 127 | 22-15-0-00000500-3-0 | 500mm, 기타형(마개포함) | 235,060 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 플렌지소켓관(BPF) | | 개 | 2,350,600 / 2,350,600 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 9/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|-------------|---------|-------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 128 | 22-16-0-00000080-3-0 | 80mm | 10,130 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 101,300 / 101,300 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 129 | 22-16-0-00000100-3-0 | 마개플렌지 100mm | 12,100 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 121,000 / 121,000 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 130 | 22-16-0-00000150-3-0 | 마개플렌지 150mm | 20,260 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 202,600 / 202,600 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 131 | 22-16-0-00000200-3-0 | 마개플렌지 200mm | 30,960 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 309,600 / 309,600 | 5 / 5 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 132 | 22-16-0-00000250-3-0 | 마개플렌지 250mm | 47,570 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 142,710 / 142,710 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |
| 133 | 22-16-0-00000300-3-0 | 마개플렌지 300mm | 67,560 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 마개플렌지(BPF) | | 개 | 337,800 / 337,800 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 134 | 22-17-0-00800040-3-0 | 80*40mm | 9,570 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 47,850 / 47,850 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 135 | 22-17-0-00800050-3-0 | 80*50mm | 9,280 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 74,240 / 74,240 | 5 / 5 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 136 | 22-17-0-01000050-3-0 | 100*50mm | 11,260 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 합플렌지(BPF) | | 개 | 112,600 / 112,600 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 137 | 22-25-1-00000080-3-0 | KP형, 80mm | 11,260 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 112,600 / 112,600 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 138 | 22-25-1-00000100-3-0 | KP형, 100mm | 14,070 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 140,700 / 140,700 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 139 | 22-25-1-00000200-3-0 | KP형, 200mm | 33,780 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 337,800 / 337,800 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 140 | 22-25-1-00000250-3-0 | KP형, 250mm | 50,670 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 152,010 / 152,010 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |
| 141 | 22-25-1-00000300-3-0 | KP형, 300mm | 64,740 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 647,400 / 647,400 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 142 | 22-25-1-00000400-3-0 | KP형, 400mm | 115,410 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일이형관, 캡(BPF) | | 개 | 346,230 / 346,230 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 |
| 143 | 22-30-0-00000080-3-0 | 가변 이형관 80mm | 213,440 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일주철 가변이형관 | | 개 | 853,760 / 853,760 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 10/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|-------------------|------------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 144 | 22-30-0-00000100-3-0 | 가변 이형관 100mm | 225,610 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일주철 가변이형관 | | 개 | 902,440 / 902,440 | 0 / 0 | 4 / 4 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 145 | 22-30-0-00000150-3-0 | 가변 이형관 150mm | 412,510 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 닥타일주철 가변이형관 | | 개 | 825,020 / 825,020 | 0 / 0 | 2 / 2 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 146 | 31-01-3-00000080-3-0 | 소프트형 ,80mm | 137,538 | 45 / 45 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 40 / 40 |
| | 상수도밸브 | | 개 | 6,189,210 / 6,189,210 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 147 | 31-01-3-00000100-3-0 | 소프트형 ,100mm | 171,219 | 75 / 75 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 70 / 70 |
| | 상수도밸브 | | 개 | 12,841,425 / 12,841,425 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 148 | 31-01-3-00000150-3-0 | 소프트형 ,150mm | 337,613 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 상수도밸브 | | 개 | 8,440,325 / 8,440,325 | 5 / 5 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 149 | 31-01-3-00000200-3-0 | 소프트형 ,200mm | 473,040 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 11,826,000 / 11,826,000 | 5 / 5 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 150 | 31-01-3-00000250-3-0 | 소프트형 ,250mm | 689,804 | 22 / 22 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 15,175,688 / 15,175,688 | 0 / 0 | 0 / 0 | 20 / 20 | 0 / 0 | 2 / 2 | 0 / 0 |
| 151 | 31-01-3-00000300-3-0 | 소프트형 ,300mm | 820,607 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 4,103,035 / 4,103,035 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 152 | 31-01-3-00000400-3-0 | 소프트형 ,400mm | 1,692,590 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 8,462,950 / 8,462,950 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 153 | 31-01-3-00000500-3-0 | 소프트형 ,500mm | 2,705,430 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 2,705,430 / 2,705,430 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| 154 | 31-01-5-00000080-3-0 | 스텐레스형 ,80mm | 291,566 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 2,915,660 / 2,915,660 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 155 | 31-01-5-00000100-3-0 | 스텐레스형 ,100mm | 387,079 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 3,870,790 / 3,870,790 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 156 | 31-02-A-00001350-3-0 | 금속시트형(다중실링)1350mm | 24,944,979 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도 밸브, 버터플라이밸브 | | 개 | 24,944,979 / 24,944,979 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 157 | 31-02-R-00000500-3-0 | 금속시트형 ,500mm | 3,065,062 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브, 버터플라이밸브 | | 개 | 3,065,062 / 3,065,062 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 | 0 / 0 |
| 158 | 31-02-R-00000700-3-0 | 금속시트형 ,700mm | 5,391,889 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브, 버터플라이밸브 | | 개 | 5,391,889 / 5,391,889 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 1 / 1 | 0 / 0 |
| 159 | 31-03-3-00000080-3-0 | 스텐레스형 ,80mm | 377,025 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,가동형밸브 | | 개 | 1,131,075 / 1,131,075 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 3 / 3 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 11/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|--------------------------|-----------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 160 | 31-03-4-00000080-3-0 | 덕타일주철(소프트)형,80mm | 207,011 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,가동형밸브 | | 개 | 4,140,220 / 4,140,220 | 10 / 10 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 161 | 31-03-4-00000100-3-0 | 덕타일주철(소프트)형,100mm | 264,420 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,가동형밸브 | | 개 | 5,288,400 / 5,288,400 | 10 / 10 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 162 | 31-03-F-00000080-3-0 | 다용도소프트실,80mm | 678,936 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 10,184,040 / 10,184,040 | 5 / 5 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 163 | 31-03-F-00000100-3-0 | 다용도소프트실,100mm | 716,649 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 10,749,735 / 10,749,735 | 5 / 5 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 164 | 31-03-F-00000150-3-0 | 다용도소프트실,150mm | 842,836 | 5 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 4,214,180 / 8,428,360 | 5 / 5 | 0 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 165 | 31-03-F-00000200-3-0 | 다용도소프트실,200mm | 1,022,441 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 10,224,410 / 10,224,410 | 5 / 5 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |
| 166 | 31-03-F-00000250-3-0 | 다용도소프트실,250mm | 1,390,387 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 6,951,935 / 6,951,935 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |
| 167 | 31-03-F-00000300-3-0 | 다용도소프트실,300mm | 1,576,628 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 15,766,280 / 15,766,280 | 5 / 5 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 |
| 168 | 31-03-F-00000400-3-0 | 다용도소프트실,400mm | 2,635,380 | 1 / 1 | 1 / 1 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브 | | 개 | 2,635,380 / 2,635,380 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 169 | 31-05-A-00000080-3-0 | 급속공기밸브,80mm | 189,115 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,공기밸브 | | 개 | 1,891,150 / 1,891,150 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 | 0 / 0 |
| 170 | 31-05-A-00000100-3-0 | 급속공기밸브,100mm | 236,671 | 5 / 5 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,공기밸브 | | 개 | 1,183,355 / 1,183,355 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 171 | 31-05-Q-00000080-3-0 | 보수차단밸브일체형,80mm | 443,381 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,공기밸브 | | 개 | 4,433,810 / 4,433,810 | 5 / 5 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |
| 172 | 31-05-Q-00000100-3-0 | 보수차단밸브일체형,100mm | 518,786 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,공기밸브 | | 개 | 5,187,860 / 5,187,860 | 5 / 5 | 0 / 0 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 |
| 173 | 31-05-Q-00000150-3-0 | 보수차단밸브일체형,150mm | 1,075,778 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,공기밸브 | | 개 | 5,378,890 / 5,378,890 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 174 | 31-05-Q-00000200-3-0 | 보수차단밸브일체형,200mm | 2,443,122 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 상수도밸브,공기밸브 | | 개 | 12,215,610 / 12,215,610 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 |
| 175 | 41-01-0-00000648-4-0 | 제수밸브용,사각받침,Ø648mm×H250mm | 335,501 | 45 / 45 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 |
| | 원형철개 | | 조 | 15,097,545 / 15,097,545 | 5 / 5 | 20 / 20 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 12/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|-----|----------------------|----------------------------|---------|-------------------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 176 | 41-01-0-01000648-4-0 | 제수밸브용, 원형받침, D648mm×H250mm | 274,775 | 110 / 110 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 30,225,250 / 30,225,250 | 50 / 50 | 50 / 50 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 |
| 177 | 41-01-0-03180410-4-0 | 318×410, 제수밸브보호통 | 279,400 | 8 / 8 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 제수밸브보호통 | | 조 | 2,235,200 / 2,235,200 | 5 / 5 | 3 / 3 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 178 | 41-01-1-01000648-4-0 | 퇴수밸브용, 원형받침, D648mm×H250mm | 273,300 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 4,099,500 / 4,099,500 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| 179 | 41-01-2-10000648-3-0 | 밸브실고정형, 부식방지, 제수밸브용 | 397,133 | 45 / 45 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 17,870,985 / 17,870,985 | 5 / 5 | 20 / 20 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 |
| 180 | 41-01-2-10000648-4-0 | 밸브실고정형, 부식방지, 퇴수밸브용 | 397,133 | 60 / 60 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 23,827,980 / 23,827,980 | 10 / 10 | 50 / 50 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 181 | 41-01-2-20000648-3-0 | 밸브실고정형, 부식방지, 공기밸브용 | 397,133 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 5,956,995 / 5,956,995 | 5 / 5 | 10 / 10 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 182 | 41-01-3-10000648-3-0 | 밸브실고정형(높이조절용), 부식방지, 제수밸브용 | 520,294 | 65 / 65 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| | 원형철개 | | 조 | 33,819,110 / 33,819,110 | 0 / 0 | 30 / 30 | 30 / 30 | 0 / 0 | 0 / 0 | 0 / 0 |
| 183 | 41-01-3-10000648-4-0 | 밸브실고정형(높이조절용), 부식방지, 퇴수밸브용 | 520,294 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| | 원형철개 | | 조 | 13,007,350 / 13,007,350 | 0 / 0 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 184 | 41-01-3-20000648-3-0 | 밸브실고정형(높이조절용), 부식방지, 공기밸브용 | 527,835 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 5 / 5 | 0 / 0 |
| | 원형철개 | | 조 | 13,195,875 / 13,195,875 | 0 / 0 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 185 | 41-01-B-00000648-4-0 | 가변슬로프 제수밸브용 원형받침 | 377,025 | 25 / 25 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 9,425,625 / 9,425,625 | 5 / 5 | 0 / 0 | 20 / 20 | 0 / 0 | 0 / 0 | 0 / 0 |
| 186 | 41-01-B-10000648-4-0 | 가변슬로프 제수밸브용 사각받침 | 421,865 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 2,109,325 / 2,109,325 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 187 | 41-01-C-00000648-4-0 | 가변슬로프 퇴수밸브용 원형받침 | 377,025 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 1,885,125 / 1,885,125 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 188 | 41-01-C-10000648-4-0 | 가변슬로프 퇴수밸브용 사각받침 | 421,865 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 2,109,325 / 2,109,325 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| 189 | 41-01-D-00000648-4-0 | 가변슬로프 공기밸브용 원형받침 | 377,025 | 15 / 15 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 5,655,375 / 5,655,375 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 10 / 10 | 0 / 0 |
| 190 | 41-01-D-10000648-4-0 | 가변슬로프 공기밸브용 사각받침 | 421,865 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |
| | 원형철개 | | 조 | 2,109,325 / 2,109,325 | 5 / 5 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 0 / 0 |

자 재 사 용 계 획 서

출력일자: 2021년 09월 09일

출력시간: 11시 07분 05초

페이지: 13/13

| 순번 | 자 재 코 드 | 규격 | 단가 | 총수량(전/후) | 1월수량(전/후) | 2월수량(전/후) | 3월수량(전/후) | 4월수량(전/후) | 5월수량(전/후) | 6월수량(전/후) |
|----------------|---------|----|----|-------------|-----------|-----------|-----------|------------|------------|------------|
| | 자 재 명 | | 단위 | 총금액(전/후) | 7월수량(전/후) | 8월수량(전/후) | 9월수량(전/후) | 10월수량(전/후) | 11월수량(전/후) | 12월수량(전/후) |
| 합 계 (전) | | | | 5,467 | 2 | 5 | 0 | 20 | 240 | 205 |
| | | | | 544,679,489 | 908 | 1,902 | 1,723 | 249 | 188 | 25 |
| 합 계 (후) | | | | 5,472 | 2 | 5 | 0 | 20 | 240 | 205 |
| | | | | 548,883,669 | 908 | 1,907 | 1,723 | 249 | 188 | 25 |