

# 자 재 사 용 계 획 서

출력일자: 2022년 11월 25일  
출력시간: 10시 58분 43초  
페이지: 1/9

예산과목 : 건축물, 시설비

단위사업 : (400mm)

공사명 : 2022년 올림픽로 장기사용 송배수관정비공사 ( 2022-7631-2-0002 )

문서번호: 급수운영과-33988

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
1	12-01-5-00000400-1-6	(에폭시-2중)타이튼,400mm*6m	1,105,940	11 / 11	0 / 0	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0
	(2중관)내면 에폭시수지분체도장, 닥타일주철직관		본	12,165,340 / 12,165,340	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-5-00000500-1-6	(에폭시-2중)타이튼,500mm*6m	1,504,310	119 / 119	0 / 0	0 / 0	0 / 0	50 / 50	62 / 62	0 / 0
	(2중관)내면 에폭시수지분체도장, 닥타일주철직관		본	179,012,890 / 179,012,890	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0	0 / 0
3	12-01-6-00000900-1-6	(에폭시-2중)KP,900mm*6m	3,928,440	70 / 70	0 / 0	0 / 0	0 / 0	30 / 30	20 / 20	20 / 20
	(2중관)내면 에폭시수지분체도장, 닥타일주철직관		본	274,990,800 / 274,990,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000080-1-6	(에폭시-3중)타이튼,80mm*6m	168,860	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	506,580 / 506,580	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
5	12-01-7-00000100-1-6	(에폭시-3중)타이튼,100mm*6m	208,960	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	417,920 / 417,920	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
6	12-01-7-00000150-1-6	(에폭시-3중)타이튼,150mm*6m	316,470	2 / 2	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	632,940 / 632,940	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
7	12-01-7-00000200-1-6	(에폭시-3중)타이튼,200mm*6m	424,450	18 / 18	0 / 0	0 / 0	3 / 3	13 / 13	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	7,640,100 / 7,640,100	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
8	12-01-7-00000250-1-6	(에폭시-3중)타이튼,250mm*6m	557,360	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	557,360 / 557,360	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
9	12-01-7-00000300-1-6	(에폭시-3중)타이튼,300mm*6m	701,670	57 / 57	0 / 0	0 / 0	0 / 0	57 / 57	0 / 0	0 / 0
	(3중관)내면 에폭시수지분체도장, 닥타일주철직관		본	39,995,190 / 39,995,190	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
10	22-01-B-00800045-3-0	B형,80mm *45`	26,460	6 / 6	0 / 0	0 / 0	4 / 4	2 / 2	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	158,760 / 158,760	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-B-01000045-3-0	B형,100mm *45	33,516	14 / 14	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	469,224 / 469,224	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0	0 / 0
12	22-01-Y-01500045-3-0	B형(L형),150mm*45(마개포함)	61,740	4 / 4	0 / 0	0 / 0	2 / 2	2 / 2	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	246,960 / 246,960	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
13	22-01-Y-02000045-3-0	B형(L형),200mm*45(마개포함)	89,670	32 / 32	0 / 0	0 / 0	0 / 0	32 / 32	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	2,869,440 / 2,869,440	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
14	22-01-Y-02500045-3-0	B형(L형),250mm*45(마개포함)	126,420	6 / 6	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	2 / 2
	닥타일이형관,K.P소켓곡관(BPF)		개	758,520 / 758,520	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
15	22-01-Y-03000022-3-0	B형(L형),300mm*22(마개포함)	169,050	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	338,100 / 338,100	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 2/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
16	22-01-Y-03000045-3-0	B형(L형),300mm*45(마개포함)	167,580	62 / 62	0 / 0	0 / 0	0 / 0	36 / 36	0 / 0	24 / 24
	닥타일이형관,K.P소켓곡관(BPF)		개	10,389,960 / 10,389,960	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
17	22-01-Y-04000022-3-0	B형(L형),400mm*22(마개포함)	274,275	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	548,550 / 548,550	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
18	22-01-Y-04000045-3-0	B형(L형),400mm*45(마개포함)	279,300	21 / 21	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	5,865,300 / 5,865,300	10 / 10	1 / 1	2 / 2	0 / 0	0 / 0	0 / 0
19	22-01-Y-05000022-3-0	B형(L형),500mm*22(마개포함)	343,980	30 / 30	0 / 0	0 / 0	10 / 10	12 / 12	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	10,319,400 / 10,319,400	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
20	22-01-Y-05000045-3-0	B형(L형),500mm*45(마개포함)	426,300	73 / 73	0 / 0	0 / 0	11 / 11	17 / 17	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	31,119,900 / 31,119,900	0 / 0	10 / 10	15 / 15	20 / 20	0 / 0	0 / 0
21	22-01-Y-09000011-3-0	B형(L형),900mm*11	1,175,940	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	1,175,940 / 1,175,940	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
22	22-01-Y-09000022-3-0	B형(L형),900mm*22	1,256,500	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	7,539,000 / 7,539,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-01-Y-09000045-3-0	B형(L형),900mm*45	1,698,070	9 / 9	0 / 0	0 / 0	0 / 0	9 / 9	0 / 0	0 / 0
	닥타일이형관,K.P소켓곡관(BPF)		개	15,282,630 / 15,282,630	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-02000150-3-0	B형,200mm*150mm(마개포함)	127,890	2 / 2	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	255,780 / 255,780	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-02-B-02000200-3-0	B형,200*200mm(마개포함)	145,530	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	291,060 / 291,060	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-02-B-03000080-3-0	B형,300mm*80mm(마개포함)	173,460	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	173,460 / 173,460	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-02-B-03000100-3-0	B형,300mm*100mm(마개포함)	185,220	5 / 5	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	1 / 1
	닥타일이형관,소켓프렌지T형관(BPF)		개	926,100 / 926,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
28	22-02-B-03000250-3-0	B형,300mm*250mm(마개포함)	252,840	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	252,840 / 252,840	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-02-B-03000300-3-0	B형,300mm*300mm(마개포함)	279,300	4 / 4	0 / 0	0 / 0	0 / 0	3 / 3	1 / 1	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,117,200 / 1,117,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
30	22-02-B-04000080-3-0	B형,400*80mm(마개포함)	303,600	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	303,600 / 303,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
31	22-02-B-05000300-3-0	B형,500*300mm(마개포함)	532,140	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	닥타일이형관,소켓프렌지T형관(BPF)		개	1,064,280 / 1,064,280	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 3/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-02-B-05000400-3-0	B형, 500*400mm(마개포함)	605,640	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	3,633,840 / 3,633,840	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
33	22-02-B-09000400-3-0	B형, 900*400mm	1,726,790	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	3,453,580 / 3,453,580	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
34	22-02-B-09000600-3-0	B형, 900*600mm	2,631,470	2 / 2	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	5,262,940 / 5,262,940	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
35	22-02-B-09000900-3-0	B형, 900*900mm	2,800,200	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	2,800,200 / 2,800,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-04-0-00000150-3-0	압륜, 150mm	14,960	8 / 8	0 / 0	0 / 0	4 / 4	4 / 4	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	119,680 / 119,680	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
37	22-04-0-00000200-3-0	압륜, 200mm	18,800	64 / 64	0 / 0	0 / 0	0 / 0	64 / 64	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	1,203,200 / 1,203,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
38	22-04-0-00000300-3-0	압륜, 300mm	40,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	40,350 / 40,350	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
39	22-04-0-00000900-3-0	압륜, 900mm	121,960	80 / 80	0 / 0	0 / 0	0 / 0	60 / 60	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	9,756,800 / 9,756,800	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0
40	22-04-2-00000080-3-0	고무링, 80mm	1,390	20 / 20	0 / 0	0 / 0	11 / 11	6 / 6	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	27,800 / 27,800	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
41	22-04-2-00000100-3-0	고무링, 100mm	1,550	25 / 25	0 / 0	0 / 0	0 / 0	24 / 24	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	38,750 / 38,750	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
42	22-04-2-00000150-3-0	고무링, 150mm	2,080	22 / 22	0 / 0	0 / 0	11 / 11	11 / 11	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	45,760 / 45,760	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
43	22-04-2-00000200-3-0	고무링, 200mm	2,750	98 / 98	0 / 0	0 / 0	0 / 0	98 / 98	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	269,500 / 269,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
44	22-04-2-00000250-3-0	고무링, 250mm	3,230	11 / 11	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	35,530 / 35,530	4 / 4	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
45	22-04-2-00000300-3-0	고무링, 300mm	4,380	199 / 199	0 / 0	0 / 0	0 / 0	142 / 142	0 / 0	11 / 11
	닥타일이형관, K.P접합부속		개	871,620 / 871,620	30 / 30	0 / 0	14 / 14	0 / 0	2 / 2	0 / 0
46	22-04-2-00000400-3-0	고무링, 400mm	5,900	65 / 65	0 / 0	0 / 0	0 / 0	32 / 32	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	383,500 / 383,500	20 / 20	7 / 7	6 / 6	0 / 0	0 / 0	0 / 0
47	22-04-2-00000500-3-0	고무링, 500mm	9,050	273 / 273	0 / 0	0 / 0	0 / 0	131 / 131	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	2,470,650 / 2,470,650	20 / 20	12 / 12	60 / 60	50 / 50	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 4/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-04-2-00000800-3-0	고무링,800mm	18,830	0 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	0 / 564,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 30	0 / 0
49	22-04-2-00000900-3-0	고무링,900mm	27,040	157 / 157	0 / 0	0 / 0	0 / 0	127 / 127	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	4,245,280 / 4,245,280	0 / 0	0 / 0	20 / 20	10 / 10	0 / 0	0 / 0
50	22-04-3-00240085-3-0	볼트,24*85	1,337	1,852 / 1,852	0 / 0	0 / 0	0 / 0	1,512 / 1,512	340 / 340	0 / 0
	닥타일이형관, K.P접합부속		개	2,476,124 / 2,476,124	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-04-3-00240105-3-0	볼트,24*105	1,630	4,432 / 4,432	0 / 0	0 / 0	0 / 0	4,432 / 4,432	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	7,224,160 / 7,224,160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
52	22-04-3-00270125-3-0	볼트,27*125	2,440	2,900 / 3,360	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2,540 / 2,540
	닥타일이형관, K.P접합부속		개	7,076,000 / 8,198,400	0 / 0	0 / 0	0 / 0	360 / 360	0 / 460	0 / 0
53	22-05-0-00800300-3-0	80mm*L300 (2F)(마개포함)	34,672	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 2F단관(BPF)		개	34,672 / 34,672	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-05-0-00800500-3-0	80mm*L500 (2F)(마개포함)	37,485	3 / 3	0 / 0	0 / 0	0 / 0	1 / 1	2 / 2	0 / 0
	닥타일이형관, 2F단관(BPF)		개	112,455 / 112,455	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-05-0-01000300-3-0	100mm*L300 (2F)(마개포함)	39,744	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	39,744 / 39,744	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
56	22-05-0-01000500-3-0	100mm*L500 (2F)(마개포함)	43,512	3 / 3	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	130,536 / 130,536	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-05-0-02000500-3-0	200mm*L500 (2F)(마개포함)	89,670	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	448,350 / 448,350	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-05-0-02500500-3-0	250mm*L500 (2F)(마개포함)	121,569	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	121,569 / 121,569	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-05-0-03000500-3-0	300mm*L500 (2F)(마개포함)	158,025	3 / 3	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	474,075 / 474,075	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
60	22-05-0-04000500-3-0	400mm*L500 (2F)(마개포함)	256,852	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 2F단관(BPF)		개	256,852 / 256,852	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
61	22-07-2-00000080-3-0	80mm	18,570	20 / 20	0 / 0	0 / 0	11 / 11	6 / 6	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	371,400 / 371,400	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
62	22-07-2-00000100-3-0	100mm	19,410	25 / 25	0 / 0	0 / 0	0 / 0	24 / 24	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	485,250 / 485,250	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
63	22-07-2-00000150-3-0	150mm	24,750	14 / 14	0 / 0	0 / 0	7 / 7	7 / 7	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	346,500 / 346,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 5/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
64	22-07-2-00000200-3-0	200mm	31,950	68 / 68	0 / 0	0 / 0	34 / 34	34 / 34	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	2,172,600 / 2,172,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
65	22-07-2-00000250-3-0	250mm	39,940	11 / 11	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	2 / 2
	닥타일이형관, 이탈방지압륜		개	439,340 / 439,340	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
66	22-07-2-00000300-3-0	300mm	46,620	198 / 198	0 / 0	0 / 0	0 / 0	142 / 142	0 / 0	41 / 41
	닥타일이형관, 이탈방지압륜		개	9,230,760 / 9,230,760	0 / 0	0 / 0	13 / 13	0 / 0	2 / 2	0 / 0
67	22-07-2-00000400-3-0	400mm	91,000	65 / 65	0 / 0	0 / 0	0 / 0	32 / 32	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	5,915,000 / 5,915,000	20 / 20	7 / 7	6 / 6	0 / 0	0 / 0	0 / 0
68	22-07-2-00000500-3-0	500mm	155,980	253 / 253	0 / 0	0 / 0	0 / 0	131 / 131	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	39,462,940 / 39,462,940	20 / 20	2 / 2	60 / 60	40 / 40	0 / 0	0 / 0
69	22-07-2-00000800-3-0	800mm	366,510	0 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	0 / 7,330,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 20	0 / 0
70	22-07-2-00000900-3-0	900mm	505,120	77 / 77	0 / 0	0 / 0	0 / 0	67 / 67	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	38,894,240 / 38,894,240	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
71	22-08-0-00000080-3-0	이음관80mm(마개포함)	27,342	5 / 5	0 / 0	0 / 0	3 / 3	2 / 2	0 / 0	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	136,710 / 136,710	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	22-08-0-00000100-3-0	이음관100mm(마개포함)	33,222	8 / 8	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	265,776 / 265,776	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
73	22-08-0-00000150-3-0	이음관150mm(마개포함)	51,156	8 / 8	0 / 0	0 / 0	4 / 4	4 / 4	0 / 0	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	409,248 / 409,248	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	22-08-0-00000200-3-0	이음관200mm(마개포함)	69,090	31 / 31	0 / 0	0 / 0	0 / 0	29 / 29	2 / 2	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	2,141,790 / 2,141,790	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
75	22-08-0-00000250-3-0	이음관250mm(마개포함)	94,080	3 / 3	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	1 / 1
	닥타일이형관,K.P0이음관(BPF)		개	282,240 / 282,240	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
76	22-08-0-00000300-3-0	이음관300mm(마개포함)	117,600	63 / 63	0 / 0	0 / 0	0 / 0	48 / 48	0 / 0	14 / 14
	닥타일이형관,K.P0이음관(BPF)		개	7,408,800 / 7,408,800	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
77	22-08-0-00000400-3-0	400mm(마개포함)	182,280	22 / 22	0 / 0	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	4,010,160 / 4,010,160	5 / 5	3 / 3	2 / 2	0 / 0	0 / 0	0 / 0
78	22-08-0-00000500-3-0	500mm(마개포함)	264,600	74 / 74	0 / 0	0 / 0	0 / 0	44 / 44	0 / 0	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	19,580,400 / 19,580,400	0 / 0	5 / 5	5 / 5	20 / 20	0 / 0	0 / 0
79	22-08-0-00000900-3-0	900mm	875,960	28 / 28	0 / 0	0 / 0	0 / 0	23 / 23	0 / 0	0 / 0
	닥타일이형관,K.P0이음관(BPF)		개	24,526,880 / 24,526,880	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 6/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
80	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	35,779	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	35,779 / 35,779	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	43,541	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	261,246 / 261,246	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
82	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	67,914	2 / 2	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	135,828 / 135,828	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
83	22-09-0-06500200-3-0	200*L650 (1F단관)(마개포함)	95,873	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	958,730 / 958,730	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
84	22-09-0-06500250-3-0	250*L650 (1F단관)(마개포함)	129,124	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	129,124 / 129,124	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
85	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	166,257	12 / 12	0 / 0	0 / 0	0 / 0	12 / 12	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	1,995,084 / 1,995,084	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
86	22-09-0-06500400-3-0	400*L650 (1F단관)(마개포함)	207,858	5 / 5	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	1,039,290 / 1,039,290	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
87	22-09-0-06500500-3-0	500*L650 (1F단관)(마개포함)	285,003	7 / 7	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	1,995,021 / 1,995,021	0 / 0	2 / 2	0 / 0	1 / 1	0 / 0	0 / 0
88	22-09-0-06500900-3-0	900* L650 (1F단관)	904,500	8 / 8	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	7,236,000 / 7,236,000	0 / 0	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0
89	22-10-A-01000080-3-0	A형, 100*80mm(마개포함)	35,190	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	35,190 / 35,190	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
90	22-10-A-01500100-3-0	A형, 150*100mm(마개포함)	53,820	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	53,820 / 53,820	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
91	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	66,150	2 / 2	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	132,300 / 132,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
92	22-10-A-05000400-3-0	A형, 500*400mm(마개포함)	329,475	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, KP소켓편락관(BPF)		개	329,475 / 329,475	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
93	22-10-A-09000500-3-0	A형, 900*500mm	1,328,300	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,328,300 / 1,328,300	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
94	22-11-A-03000250-3-0	(BPF)A형, 300*250mm	139,725	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	닥타일이형관, 플렌지편락관		개	139,725 / 139,725	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
95	22-12-A-01000090-3-0	A형, 100mm *90(마개포함)	41,055	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	닥타일이형관, 플렌지국관(BPF)		개	246,330 / 246,330	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 7/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-13-0-01000090-3-0	100mm*90(마개포함)	52,332	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	닥타일이형관, 소화전 곡관(BPF)		개	104,664 / 104,664	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
97	22-14-0-00000200-3-0	200mm	4,800	10 / 10	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	닥타일이형관, 타이튼 고무링		개	48,000 / 48,000	0 / 0	0 / 0	8 / 8	0 / 0	0 / 0	0 / 0
98	22-14-0-00000300-3-0	300mm	7,900	42 / 42	0 / 0	0 / 0	0 / 0	42 / 42	0 / 0	0 / 0
	닥타일이형관, 타이튼 고무링		개	331,800 / 331,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
99	22-14-0-00000400-3-0	400mm	11,460	11 / 11	0 / 0	0 / 0	11 / 11	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼 고무링		개	126,060 / 126,060	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
100	22-14-0-00000500-3-0	500mm	22,510	93 / 93	0 / 0	0 / 0	0 / 0	93 / 93	0 / 0	0 / 0
	닥타일이형관, 타이튼 고무링		개	2,093,430 / 2,093,430	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
101	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	35,880	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	35,880 / 35,880	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
102	22-15-0-00000300-3-0	300mm, 기타형(마개포함)	136,275	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지소켓관(BPF)		개	136,275 / 136,275	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
103	22-17-0-00800050-3-0	80*50mm	11,385	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	닥타일이형관, 합플렌지(BPF)		개	11,385 / 11,385	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
104	22-19-B-05000200-3-0	B형, 500*200mm(마개포함)	455,700	4 / 4	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	닥타일이형관, K.P드레인관(BPF)		개	1,822,800 / 1,822,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
105	22-19-B-09000200-3-0	B형, 900*200mm	1,357,020	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	닥타일이형관, K.P드레인관		개	1,357,020 / 1,357,020	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
106	22-25-I-00000250-3-0	KP형, 250mm	62,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	62,100 / 62,100	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
107	22-25-I-00000300-3-0	KP형, 300mm	79,350	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	158,700 / 158,700	1 / 1	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
108	22-25-I-00000400-3-0	KP형, 400mm	141,450	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	141,450 / 141,450	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
109	31-01-3-00000080-3-0	소프트형, 80mm	136,800	3 / 3	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
	상수도밸브		개	410,400 / 410,400	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
110	31-01-3-00000100-3-0	소프트형, 100mm	170,300	8 / 8	0 / 0	0 / 0	0 / 0	7 / 7	0 / 0	0 / 0
	상수도밸브		개	1,362,400 / 1,362,400	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
111	31-01-3-00000200-3-0	소프트형, 200mm	470,500	2 / 2	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	0 / 0
	상수도밸브		개	941,000 / 941,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

# 자재사용계획서

출력일자: 2022년 11월 25일

출력시간: 10시 58분 43초

페이지: 8/9

순번	자재코드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자재명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
112	31-01-3-00000250-3-0	소프트형,250mm	686,100	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도밸브		개	686,100 / 686,100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
113	31-01-3-00000300-3-0	소프트형,300mm	816,200	4 / 4	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	상수도밸브		개	3,264,800 / 3,264,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
114	31-02-U-00000400-3-0	수동식/양방향다중실링/급속시트/400mm	2,794,000	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도 밸브,버터플라이밸브,양방향		개	2,794,000 / 2,794,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
115	31-02-U-00000500-3-0	수동식/양방향다중실링/급속시트/500mm	3,773,000	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	상수도 밸브,버터플라이밸브,양방향		개	7,546,000 / 7,546,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
116	31-02-U-00000900-3-0	수동식/양방향다중실링/급속시트/900mm	10,408,000	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	상수도 밸브,버터플라이밸브,양방향		개	10,408,000 / 10,408,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
117	31-03-F-00000200-3-0	다용도소프트실,200mm	1,016,950	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	상수도밸브		개	6,101,700 / 6,101,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
118	31-03-F-00000300-3-0	다용도소프트실,300mm	1,568,160	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	상수도밸브		개	3,136,320 / 3,136,320	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
119	31-03-F-00000400-3-0	다용도소프트실,400mm	2,635,380	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	2,635,380 / 2,635,380	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
120	31-04-Z-00100100-3-0	소프트실체크밸브,10K*φ100	480,000	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	상수도밸브		개	960,000 / 960,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
121	31-05-A-00000080-3-0	급속공기밸브,80mm	188,100	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브,공기밸브		개	188,100 / 188,100	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
122	31-05-A-00000100-3-0	급속공기밸브,100mm	235,400	7 / 7	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	상수도밸브,공기밸브		개	1,647,800 / 1,647,800	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
123	31-05-Q-00000100-3-0	보수차단밸브일체형,100mm	516,000	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	상수도밸브,공기밸브		개	516,000 / 516,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
124	32-03-C-00000100-3-0	지상식(일반형),100mm	850,000	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	특수용도밸브,옥외소화전		개	1,700,000 / 1,700,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
125	41-01-O-00000648-4-0	제수밸브용,사각받침,D648mm×H250mm	333,700	4 / 4	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	0 / 0
	원형철개		조	1,334,800 / 1,334,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
126	41-01-O-03180410-4-0	318×410, 제수밸브 중형철개	277,900	1 / 1	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	원형철개		조	277,900 / 277,900	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
127	41-01-2-03180410-4-0	318×410, 소화전용 중형철개	277,900	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
	원형철개		조	555,800 / 555,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0



# 자 재 사 용 계 획 서

출력일자: 2022년 11월 25일  
출력시간: 10시 58분 43초  
페이지: 9/9

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
128	41-01-3-10000648-3-0	밸브실고정형(높이조절용), 부식방지, 제수밸브용	517,500	12 / 12	0 / 0	0 / 0	1 / 1	9 / 9	1 / 1	0 / 0
	원형철개		조	6,210,000 / 6,210,000	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
129	41-01-3-10000648-4-0	밸브실고정형(높이조절용), 부식방지, 퇴수밸브용	517,500	5 / 5	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	원형철개		조	2,587,500 / 2,587,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
130	41-01-3-20000648-3-0	밸브실고정형(높이조절용), 부식방지, 공기밸브용	724,700	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
	원형철개		조	2,174,100 / 2,174,100	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
131	41-01-0-10000648-4-0	가변슬로프 공기밸브용 사각받침	419,600	6 / 6	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0	0 / 0
	원형철개		조	2,517,600 / 2,517,600	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
합 계 (전)				12,090	0	0	136	7,856	429	2,664
				898,955,181	138	53	289	519	6	0
합 계 (후)				12,600	0	0	136	7,856	429	2,664
				907,972,681	138	53	289	519	516	0