

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 2/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
16	22-01-Y-01500022-3-0	B형(L형), 150mm*22(마개포함)	66,597	90 / 90	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	5,993,730 / 5,993,730	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0	0 / 0
17	22-01-Y-01500045-3-0	B형(L형), 150mm*45(마개포함)	72,841	265 / 265	30 / 30	0 / 0	0 / 0	20 / 20	20 / 20	25 / 25
	닥타일이형관, K.P소켓곡관(BPF)		개	19,302,865 / 19,302,865	20 / 20	10 / 10	20 / 20	0 / 0	70 / 70	50 / 50
18	22-01-Y-02000022-3-0	B형(L형), 200mm*22(마개포함)	95,387	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	5,723,220 / 5,723,220	20 / 20	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
19	22-01-Y-02000045-3-0	B형(L형), 200mm*45(마개포함)	105,793	300 / 300	0 / 0	10 / 10	0 / 0	30 / 30	40 / 40	30 / 30
	닥타일이형관, K.P소켓곡관(BPF)		개	31,737,900 / 31,737,900	30 / 30	30 / 30	30 / 30	20 / 20	50 / 50	30 / 30
20	22-01-Y-02500022-3-0	B형(L형), 250mm*22(마개포함)	131,807	41 / 41	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	1 / 1
	닥타일이형관, K.P소켓곡관(BPF)		개	5,404,087 / 5,404,087	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-01-Y-02500045-3-0	B형(L형), 250mm*45(마개포함)	149,151	26 / 26	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	3,877,926 / 3,877,926	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
22	22-01-Y-03000011-3-0	B형(L형), 300mm*11(마개포함)	156,088	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	3,121,760 / 3,121,760	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-01-Y-03000022-3-0	B형(L형), 300mm*22(마개포함)	169,962	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	5,098,860 / 5,098,860	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
24	22-01-Y-03000045-3-0	B형(L형), 300mm*45(마개포함)	197,711	181 / 181	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	20 / 20
	닥타일이형관, K.P소켓곡관(BPF)		개	35,785,691 / 35,785,691	30 / 30	15 / 15	0 / 0	0 / 0	56 / 56	30 / 30
25	22-01-Y-04000022-3-0	B형(L형), 400mm*22(마개포함)	278,250	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	5,565,000 / 5,565,000	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-01-Y-04000045-3-0	B형(L형), 400mm*45(마개포함)	329,519	84 / 84	0 / 0	0 / 0	0 / 0	0 / 0	14 / 14	50 / 50
	닥타일이형관, K.P소켓곡관(BPF)		개	27,679,596 / 27,679,596	0 / 0	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0
27	22-01-Y-06000011-3-0	B형(L형), 600mm*11(마개포함)	489,076	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	2,445,380 / 2,445,380	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
28	22-01-Y-06000022-3-0	B형(L형), 600mm*22(마개포함)	572,323	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	2,861,615 / 2,861,615	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
29	22-01-Y-06000045-3-0	B형(L형), 600mm*45(마개포함)	728,412	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓곡관(BPF)		개	3,642,060 / 3,642,060	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
30	22-02-B-00800080-3-0	B형, 80*80mm(마개포함)	55,844	12 / 12	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	10 / 10
	닥타일이형관, 소켓프렌지T형관(BPF)		개	670,128 / 670,128	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
31	22-02-B-01000080-3-0	B형, 100*80mm(마개포함)	65,903	22 / 22	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	10 / 10
	닥타일이형관, 소켓프렌지T형관(BPF)		개	1,449,866 / 1,449,866	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 3/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
32	22-02-B-01000100-3-0	B형, 100*100mm(마개포함)	69,372	53 / 53	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	2 / 2
	닥타일이형관, 소켓프렌지I형관(BPF)		개	3,676,716 / 3,676,716	20 / 20	1 / 1	0 / 0	0 / 0	10 / 10	0 / 0
33	22-02-B-01500080-3-0	B형, 150*80mm(마개포함)	93,653	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	2 / 2
	닥타일이형관, 소켓프렌지I형관(BPF)		개	2,996,896 / 2,996,896	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-02-B-01500100-3-0	B형, 150*100mm(마개포함)	100,590	45 / 45	2 / 2	0 / 0	0 / 0	0 / 0	20 / 20	2 / 2
	닥타일이형관, 소켓프렌지I형관(BPF)		개	4,526,550 / 4,526,550	0 / 0	11 / 11	0 / 0	0 / 0	10 / 10	0 / 0
35	22-02-B-01500150-3-0	B형, 150*150mm(마개포함)	116,199	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 소켓프렌지I형관(BPF)		개	4,066,965 / 4,066,965	20 / 20	3 / 3	1 / 1	0 / 0	10 / 10	0 / 0
36	22-02-B-02000080-3-0	B형, 200mm*80mm(마개포함)	126,604	36 / 36	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	20 / 20
	닥타일이형관, 소켓프렌지I형관(BPF)		개	4,557,744 / 4,557,744	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
37	22-02-B-02000100-3-0	B형, 200mm*100mm(마개포함)	133,542	44 / 44	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7	20 / 20
	닥타일이형관, 소켓프렌지I형관(BPF)		개	5,875,848 / 5,875,848	0 / 0	0 / 0	0 / 0	0 / 0	17 / 17	0 / 0
38	22-02-B-02000150-3-0	B형, 200mm*150mm(마개포함)	150,885	36 / 36	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	20 / 20
	닥타일이형관, 소켓프렌지I형관(BPF)		개	5,431,860 / 5,431,860	0 / 0	0 / 0	0 / 0	0 / 0	15 / 15	0 / 0
39	22-02-B-02000200-3-0	B형, 200*200mm(마개포함)	171,697	34 / 34	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	5,837,698 / 5,837,698	20 / 20	0 / 0	0 / 0	0 / 0	12 / 12	0 / 0
40	22-02-B-02500250-3-0	B형, 250*250mm(마개포함)	244,538	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	244,538 / 244,538	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
41	22-02-B-03000080-3-0	B형, 300mm*80mm(마개포함)	204,649	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	2,046,490 / 2,046,490	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
42	22-02-B-03000100-3-0	B형, 300mm*100mm(마개포함)	218,523	50 / 50	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	10,926,150 / 10,926,150	0 / 0	0 / 0	0 / 0	10 / 10	20 / 20	0 / 0
43	22-02-B-03000150-3-0	B형, 300mm*150mm(마개포함)	241,069	60 / 60	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	14,464,140 / 14,464,140	0 / 0	0 / 0	0 / 0	10 / 10	20 / 20	0 / 0
44	22-02-B-03000200-3-0	B형, 300mm*200mm(마개포함)	265,350	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	5,572,350 / 5,572,350	20 / 20	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
45	22-02-B-03000300-3-0	B형, 300mm*300mm(마개포함)	329,519	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30
	닥타일이형관, 소켓프렌지I형관(BPF)		개	19,771,140 / 19,771,140	0 / 0	0 / 0	0 / 0	10 / 10	20 / 20	0 / 0
46	22-02-B-04000100-3-0	B형, 400*100mm(마개포함)	320,250	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	3,202,500 / 3,202,500	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
47	22-02-B-04000200-3-0	B형, 400*200mm(마개포함)	388,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지I형관(BPF)		개	388,500 / 388,500	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 4/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
48	22-02-B-04000300-3-0	B형,400*300mm(마개포함)	468,265	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	468,265 / 468,265	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
49	22-02-B-04000400-3-0	B형,400*400mm(마개포함)	542,500	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	542,500 / 542,500	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
50	22-02-B-05000200-3-0	B형,500*200mm(마개포함)	523,763	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	2,095,052 / 2,095,052	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-02-B-06000300-3-0	B형,600*300mm(마개포함)	818,596	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 소켓프렌지T형관(BPF)		개	18,009,112 / 18,009,112	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
52	22-04-0-00000080-3-0	압륜,80mm	10,234	186 / 186	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	30 / 30
	닥타일이형관, K.P접합부속		개	1,903,524 / 1,903,524	30 / 30	10 / 10	0 / 0	0 / 0	56 / 56	0 / 0
53	22-04-0-00000100-3-0	압륜,100mm	11,974	214 / 214	0 / 0	0 / 0	0 / 0	30 / 30	4 / 4	20 / 20
	닥타일이형관, K.P접합부속		개	2,562,436 / 2,562,436	30 / 30	40 / 40	40 / 40	0 / 0	50 / 50	0 / 0
54	22-04-0-00000150-3-0	압륜,150mm	17,222	164 / 164	0 / 0	0 / 0	0 / 0	30 / 30	4 / 4	0 / 0
	닥타일이형관, K.P접합부속		개	2,824,408 / 2,824,408	30 / 30	50 / 50	0 / 0	0 / 0	50 / 50	0 / 0
55	22-04-0-00000200-3-0	압륜,200mm	21,696	125 / 125	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
	닥타일이형관, K.P접합부속		개	2,712,000 / 2,712,000	30 / 30	50 / 50	0 / 0	0 / 0	15 / 15	0 / 0
56	22-04-0-00000300-3-0	압륜,300mm	37,390	68 / 68	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, K.P접합부속		개	2,542,520 / 2,542,520	40 / 40	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0
57	22-04-0-00000400-3-0	압륜,400mm	41,935	136 / 136	0 / 0	0 / 0	0 / 0	0 / 0	32 / 32	50 / 50
	닥타일이형관, K.P접합부속		개	5,703,160 / 5,703,160	0 / 0	4 / 4	0 / 0	0 / 0	50 / 50	0 / 0
58	22-04-2-00000080-3-0	고무링,80mm	1,548	385 / 385	0 / 0	0 / 0	0 / 0	16 / 16	20 / 20	20 / 20
	닥타일이형관, K.P접합부속		개	595,980 / 595,980	30 / 30	100 / 100	2 / 2	0 / 0	165 / 165	32 / 32
59	22-04-2-00000100-3-0	고무링,100mm	1,739	648 / 648	1 / 1	0 / 0	30 / 30	0 / 0	30 / 30	30 / 30
	닥타일이형관, K.P접합부속		개	1,126,872 / 1,126,872	130 / 130	80 / 80	50 / 50	40 / 40	157 / 157	100 / 100
60	22-04-2-00000150-3-0	고무링,150mm	2,272	648 / 648	50 / 50	0 / 0	30 / 30	30 / 30	35 / 35	0 / 0
	닥타일이형관, K.P접합부속		개	1,472,256 / 1,472,256	30 / 30	70 / 70	0 / 0	103 / 103	180 / 180	120 / 120
61	22-04-2-00000200-3-0	고무링,200mm	2,945	627 / 627	0 / 0	0 / 0	0 / 0	20 / 20	12 / 12	30 / 30
	닥타일이형관, K.P접합부속		개	1,846,515 / 1,846,515	30 / 30	30 / 30	30 / 30	10 / 10	365 / 365	100 / 100
62	22-04-2-00000250-3-0	고무링,250mm	3,508	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
	닥타일이형관, K.P접합부속		개	17,540 / 17,540	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
63	22-04-2-00000300-3-0	고무링,300mm	4,866	401 / 401	0 / 0	0 / 0	30 / 30	6 / 6	20 / 20	20 / 20
	닥타일이형관, K.P접합부속		개	1,951,266 / 1,951,266	20 / 20	5 / 5	20 / 20	0 / 0	230 / 230	50 / 50

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 5/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
64	22-04-2-00000400-3-0	고무링,400mm	6,504	212 / 212	0 / 0	0 / 0	0 / 0	4 / 4	74 / 74	100 / 100
	닥타일이형관, K.P접합부속		개	1,378,848 / 1,378,848	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	30 / 30
65	22-04-2-00000600-3-0	고무링,600mm	11,210	43 / 43	0 / 0	0 / 0	0 / 0	0 / 0	13 / 13	0 / 0
	닥타일이형관, K.P접합부속		개	482,030 / 482,030	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
66	22-04-3-00240085-3-0	볼트,24*85	1,789	8,946 / 8,946	160 / 160	0 / 0	0 / 0	400 / 400	136 / 136	250 / 250
	닥타일이형관, K.P접합부속		개	16,004,394 / 16,004,394	900 / 900	500 / 500	1,000 / 1,000	500 / 500	3,900 / 3,900	1,200 / 1,200
67	22-04-3-00240105-3-0	볼트,24*105	2,161	1,594 / 1,594	0 / 0	0 / 0	0 / 0	40 / 40	690 / 690	250 / 250
	닥타일이형관, K.P접합부속		개	3,444,634 / 3,444,634	50 / 50	40 / 40	300 / 300	24 / 24	100 / 100	100 / 100
68	22-05-0-00800500-3-0	80mm*L500 (2F)(마개포함)	44,224	78 / 78	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	2 / 2
	닥타일이형관, 2F단관(BPF)		개	3,449,472 / 3,449,472	10 / 10	0 / 0	0 / 0	0 / 0	16 / 16	10 / 10
69	22-05-0-01000300-3-0	100mm*L300 (2F)(마개포함)	39,958	49 / 49	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	1 / 1
	닥타일이형관, 2F단관(BPF)		개	1,957,942 / 1,957,942	3 / 3	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0
70	22-05-0-01000500-3-0	100mm*L500 (2F)(마개포함)	51,335	74 / 74	1 / 1	0 / 0	0 / 0	0 / 0	30 / 30	5 / 5
	닥타일이형관, 2F단관(BPF)		개	3,798,790 / 3,798,790	10 / 10	7 / 7	0 / 0	0 / 0	1 / 1	20 / 20
71	22-05-0-01500500-3-0	150mm*L500 (2F)(마개포함)	77,870	69 / 69	0 / 0	0 / 0	0 / 0	3 / 3	30 / 30	1 / 1
	닥타일이형관, 2F단관(BPF)		개	5,373,030 / 5,373,030	10 / 10	0 / 0	0 / 0	0 / 0	4 / 4	21 / 21
72	22-05-0-02000500-3-0	200mm*L500 (2F)(마개포함)	105,793	75 / 75	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	20 / 20
	닥타일이형관, 2F단관(BPF)		개	7,934,475 / 7,934,475	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	20 / 20
73	22-05-0-03000500-3-0	300mm*L500 (2F)(마개포함)	186,438	102 / 102	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	0 / 0
	닥타일이형관, 2F단관(BPF)		개	19,016,676 / 19,016,676	0 / 0	10 / 10	0 / 0	0 / 0	2 / 2	50 / 50
74	22-06-0-00000080-3-0	F 고무링,80mm	880	60 / 60	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	2 / 2
	닥타일이형관, 플렌지접합부속		개	52,800 / 52,800	30 / 30	0 / 0	0 / 0	0 / 0	5 / 5	3 / 3
75	22-06-0-00000100-3-0	F 고무링,100mm	1,034	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	5 / 5
	닥타일이형관, 플렌지접합부속		개	103,400 / 103,400	53 / 53	15 / 15	0 / 0	0 / 0	3 / 3	4 / 4
76	22-06-0-00000150-3-0	F 고무링,150mm	1,551	28 / 28	0 / 0	0 / 0	0 / 0	2 / 2	20 / 20	1 / 1
	닥타일이형관, 플렌지접합부속		개	43,428 / 43,428	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	1 / 1
77	22-06-0-00000200-3-0	F 고무링,200mm	2,020	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, 플렌지접합부속		개	48,480 / 48,480	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0
78	22-06-0-00000250-3-0	F 고무링,250mm	2,800	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, 플렌지접합부속		개	58,800 / 58,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
79	22-06-0-00000300-3-0	F 고무링,300mm	3,400	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, 플렌지접합부속		개	71,400 / 71,400	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 6/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
80	22-06-0-00000600-3-0	F 고무링 ,600mm	11,280	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지접합부속		개	22,560 / 22,560	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
81	22-07-2-00000080-3-0	80mm	18,620	391 / 391	0 / 0	0 / 0	0 / 0	20 / 20	20 / 20	20 / 20
	닥타일이형관, 이탈방지압륜		개	7,280,420 / 7,280,420	50 / 50	50 / 50	20 / 20	22 / 22	109 / 109	80 / 80
82	22-07-2-00000100-3-0	100mm	19,460	543 / 543	1 / 1	0 / 0	0 / 0	30 / 30	21 / 21	10 / 10
	닥타일이형관, 이탈방지압륜		개	10,566,780 / 10,566,780	50 / 50	34 / 34	130 / 130	40 / 40	127 / 127	100 / 100
83	22-07-2-00000150-3-0	150mm	24,800	659 / 659	50 / 50	0 / 0	30 / 30	0 / 0	25 / 25	20 / 20
	닥타일이형관, 이탈방지압륜		개	16,343,200 / 16,343,200	35 / 35	7 / 7	20 / 20	120 / 120	152 / 152	200 / 200
84	22-07-2-00000200-3-0	200mm	32,000	496 / 496	0 / 0	0 / 0	0 / 0	16 / 16	20 / 20	30 / 30
	닥타일이형관, 이탈방지압륜		개	15,872,000 / 15,872,000	50 / 50	30 / 30	0 / 0	55 / 55	295 / 295	0 / 0
85	22-07-2-00000250-3-0	250mm	39,990	322 / 322	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, 이탈방지압륜		개	12,876,780 / 12,876,780	0 / 0	0 / 0	0 / 0	0 / 0	100 / 100	200 / 200
86	22-07-2-00000300-3-0	300mm	46,840	436 / 436	2 / 2	0 / 0	0 / 0	4 / 4	19 / 19	30 / 30
	닥타일이형관, 이탈방지압륜		개	20,422,240 / 20,422,240	20 / 20	20 / 20	0 / 0	20 / 20	221 / 221	100 / 100
87	22-07-2-00000400-3-0	400mm	91,490	147 / 147	0 / 0	0 / 0	0 / 0	4 / 4	40 / 40	50 / 50
	닥타일이형관, 이탈방지압륜		개	13,449,030 / 13,449,030	0 / 0	51 / 51	0 / 0	0 / 0	0 / 0	2 / 2
88	22-07-2-00000500-3-0	500mm	156,820	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 이탈방지압륜		개	627,280 / 627,280	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
89	22-07-2-00000600-3-0	600mm	193,900	48 / 48	0 / 0	0 / 0	0 / 0	0 / 0	18 / 18	0 / 0
	닥타일이형관, 이탈방지압륜		개	9,307,200 / 9,307,200	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0	0 / 0
90	22-08-0-00000080-3-0	이음관80mm(마개포함)	32,258	172 / 172	0 / 0	0 / 0	0 / 0	2 / 2	30 / 30	20 / 20
	닥타일이형관, K.POI음관(BPF)		개	5,548,376 / 5,548,376	10 / 10	10 / 10	20 / 20	0 / 0	60 / 60	20 / 20
91	22-08-0-00000100-3-0	이음관100mm(마개포함)	39,195	207 / 207	2 / 2	0 / 0	0 / 0	30 / 30	30 / 30	20 / 20
	닥타일이형관, K.POI음관(BPF)		개	8,113,365 / 8,113,365	13 / 13	12 / 12	20 / 20	0 / 0	30 / 30	50 / 50
92	22-08-0-00000150-3-0	이음관150mm(마개포함)	60,354	185 / 185	20 / 20	0 / 0	0 / 0	0 / 0	30 / 30	20 / 20
	닥타일이형관, K.POI음관(BPF)		개	11,165,490 / 11,165,490	10 / 10	10 / 10	20 / 20	30 / 30	45 / 45	0 / 0
93	22-08-0-00000200-3-0	이음관200mm(마개포함)	81,512	264 / 264	0 / 0	0 / 0	10 / 10	3 / 3	30 / 30	20 / 20
	닥타일이형관, K.POI음관(BPF)		개	21,519,168 / 21,519,168	0 / 0	0 / 0	0 / 0	21 / 21	180 / 180	0 / 0
94	22-08-0-00000250-3-0	이음관250mm(마개포함)	110,400	2 / 2	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	220,800 / 220,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
95	22-08-0-00000300-3-0	이음관300mm(마개포함)	138,745	179 / 179	0 / 0	0 / 0	0 / 0	3 / 3	6 / 6	20 / 20
	닥타일이형관, K.POI음관(BPF)		개	24,835,355 / 24,835,355	0 / 0	10 / 10	30 / 30	0 / 0	80 / 80	30 / 30

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 7/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
96	22-08-0-00000400-3-0	400mm(마개포함)	215,055	78 / 78	0 / 0	0 / 0	0 / 0	2 / 2	13 / 13	50 / 50
	닥타일이형관, K.POI음관(BPF)		개	16,774,290 / 16,774,290	0 / 0	12 / 12	0 / 0	1 / 1	0 / 0	0 / 0
97	22-08-0-00000500-3-0	500mm(마개포함)	312,176	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	1,248,704 / 1,248,704	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
98	22-08-0-00000600-3-0	600mm(마개포함)	437,047	18 / 18	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0
	닥타일이형관, K.POI음관(BPF)		개	7,866,846 / 7,866,846	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0	0 / 0
99	22-09-0-06500080-3-0	80*L650 (1F 단관)(마개포함)	42,212	65 / 65	0 / 0	0 / 0	0 / 0	4 / 4	0 / 0	20 / 20
	닥타일이형관, 1F단관(L650)(BPF)		개	2,743,780 / 2,743,780	2 / 2	10 / 10	0 / 0	10 / 10	10 / 10	9 / 9
100	22-09-0-06500100-3-0	100*L650 (1F단관)(마개포함)	51,369	82 / 82	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, 1F단관(L650)(BPF)		개	4,212,258 / 4,212,258	4 / 4	20 / 20	1 / 1	15 / 15	10 / 10	21 / 21
101	22-09-0-06500150-3-0	150*L650 (1F단관)(마개포함)	80,125	95 / 95	0 / 0	0 / 0	0 / 0	6 / 6	20 / 20	10 / 10
	닥타일이형관, 1F단관(L650)(BPF)		개	7,611,875 / 7,611,875	3 / 3	20 / 20	0 / 0	0 / 0	10 / 10	26 / 26
102	22-09-0-06500200-3-0	200*L650 (1F단관)(마개포함)	113,111	56 / 56	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	10 / 10
	닥타일이형관, 1F단관(L650)(BPF)		개	6,334,216 / 6,334,216	20 / 20	0 / 0	0 / 0	0 / 0	5 / 5	20 / 20
103	22-09-0-06500250-3-0	250*L650 (1F단관)(마개포함)	152,342	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, 1F단관(L650)(BPF)		개	3,199,182 / 3,199,182	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
104	22-09-0-06500300-3-0	300*L650 (1F단관)(마개포함)	196,150	46 / 46	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4	20 / 20
	닥타일이형관, 1F단관(L650)(BPF)		개	9,022,900 / 9,022,900	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	20 / 20
105	22-09-0-06500400-3-0	400*L650 (1F단관)(마개포함)	245,232	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	980,928 / 980,928	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
106	22-09-0-06500600-3-0	600*L650 (1F단관)(마개포함)	449,534	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 1F단관(L650)(BPF)		개	4,045,806 / 4,045,806	0 / 0	2 / 2	0 / 0	5 / 5	0 / 0	0 / 0
107	22-10-A-01000080-3-0	A형, 100*80mm(마개포함)	35,380	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, K.P소켓편락관(BPF)		개	919,880 / 919,880	5 / 5	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
108	22-10-A-01500080-3-0	A형, 150*80mm(마개포함)	53,416	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, K.P소켓편락관(BPF)		개	1,175,152 / 1,175,152	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
109	22-10-A-01500100-3-0	A형, 150*100mm(마개포함)	54,110	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,298,640 / 1,298,640	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3
110	22-10-A-02000080-3-0	A형, 200*80mm(마개포함)	74,575	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,640,650 / 1,640,650	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
111	22-10-A-02000100-3-0	A형, 200*100mm(마개포함)	76,309	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	228,927 / 228,927	1 / 1	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 8/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
112	22-10-A-02000150-3-0	A형, 200*150mm(마개포함)	78,044	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	1,716,968 / 1,716,968	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
113	22-10-A-02500200-3-0	A형, 250*200mm(마개포함)	104,058	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	2,289,276 / 2,289,276	20 / 20	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
114	22-10-A-03000150-3-0	A형, 300*150mm(마개포함)	140,479	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	3,371,496 / 3,371,496	20 / 20	0 / 0	0 / 0	0 / 0	3 / 3	1 / 1
115	22-10-A-03000250-3-0	A형, 300*250mm(마개포함)	135,276	21 / 21	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	1 / 1
	닥타일이형관, K.P소켓편락관(BPF)		개	2,840,796 / 2,840,796	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
116	22-10-A-04000300-3-0	A형, 400*300mm(마개포함)	223,726	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	223,726 / 223,726	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
117	22-10-A-06000300-3-0	A형, 600*300mm	534,169	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, K.P소켓편락관		개	1,602,507 / 1,602,507	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
118	22-10-A-06000400-3-0	A형, 600*400mm	502,951	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	502,951 / 502,951	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
119	22-10-B-01000080-3-0	B형, 100*80mm(마개포함)	31,217	6 / 6	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	187,302 / 187,302	0 / 0	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
120	22-10-B-01500100-3-0	B형, 150*100mm	49,601	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	49,601 / 49,601	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
121	22-10-B-02500150-3-0	B형, 250*150mm	100,590	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관		개	100,590 / 100,590	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
122	22-10-B-02500200-3-0	B형, 250*200mm	97,121	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관		개	194,242 / 194,242	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
123	22-10-B-03000150-3-0	B형, 300*150mm	133,542	3 / 3	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	400,626 / 400,626	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	0 / 0
124	22-10-C-01000080-3-0	C형, 100*80mm(마개포함)	30,870	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관(BPF)		개	30,870 / 30,870	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
125	22-10-C-02500200-3-0	C형, 250*200mm	95,387	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P소켓편락관		개	190,774 / 190,774	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
126	22-11-A-01000080-3-0	A형, 100*80mm	32,605	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5
	닥타일이형관, 플렌지편락관(BPF)		개	163,025 / 163,025	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
127	22-11-A-01500100-3-0	A형, 150*100mm	52,029	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지편락관(BPF)		개	260,145 / 260,145	0 / 0	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 9/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
128	22-12-A-00800090-3-0	A형, 80mm *90(마개포함)	34,339	4 / 4	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관 (BPF)		개	137,356 / 137,356	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
129	22-12-A-01000045-3-0	A형, 100mm *45(마개포함)	39,195	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	닥타일이형관, 플렌지곡관		개	78,390 / 78,390	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
130	22-12-A-01000090-3-0	A형, 100mm *90(마개포함)	41,276	42 / 42	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20
	닥타일이형관, 플렌지곡관 (BPF)		개	1,733,592 / 1,733,592	4 / 4	15 / 15	3 / 3	0 / 0	0 / 0	0 / 0
131	22-12-A-01500090-3-0	A형, 150mm *90	69,372	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	닥타일이형관, 플렌지곡관 (BPF)		개	69,372 / 69,372	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
132	22-12-A-02000090-3-0	A형, 200mm *90	107,527	7 / 7	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관 (BPF)		개	752,689 / 752,689	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
133	22-12-B-01000090-3-0	B형, 100mm *90	42,317	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관 (BPF)		개	677,072 / 677,072	0 / 0	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0
134	22-12-B-01500090-3-0	B형, 150mm *90	72,841	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 플렌지곡관		개	218,523 / 218,523	0 / 0	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
135	22-13-0-01000090-3-0	100mm*90(마개포함)	61,741	65 / 65	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	8 / 8
	닥타일이형관, 소화전 곡관 (BPF)		개	4,013,165 / 4,013,165	10 / 10	15 / 15	30 / 30	0 / 0	0 / 0	0 / 0
136	22-14-0-00000080-3-0	80mm	2,101	229 / 229	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	10 / 10
	닥타일이형관, 타이튼 고무링		개	481,129 / 481,129	20 / 20	50 / 50	20 / 20	40 / 40	65 / 65	4 / 4
137	22-14-0-00000100-3-0	100mm	2,845	200 / 200	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	10 / 10
	닥타일이형관, 타이튼 고무링		개	569,000 / 569,000	20 / 20	50 / 50	20 / 20	30 / 30	50 / 50	0 / 0
138	22-14-0-00000150-3-0	150mm	4,700	166 / 166	0 / 0	0 / 0	0 / 0	0 / 0	26 / 26	10 / 10
	닥타일이형관, 타이튼 고무링		개	780,200 / 780,200	20 / 20	10 / 10	20 / 20	30 / 30	50 / 50	0 / 0
139	22-14-0-00000200-3-0	200mm	4,835	275 / 275	0 / 0	0 / 0	0 / 0	30 / 30	30 / 30	10 / 10
	닥타일이형관, 타이튼 고무링		개	1,329,625 / 1,329,625	20 / 20	10 / 10	0 / 0	20 / 20	155 / 155	0 / 0
140	22-14-0-00000250-3-0	250mm	6,736	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 타이튼 고무링		개	202,080 / 202,080	0 / 0	10 / 10	20 / 20	0 / 0	0 / 0	0 / 0
141	22-14-0-00000300-3-0	300mm	7,952	175 / 175	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	10 / 10
	닥타일이형관, 타이튼 고무링		개	1,391,600 / 1,391,600	20 / 20	10 / 10	0 / 0	50 / 50	65 / 65	0 / 0
142	22-15-0-00000080-3-0	80mm, 기타형(마개포함)	30,523	33 / 33	0 / 0	0 / 0	4 / 4	0 / 0	10 / 10	8 / 8
	닥타일이형관, 플렌지소켓관 (BPF)		개	1,007,259 / 1,007,259	10 / 10	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
143	22-15-0-00000100-3-0	100mm, 기타형(마개포함)	36,073	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	닥타일이형관, 플렌지소켓관 (BPF)		개	901,825 / 901,825	0 / 0	15 / 15	0 / 0	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 11/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
160	22-19-B-02000080-3-0	B형,200*80mm	121,402	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	닥타일이형관, K.P드레인관(BPF)		개	1,335,422 / 1,335,422	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
161	22-19-B-04000100-3-0	B형,400*100mm(마개포함)	301,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, K.P드레인관		개	3,010,000 / 3,010,000	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
162	22-25-I-00000080-3-0	KP형,80mm	13,874	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	5 / 5
	닥타일이형관, 캡(BPF)		개	221,984 / 221,984	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
163	22-25-I-00000100-3-0	KP형,100mm	17,343	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	173,430 / 173,430	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
164	22-25-I-00000150-3-0	KP형,150mm	24,280	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	242,800 / 242,800	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
165	22-25-I-00000200-3-0	KP형,200mm	41,623	12 / 12	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	499,476 / 499,476	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
166	22-25-I-00000250-3-0	KP형,250mm	62,435	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	624,350 / 624,350	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
167	22-25-I-00000300-3-0	KP형,300mm	79,778	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	797,780 / 797,780	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
168	22-25-I-00000400-3-0	KP형,400mm	142,213	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	142,213 / 142,213	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
169	22-25-I-00000600-3-0	KP형,600mm	322,582	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	닥타일이형관, 캡(BPF)		개	1,290,328 / 1,290,328	2 / 2	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
170	31-01-3-00000080-3-0	소프트형,80mm	178,560	97 / 97	0 / 0	0 / 0	0 / 0	2 / 2	2 / 2	10 / 10
	상수도밸브		개	17,320,320 / 17,320,320	10 / 10	0 / 0	5 / 5	30 / 30	5 / 5	33 / 33
171	31-01-3-00000100-3-0	소프트형,100mm	221,570	106 / 106	1 / 1	0 / 0	0 / 0	10 / 10	2 / 2	10 / 10
	상수도밸브		개	23,486,420 / 23,486,420	3 / 3	13 / 13	5 / 5	20 / 20	12 / 12	30 / 30
172	31-01-3-00000150-3-0	소프트형,150mm	437,880	94 / 94	1 / 1	0 / 0	0 / 0	2 / 2	2 / 2	10 / 10
	상수도밸브		개	41,160,720 / 41,160,720	0 / 0	4 / 4	5 / 5	20 / 20	15 / 15	35 / 35
173	31-01-3-00000200-3-0	소프트형,200mm	612,590	87 / 87	0 / 0	0 / 0	10 / 10	1 / 1	0 / 0	10 / 10
	상수도밸브		개	53,295,330 / 53,295,330	0 / 0	4 / 4	0 / 0	20 / 20	12 / 12	30 / 30
174	31-01-3-00000250-3-0	소프트형,250mm	890,070	14 / 14	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	12,460,980 / 12,460,980	10 / 10	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0
175	31-01-3-00000300-3-0	소프트형,300mm	1,057,870	35 / 35	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	상수도밸브		개	37,025,450 / 37,025,450	10 / 10	0 / 0	0 / 0	20 / 20	2 / 2	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 13/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
192	31-03-5-00000150-3-0	부단수소프트실제수밸브 150mm	3,990,432	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	밸브, 상수도 밸브, 기타제수변, 일반식		개	3,990,432 / 3,990,432	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
193	31-03-5-00000250-3-0	부단수소프트실제수밸브 250mm	7,295,000	2 / 2	1 / 1	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0
	밸브, 상수도 밸브, 기타제수변, 일반식		개	14,590,000 / 14,590,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
194	31-03-F-00000080-3-0	다용도소프트실, 80mm	678,936	82 / 82	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	10 / 10
	상수도밸브		개	55,672,752 / 55,672,752	10 / 10	0 / 0	0 / 0	10 / 10	21 / 21	30 / 30
195	31-03-F-00000100-3-0	다용도소프트실, 100mm	716,649	87 / 87	0 / 0	0 / 0	1 / 1	1 / 1	0 / 0	5 / 5
	상수도밸브		개	62,348,463 / 62,348,463	10 / 10	1 / 1	0 / 0	35 / 35	24 / 24	10 / 10
196	31-03-F-00000150-3-0	다용도소프트실, 150mm	842,836	82 / 82	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
	상수도밸브		개	69,112,552 / 69,112,552	1 / 1	1 / 1	10 / 10	30 / 30	20 / 20	10 / 10
197	31-03-F-00000200-3-0	다용도소프트실, 200mm	1,022,441	74 / 74	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0	10 / 10
	상수도밸브		개	75,660,634 / 75,660,634	10 / 10	20 / 20	0 / 0	0 / 0	22 / 22	10 / 10
198	31-03-F-00000250-3-0	다용도소프트실, 250mm	1,390,387	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	1,390,387 / 1,390,387	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
199	31-03-F-00000300-3-0	다용도소프트실, 300mm	1,576,628	33 / 33	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	상수도밸브		개	52,028,724 / 52,028,724	10 / 10	0 / 0	0 / 0	3 / 3	20 / 20	0 / 0
200	31-04-Z-00100100-3-0	소프트실 체크밸브, 10K* ϕ 100	482,640	14 / 34	0 / 0	0 / 0	2 / 2	0 / 0	5 / 5	2 / 2
	상수도밸브		개	6,756,960 / 16,409,760	0 / 0	2 / 2	0 / 20	0 / 0	3 / 3	0 / 0
201	31-05-A-00000080-3-0	급속공기밸브, 80mm	188,100	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	상수도밸브, 공기밸브		개	1,881,000 / 1,881,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
202	31-05-Q-00000080-3-0	보수차단밸브일체형, 80mm	443,381	10 / 10	0 / 0	0 / 0	5 / 5	0 / 0	0 / 0	5 / 5
	상수도밸브, 공기밸브		개	4,433,810 / 4,433,810	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
203	31-05-Q-00000100-3-0	보수차단밸브일체형, 100mm	518,786	9 / 9	1 / 1	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	상수도밸브, 공기밸브		개	4,669,074 / 4,669,074	1 / 1	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0
204	31-12-0-00000100-3-0	수직 볼타입, 100mm	411,409	14 / 34	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	5 / 5
	상수도밸브		개	5,759,726 / 13,987,906	0 / 0	0 / 0	0 / 20	0 / 0	4 / 4	0 / 0
205	32-01-1-00000200-3-0	1단감압/기계식, 200mm	5,516,629	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	감압밸브		개	5,516,629 / 5,516,629	0 / 0	0 / 0	1 / 1	0 / 0	0 / 0	0 / 0
206	32-03-C-00000100-3-0	지상식(일반형), 100mm	850,000	21 / 41	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	11 / 11
	특수용도밸브, 옥외소화전		개	17,850,000 / 34,850,000	0 / 0	0 / 0	0 / 20	0 / 0	0 / 0	0 / 0
207	32-03-D-00000100-3-0	지하식, 100mm	630,000	25 / 45	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	15 / 15
	특수용도밸브, 옥외소화전		개	15,750,000 / 28,350,000	0 / 0	0 / 0	0 / 20	0 / 0	0 / 0	0 / 0

자 재 사 용 계 획 서

출력일자: 2023년 09월 15일

출력시간: 15시 12분 40초

페이지: 15/15

순번	자 재 코 드	규격	단가	총수량(전/후)	1월수량(전/후)	2월수량(전/후)	3월수량(전/후)	4월수량(전/후)	5월수량(전/후)	6월수량(전/후)
	자 재 명		단위	총금액(전/후)	7월수량(전/후)	8월수량(전/후)	9월수량(전/후)	10월수량(전/후)	11월수량(전/후)	12월수량(전/후)
224	81-08-0-00160065-3-0	M16*60mm	0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	볼트너트		조	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
225	81-09-6-00150000-3-0	구상흑연주철보호통뚜껑(15mm)	44,237	200 / 200	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	수도계량기보호통주철뚜껑		개	8,847,400 / 8,847,400	0 / 0	50 / 50	0 / 0	0 / 0	0 / 0	100 / 100
226	81-09-6-00200025-3-0	구상흑연주철보호통뚜껑(20-25mm)	57,508	170 / 170	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	0 / 0
	수도계량기보호통주철뚜껑		개	9,776,360 / 9,776,360	0 / 0	0 / 0	0 / 0	20 / 20	0 / 0	100 / 100
227	81-09-6-00250110-4-0	구상흑연주철, Φ25mm×심도1.1m	169,208	240 / 240	0 / 0	0 / 0	0 / 0	0 / 0	20 / 20	50 / 50
	수도계량기보호통		조	40,609,920 / 40,609,920	30 / 30	20 / 20	20 / 20	100 / 100	0 / 0	0 / 0
228	81-09-6-00300000-3-0	구상흑연주철보호통뚜껑(30mm)	68,568	70 / 70	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	수도계량기보호통주철뚜껑		개	4,799,760 / 4,799,760	10 / 10	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
229	81-09-6-00300110-4-0	구상흑연주철, Φ30mm×심도1.1m	228,929	212 / 212	0 / 0	0 / 0	0 / 0	2 / 2	30 / 30	50 / 50
	수도계량기보호통		조	48,532,948 / 48,532,948	30 / 30	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
230	81-09-6-00400050-3-0	구상흑연주철보호통뚜껑(40-50mm)	110,594	70 / 70	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50
	수도계량기보호통주철뚜껑		개	7,741,580 / 7,741,580	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0	10 / 10
231	81-09-6-00400110-4-0	구상흑연주철, Φ40mm×심도1.1m	333,993	170 / 170	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	10 / 10
	수도계량기보호통		조	56,778,810 / 56,778,810	0 / 0	0 / 0	0 / 0	100 / 100	10 / 10	0 / 0
232	81-09-6-00500110-4-0	구상흑연주철, Φ50mm×심도1.1m	370,489	177 / 177	0 / 0	0 / 0	0 / 0	7 / 7	50 / 50	10 / 10
	수도계량기보호통		조	65,576,553 / 65,576,553	10 / 10	0 / 0	0 / 0	100 / 100	0 / 0	0 / 0
233	81-09-8-00150110-4-0	역지번설치, Φ15mm×심도1.1m	101,545	380 / 380	0 / 0	0 / 0	0 / 0	0 / 0	50 / 50	50 / 50
	수도계량기보호통(역류방지밸브설치형)		조	38,587,100 / 38,587,100	50 / 50	50 / 50	30 / 30	100 / 100	50 / 50	0 / 0
234	81-09-8-00200100-4-0	역지번설치, Φ20mm×심도1.1m	141,761	220 / 220	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	50 / 50
	수도계량기보호통(역류방지밸브설치형)		조	31,187,420 / 31,187,420	30 / 30	10 / 10	20 / 20	100 / 100	0 / 0	0 / 0
235	81-09-9-00150110-4-0	역지번미설치, Φ15mm×심도1.1m	115,621	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브 미설치)		조	11,562,100 / 11,562,100	0 / 0	50 / 50	50 / 50	0 / 0	0 / 0	0 / 0
236	81-09-9-00200110-4-0	역지번미설치, Φ20mm×심도1.1m	159,858	100 / 100	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	수도계량기보호통(역류방지밸브 미설치)		조	15,985,800 / 15,985,800	0 / 0	50 / 50	50 / 50	0 / 0	0 / 0	0 / 0
합 계 (전)				28,796	335	38	171	1,346	3,014	2,493
				2,861,800,714	2,747	2,256	2,339	2,521	8,113	3,423
합 계 (후)				28,876	335	38	171	1,346	3,014	2,493
				2,909,281,694	2,747	2,256	2,419	2,521	8,113	3,423