

: 2020 11 10
 : 16 32 31
 : 1 / 6

: ,
 : ()
 : 89-1~ 368-3 3

(2020-7000-2-0002)

: -17642

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
1	12-01-7-00000080-1-6 (-3) ,8		129,730	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	3 / 3	0 / 0
	(3) ,			389,190 / 389,190	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
2	12-01-7-00000100-1-6 (-3) ,1		160,440	17 / 17	0 / 0	0 / 0	0 / 0	0 / 0	17 / 17	0 / 0
	(3) ,			2,727,480 / 2,727,480	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
3	12-01-7-00000150-1-6 (-3) ,1		242,950	61 / 61	0 / 0	0 / 0	0 / 0	0 / 0	60 / 60	0 / 0
	(3) ,			14,819,950 / 14,819,950	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
4	12-01-7-00000200-1-6 (-3) ,2		325,740	41 / 41	0 / 0	0 / 0	0 / 0	0 / 0	38 / 38	0 / 0
	(3) ,			13,355,340 / 13,355,340	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
5	12-01-7-00000250-1-6 (-3) ,2		427,600	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			855,200 / 855,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
6	12-01-7-00000300-1-6 (-3) ,3		537,980	88 / 88	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	(3) ,			47,342,240 / 47,342,240	88 / 88	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
7	22-01-B-00800045-3-0 B ,80mm *45`		24,300	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	,K.P (BPF)			243,000 / 243,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
8	22-01-B-01000045-3-0 B ,100mm *45		30,780	30 / 30	0 / 0	0 / 0	0 / 0	0 / 0	30 / 30	0 / 0
	,K.P (BPF)			923,400 / 923,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
9	22-01-Y-01500022-3-0 B (L) ,150mm*22(51,840	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			103,680 / 103,680	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
10	22-01-Y-01500045-3-0 B (L) ,150mm*45(57,960	55 / 55	0 / 0	0 / 0	0 / 0	0 / 0	47 / 47	0 / 0
	,K.P (BPF)			3,187,800 / 3,187,800	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
11	22-01-Y-02000045-3-0 B (L) ,200mm*45(82,350	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	11 / 11	0 / 0
	,K.P (BPF)			905,850 / 905,850	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
12	22-01-Y-02500045-3-0 B (L) ,250mm*45(116,100	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			464,400 / 464,400	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
13	22-01-Y-03000022-3-0 B (L) ,300mm*22(132,300	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			396,900 / 396,900	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
14	22-01-Y-03000045-3-0 B (L) ,300mm*45(153,900	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P (BPF)			3,847,500 / 3,847,500	25 / 25	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
15	22-02-B-01000100-3-0 B ,100*100mm(55,200	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, T (BPF)		110,400 / 110,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
16	22-02-B-01500080-3-0 B ,150*80mm(74,520	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, T (BPF)		74,520 / 74,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
17	22-02-B-01500100-3-0 B ,150*100mm(80,040	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10	0 / 0
	, T (BPF)		800,400 / 800,400	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
18	22-02-B-01500150-3-0 B ,150*150mm(92,460	5 / 7	0 / 0	0 / 0	0 / 0	0 / 0	5 / 5	0 / 0
	, T (BPF)		462,300 / 647,220	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0
19	22-02-B-02000080-3-0 B ,200mm*80mm(100,740	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, T (BPF)		100,740 / 100,740	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
20	22-02-B-02000100-3-0 B ,200mm*100mm(106,260	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6	0 / 0
	, T (BPF)		637,560 / 637,560	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
21	22-02-B-02000150-3-0 B ,200mm*150mm(120,060	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, T (BPF)		240,120 / 240,120	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
22	22-02-B-03000100-3-0 B ,300mm*100mm(173,880	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		869,400 / 869,400	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
23	22-02-B-03000150-3-0 B ,300mm*150mm(191,820	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		1,726,380 / 1,726,380	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
24	22-02-B-03000200-3-0 B ,300mm*200mm(211,140	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		422,280 / 422,280	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
25	22-02-B-03000300-3-0 B ,300mm*300mm(262,200	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, T (BPF)		1,573,200 / 1,573,200	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
26	22-04-2-00000080-3-0 ,80mm	1,210	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	26 / 26	0 / 0
	, K.P		31,460 / 31,460	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
27	22-04-2-00000100-3-0 ,100mm	1,350	99 / 99	0 / 0	0 / 0	0 / 0	0 / 0	99 / 99	0 / 0
	, K.P		133,650 / 133,650	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
28	22-04-2-00000150-3-0 ,150mm	1,810	191 / 191	0 / 0	0 / 0	0 / 0	0 / 0	191 / 191	0 / 0
	, K.P		345,710 / 345,710	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
29	22-04-2-00000200-3-0 ,200mm	2,400	53 / 53	0 / 0	0 / 0	0 / 0	0 / 0	53 / 53	0 / 0
	, K.P		127,200 / 127,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
30	22-04-2-00000250-3-0 ,250mm	2,810	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P		44,960 / 44,960	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
31	22-04-2-00000300-3-0	,300mm	3,820	149 / 149	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P			569,180 / 569,180	149 / 149	0 / 0	0 / 0	0 / 0	0 / 0
32	22-04-3-00240085-3-0	,24*85	1,110	2,393 / 2,393	0 / 0	0 / 0	0 / 0	1,000 / 1,000	0 / 0
	, K.P			2,656,230 / 2,656,230	1,393 / 1,393	0 / 0	0 / 0	0 / 0	0 / 0
33	22-05-0-00800500-3-0	80mm*L500 (2F)(35,190	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, 2F (BPF)			35,190 / 35,190	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
34	22-05-0-01000300-3-0	100mm*L300 (2F)(31,795	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	9 / 9
	, 2F (BPF)			286,155 / 286,155	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
35	22-05-0-01000500-3-0	100mm*L500 (2F)(40,848	12 / 12	0 / 0	0 / 0	0 / 0	0 / 0	12 / 12
	, 2F (BPF)			490,176 / 490,176	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
36	22-05-0-01500500-3-0	150mm*L500 (2F)(61,962	8 / 8	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8
	, 2F (BPF)			495,696 / 495,696	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
37	22-05-0-02000500-3-0	200mm*L500 (2F)(84,180	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
	, 2F (BPF)			84,180 / 84,180	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
38	22-05-0-02500500-3-0	250mm*L500 (2F)(115,780	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			115,780 / 115,780	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
39	22-05-0-03000500-3-0	300mm*L500 (2F)(148,350	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, 2F (BPF)			445,050 / 445,050	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
40	22-07-2-00000080-3-0	80mm	21,160	26 / 26	0 / 0	0 / 0	0 / 0	0 / 0	26 / 26
	,			550,160 / 550,160	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
41	22-07-2-00000100-3-0	100mm	23,450	99 / 99	0 / 0	0 / 0	0 / 0	0 / 0	99 / 99
	,			2,321,550 / 2,321,550	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
42	22-07-2-00000150-3-0	150mm	30,220	201 / 201	0 / 0	0 / 0	0 / 0	0 / 0	191 / 191
	,			6,074,220 / 6,074,220	10 / 10	0 / 0	0 / 0	0 / 0	0 / 0
43	22-07-2-00000200-3-0	200mm	39,190	53 / 53	0 / 0	0 / 0	0 / 0	0 / 0	53 / 53
	,			2,077,070 / 2,077,070	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
44	22-07-2-00000250-3-0	250mm	48,580	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			777,280 / 777,280	16 / 16	0 / 0	0 / 0	0 / 0	0 / 0
45	22-07-2-00000300-3-0	300mm	56,740	149 / 149	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,			8,454,260 / 8,454,260	149 / 149	0 / 0	0 / 0	0 / 0	0 / 0
46	22-08-0-00000080-3-0	80mm()	25,668	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
	,K.P (BPF)			179,676 / 179,676	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0

			가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
				(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
47	22-08-0-00000100-3-0	100mm(31,188	32 / 32	0 / 0	0 / 0	0 / 0	0 / 0	32 / 32	0 / 0
	,K.P	(BPF)		998,016 / 998,016	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
48	22-08-0-00000150-3-0	150mm(48,024	75 / 75	0 / 0	0 / 0	0 / 0	0 / 0	73 / 73	0 / 0
	,K.P	(BPF)		3,601,800 / 3,601,800	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
49	22-08-0-00000200-3-0	200mm(64,860	22 / 22	0 / 0	0 / 0	0 / 0	0 / 0	22 / 22	0 / 0
	,K.P	(BPF)		1,426,920 / 1,426,920	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
50	22-08-0-00000250-3-0	250mm(88,320	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		529,920 / 529,920	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
51	22-08-0-00000300-3-0	300mm(110,400	71 / 71	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,K.P	(BPF)		7,838,400 / 7,838,400	61 / 61	0 / 0	10 / 10	0 / 0	0 / 0	0 / 0
52	22-09-0-06500080-3-0	80*L650 (1F) (33,589	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	,1F	(L650) (BPF)		67,178 / 67,178	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
53	22-09-0-06500100-3-0	100*L650 (1F) (40,875	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	13 / 13	0 / 0
	,1F	(L650) (BPF)		531,375 / 531,375	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
54	22-09-0-06500150-3-0	150*L650 (1F) (63,756	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	8 / 8	0 / 0
	,1F	(L650) (BPF)		828,828 / 828,828	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
55	22-09-0-06500200-3-0	200*L650 (1F) (90,003	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	,1F	(L650) (BPF)		180,006 / 180,006	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
56	22-09-0-06500250-3-0	250*L650 (1F) (121,219	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		121,219 / 121,219	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
57	22-09-0-06500300-3-0	300*L650 (1F) (156,078	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	,1F	(L650) (BPF)		1,404,702 / 1,404,702	9 / 9	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
58	22-10-A-01000080-3-0	A ,100*80mm(28,152	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, K.P	(BPF)		28,152 / 28,152	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
59	22-10-A-01500080-3-0	A ,150*80mm(42,504	2 / 5	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 0
	, K.P	(BPF)		85,008 / 212,520	0 / 0	0 / 0	0 / 0	0 / 0	0 / 3	0 / 0
60	22-10-A-01500100-3-0	A ,150*100mm(43,056	1 / 2	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0
	, K.P	(BPF)		43,056 / 86,112	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0
61	22-10-A-02000150-3-0	A ,200*150mm(62,100	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		0 / 124,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2	0 / 0
62	22-10-A-03000250-3-0	A ,300*250mm(107,640	1 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
	, K.P	(BPF)		107,640 / 215,280	1 / 1	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
63	22-12-A-01000090-3-0	A ,100mm *90(32,844	0 / 2	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, (BPF)		0 / 65,688	0 / 0	0 / 0	0 / 0	0 / 0	0 / 2
64	22-12-A-03000090-3-0	A ,300mm *90	193,200	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		, (BPF)		0 / 193,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
65	22-14-0-00000080-3-0	80mm	1,710	7 / 7	0 / 0	0 / 0	0 / 0	0 / 0	7 / 7
		,		11,970 / 11,970	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
66	22-14-0-00000100-3-0	100mm	2,780	0 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		0 / 16,680	0 / 0	0 / 0	0 / 0	0 / 0	0 / 6
67	22-14-0-00000150-3-0	150mm	3,840	33 / 33	0 / 0	0 / 0	0 / 0	0 / 0	33 / 33
		,		126,720 / 126,720	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
68	22-14-0-00000200-3-0	200mm	3,940	13 / 13	0 / 0	0 / 0	0 / 0	0 / 0	13 / 13
		,		51,220 / 51,220	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
69	22-14-0-00000300-3-0	300mm	6,490	67 / 71	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		434,830 / 460,790	67 / 67	0 / 0	0 / 0	0 / 0	0 / 4
70	22-25-I-00000150-3-0	KP ,150mm	19,320	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
		, (BPF)		77,280 / 77,280	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
71	31-01-3-00000100-3-0	,100mm	189,200	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
		,		1,135,200 / 1,135,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
72	31-01-3-00000150-3-0	,150mm	373,100	11 / 11	0 / 0	0 / 0	0 / 0	0 / 0	6 / 6
		,		4,104,100 / 4,104,100	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
73	31-01-3-00000200-3-0	,200mm	522,700	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1
		,		522,700 / 522,700	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
74	31-01-3-00000250-3-0	,250mm	762,300	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		762,300 / 762,300	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0
75	31-01-3-00000300-3-0	,300mm	906,800	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		4,534,000 / 4,534,000	5 / 5	0 / 0	0 / 0	0 / 0	0 / 0
76	31-03-F-00000100-3-0	,100mm	712,800	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		2,138,400 / 2,138,400	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
77	31-03-F-00000150-3-0	,150mm	838,310	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		5,029,860 / 5,029,860	6 / 6	0 / 0	0 / 0	0 / 0	0 / 0
78	31-03-F-00000200-3-0	,200mm	1,016,950	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
		,		1,016,950 / 1,016,950	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0

: 2020 11 10
 : 16 32 31
 : 6 / 6

		가	(/)	1 (/)	2 (/)	3 (/)	4 (/)	5 (/)	6 (/)
			(/)	7 (/)	8 (/)	9 (/)	10 (/)	11 (/)	12 (/)
79	31-03-F-00000300-3-0	,300mm	1,568,160	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				4,704,480 / 4,704,480	3 / 3	0 / 0	0 / 0	0 / 0	0 / 0
80	31-12-0-00000100-3-0	,100mm	409,200	0 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
				0 / 409,200	0 / 0	0 / 0	0 / 0	0 / 0	0 / 1
81	41-01-0-01000648-4-0	,	273,300	34 / 34	0 / 0	0 / 0	0 / 0	0 / 0	10 / 10
				9,292,200 / 9,292,200	24 / 24	0 / 0	0 / 0	0 / 0	0 / 0
82	41-01-0-03180560-4-0	318x 560,	299,400	2 / 2	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2
				598,800 / 598,800	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
83	41-01-2-01000648-4-0	,D6	335,000	4 / 4	0 / 0	0 / 0	0 / 0	0 / 0	4 / 4
				1,340,000 / 1,340,000	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0
()				4,366	0	0	0	0	2,261
				176,547,293	2,095	0	10	0	0
()				4,389	0	0	0	0	2,261
				177,845,349	2,095	0	10	0	23